S
312 09786
H2m
1994 & 95

1994 AND 1995

MONTANA

VITAL STATISTICS

STATE DOCUMENTS COLLECTION
FEB - 5 1997
MONTANA STATE LIBRARY
1515 E. 6th AVE.
HELENA, MONTANA 59620

PLEASE RETURN



Montana Department of
Public Health and Human Services

VITAL STATISTICS BUREAU

Maintains a permanent public record of each birth, death and fetal death that has occurred in Montana since 1907.

Maintains statistical information and state-wide indexes for each marriage and marital termination that has occurred in Montana since July 1943.

Maintains a registry of reportable cancers diagnosed in Montana since July 1979.

Develops forms, standards and guidelines for registration or reporting of all vital events occurring in the State of Montana.

Directs and monitors the functions of 57 local registrars to assure state-wide compliance with the statutory mandate for uniform application of registration laws, policies and procedures.

Provides certified copies of birth, death and fetal death certificates and processes certificate corrections, adoptions, legitimizations and delayed birth certificates.

Prepares and maintains computer files of State birth, death, marriage, divorce, induced abortion and reportable cancer data and monitors these files for data quality.

Builds and continues cooperative relationships with federal, state and local agencies--including the National Center for Health Statistics--that collect, maintain and use vital records and health statistics.

Provides statistical data tabulations and analyses in support of health policy development, status assessment, and service assurance.

Maintains a state-wide cancer data base for statistical studies and yearly follow-up of cancer patients and provides technical assistance to hospital cancer registries.

1994 AND 1995
MONTANA
VITAL STATISTICS

Honorable Marc Racicot
Governor of Montana

Peter S. Blouke, Ph.D.
Director
Montana Department of Public Health and Human Services

November, 1996

ACKNOWLEDGEMENTS

This report was prepared by the Vital Statistics Bureau, Operations and Technology Division, Department of Public Health and Human Services.

Special appreciation is extended to following bureau staff members:

Bruce Schwartz, Research Specialist, for cover design and for management of report preparation

and to

Kathy Thompson, Data Acquisition Supervisor

Debbi Hellhake, Central Tumor Registry Manager

Tom Fenton, Statistical Technician

DEPARTMENT OF
PUBLIC HEALTH AND HUMAN SERVICES
VITAL STATISTICS BUREAU
AND OFFICE OF THE STATE REGISTRAR

MARC RACICOT
GOVERNOR

PETER S. BLOUKE, PH
DIRECTO

STATE OF MONTANA

111 N SANDERS, RM. 205

PO BOX 42
HELENA, MT 59604-42

December 31, 1996

RE: ERRATA PAGE FOR MONTANA VITAL STATISTICS REPORT--1994/1995

To Whom It May Concern:

In the course of preparing the referenced report, we confused the Census Bureau's 1995 population estimates for Madison and McCone counties. Consequently, for these two counties, all of the population-based vital event rates reported in Table 29 (Selected Vital Statistics...) for 1995 are incorrect. The vital event frequencies for 1995 are correct as shown. Neither the vital event frequencies nor the rates for 1994 were affected by this error.

Enclosed is an errata page showing the corrected rates. Should you wish to place the corrected rates over the incorrect rates, the columns for McCone county are on page 95-47. The columns for Madison county are on page 95-48.

These same errors in county populations appear in Table 2 (State Population by County...) on page 95-2. The correct (rounded) population estimate for McCone county is 2,120. The correct estimate for Madison county is 6,660.

Sincerely,

Bruce S. Schantz for

Sam H. Sperry
State Registrar and Chief,
Vital Statistics Bureau

TELEPHONE: (406) 444-4228
FAX: (406) 444-1803

"AN EQUAL OPPORTUNITY EMPLOYER"

ACKNOWLEDGEMENTS

This report was prepared by the Vital Statistics Bureau, Operations and Technology Division, Department of Public Health and Human Services.

Special appreciation is extended to following bureau staff members:

Bruce Schwartz, Research Specialist, for cover design and for management of report preparation

and to

Kathy Thompson, Data Acquisition Supervisor

Debbi Hellhake, Central Tumor Registry Manager

Tom Fenton, Statistical Technician

TABLE OF CONTENTS

TABLE OF FIGURES iv

INTRODUCTION 1
VITAL REGISTRATION AND DATA COLLECTION 1
MONTANA CENTRAL TUMOR REGISTRY 4

TECHNICAL OVERVIEW 7
DATA SOURCES AND LIMITATIONS 7
DATA TABULATION AND PRESENTATION 10
DEFINITIONS 11

NATALITY 17

MORTALITY 20
FETAL, INFANT, AND MATERNAL DEATHS 21
CAUSE OF DEATH 21

INDUCED ABORTIONS 24

MARRIAGE 25

MARITAL TERMINATIONS 27

CANCER INCIDENCE 29

1994 VITAL STATISTICS TABLES 94-1

1995 VITAL STATISTICS TABLES 95-1

TABLE OF FIGURES

Figure 1 - CLASSIFICATION (ICD-9) CODES FOR UNDERLYING CAUSES OF DEATH 11

Figure 2 - RESIDENT CRUDE BIRTH RATES - MONTANA AND THE UNITED STATES 1959 – 1995 17

Figure 3 - PERCENT OF BIRTHS TO UNMARRIED MOTHERS - MONTANA RESIDENTS, 1976 - 1995 18

Figure 4 - PERCENT OF BIRTHS OUTSIDE HOSPITALS - MONTANA OCCURRENCES, 1976 – 1995 19

Figure 5 - RESIDENT CRUDE DEATH RATES - MONTANA AND THE UNITED STATES, 1959 - 1995 20

Figure 6 - CRUDE DEATH RATES FOR FIVE LEADING CAUSES OF DEATH - MONTANA AND UNITED STATES RESIDENTS, 1986, 1989, 1992, AND 1995 22-23

Figure 7 - MARRIAGE RATES - MONTANA AND THE UNITED STATES, 1959-1995 25

Figure 8 - MARITAL TERMINATION RATES - MONTANA AND THE UNITED STATES, 1959-1995 27

INTRODUCTION

This report was prepared by the Vital Statistics Bureau (VSB) of the Montana Department of Public Health and Human Services (DPHHS). It provides a reference to some of the more frequently used vital statistics for Montana. Because it is intended primarily for reference, there is a minimum of analysis and interpretation of the data. More detailed tabulations and analyses are available on request, as time and resources permit.

A general discussion of the findings, with descriptive figures, appears on pages 17 through 29. The vital statistics tables for 1994 appear on pages 94-1 through 94-66; those for 1995 appear on pages 95-1 through 95-66. Where space permits, data for one or more prior years are provided for comparison. Tables 1, 3, 4, 29, and 30 provide summary statistics on key vital events. Table 2 shows Montana's estimated resident population by county. Tables 5 through 8 present data on natality (births). Mortality (death) data are presented in Tables 9 through 16. Tables 17 through 19A provide data on induced abortions. Marriages and marital terminations are covered by Tables 20 through 28. Table 31 contains a county-level summary of reportable diseases. Tables 32 through 34 provide information on the incidence of cancer.

Records collected by the VSB provide the majority of data for these statistics and tabulations. These records include certificates of birth, death, and fetal death; transcripts of information on marriage, marital termination, and legally induced abortions; and reports of cancer cases. Any other source of data — such as the U.S. Bureau of the Census — is cited in the text or table where the data are used.

VITAL REGISTRATION AND DATA COLLECTION

Registration of births, deaths, and fetal deaths is a legal requirement. Birth certificates must be filed with the local registrar within ten days of the event. The attending physician, midwife, or parent must file the certificate in the county in which the birth occurred. The person responsible for filing death or fetal death certificates is the undertaker, funeral director or other person in charge of internment or removal of the body from the place of death. The certificate must be filed with the county's local registrar no later than ten days after the date of death. A fetal death certificate must be filed if the period of gestation was determined to be 20 weeks or more or if the fetus weighed 500 grams or more.

Montana vital statistics law defines "reportable events" -- as distinguished from registered events -- as marriage, marital termination, and diagnosis and/or treatment of a "reportable tumor." Before the tenth day of each month, the clerk of district court must report all marriages that have occurred, been dissolved, or been invalidated in the county during the preceding month. Hospitals and independent laboratories providing cancer treatment or

diagnostic services are responsible for reporting within six months of the initial treatment or diagnosis.

The Abortion Control Act makes any induced abortion occurring in Montana a reportable event. The facility performing an induced abortion is responsible for its reporting within 30 days.

The VSB designs vital certificate and report forms to meet all legal registration and reporting requirements and to provide statistical data to federal, state and county government agencies. The state collects the following statistical data on these events:

NATALITY

Date, hour, and place of birth.

Age, race, ancestry, education, and birthplace of the parents; mother's place of residence.

Pregnancy history including number, dates, and results of prior pregnancies; date of last normal menses; month in which prenatal care began; number of prenatal visits; maternal risk factors during the pregnancy — marital status, medical conditions, tobacco and alcohol use, and weight gain.

Birth process (including whether the mother was transferred to the hospital), obstetric procedures, complications of labor and delivery, method of delivery, and clinical estimate of gestation.

Infant's sex, plurality, birth order, birthweight, and APGAR scores; the prophylactic used in the infant's eyes; whether the infant was transferred to another hospital; and any abnormal conditions or congenital anomalies.

MORTALITY

Date, hour, and place of death.

Decedent's age at death, sex, race, ancestry, education, marital status, birthplace, and place of residence.

Underlying cause of death; whether an autopsy was performed and, if so, whether results were available when cause of death was determined; if death resulted from an external cause (accident, suicide, or homicide), the circumstances of the injury including whether it was sustained at work.

FETAL MORTALITY

Date, hour, and place of delivery.

Age, race, ancestry, and education, of parents; mother's place of residence

Cause of fetal death; the sex, weight, plurality, birth order, and any anomalies or abnormal conditions of the fetus.

Significant conditions of the mother including number, dates, and results of prior pregnancies; date of last normal menses; month in which prenatal care began; number of prenatal visits; maternal risk factors during the pregnancy — marital status, medical conditions, tobacco and alcohol use, and weight gain; clinical estimate of gestation; obstetric procedures; complications of labor and delivery; and method of delivery.

MARRIAGE

Date and place of license issuance; date and place of marriage.

Race, education, birthplace, and residence of the bride and groom.

Previous marital history including number of prior marriages and reason for termination of the most recent prior marriage, if applicable.

MARITAL TERMINATION

Date and place of decree, type of termination (dissolution or invalid marriage), and legal ground for invalid marriage; whether the marriage was terminated in tribal or district court.

Race, education, birthplace, and residence of wife and husband.

Number of this marriage and reason for termination of the most recent prior marriage for each party; date the couple last lived in the same household; length of marriage; and petitioner.

Number of children born alive of this marriage; number of children under 18 years of age in the household; number of children whose custody was awarded to the wife, husband, both, or another party.

INDUCED ABORTION

Date and place of procedure.

Ancestry, race, education, marital status, birth date, and county of residence of patient.

Pregnancy history including date of last normal menses, clinical estimate of gestation, and number and result of prior pregnancies.

Primary procedure that terminated pregnancy, additional procedures used, and resulting complications.

REPORTABLE NEOPLASMS

Reportable neoplasms: (1) all malignant cancers except basal- and squamous-cell carcinomas of the skin; (2) all benign tumors of the brain, pineal gland and pituitary gland; and (3) carcinoid tumors.

Date and place of diagnosis and/or first treatment.

Patient's race, sex, marital status, age at diagnosis, date and place of birth, and place of residence.

Primary cancer site; laterality; any other primary tumors; method of confirmation; histology, grade, stage at diagnosis, size of tumor, and lymph node examination.

Follow-up information including summary of therapies, patient status, tumor status, recurrence information, and cause of death if applicable.

The original certificates of birth, death, and fetal death, as well as the reports of abortion, marriage, divorce, and cancer are forwarded to the Vital Statistics Bureau. Birth, Death and Fetal Death Certificates are permanently filed with and maintained by the VSB. The bureau maintains electronic records of all events, except reportable cancers, in the Vital Statistics System. Cancer data are maintained in the Montana Central Tumor Registry (MCTR) system.

Bureau staff check all records and reports for accuracy and completeness and code them for data entry. The data are key-entered and maintained in electronic files. Vital records files contain the legal portions of the certificates and reports. Vital statistics files contain statistical information without identification of individuals. MCTR data files contain both identifying and statistical information because the system permits rapid creation of statistical analysis files.

MONTANA CENTRAL TUMOR REGISTRY

The Tumor Registry Act of 1979 established the Montana Central Tumor Registry as part of the Vital Statistics law. As of September 1996, there were almost 60,000 cases on the registry. The goals and activities of the MCTR include:

- Provide centralized cancer surveillance in Montana.
    - Receive reports of cancer cases and incorporate the information into a statewide electronic database on Montana residents and non-residents diagnosed and/or treated in Montana.
    - Maintain and ensure the quality, completeness, useability, and security of the cancer database.
    - Provide data, statistics, and analysis on cancer occurrence, prevalence, stage at diagnosis, treatment, and survival in Montana.
    - Document and analyze changing patterns in cancer by primary site of the cancer, demographic variables, and geographic or environmental factors that may be related to the disease.
- Assist the physician in cancer care delivery by providing treatment and survival results.
    - Report summary statistics and trends in cancer diagnosis and treatment and the results of therapies over time.
    - Provide information to hospitals and medical professionals on their patients and on the hospital's or office's cancer experience as compared to statewide information.
- Facilitate annual, lifetime follow-up for each cancer patient and promote early detection of metastatic disease, second primary cancers, and some cancer recurrences by sending yearly patient follow-up reminders to physicians.
- Provide support and services to participating hospital cancer registries.
    - Assist in establishing and maintaining hospital-based cancer registries.
    - Educate professionals about cancer reporting, conduct tumor registrar training and continuing education, and supply necessary forms.
    - Assist hospital tumor registrars in interpretation and use of MCTR registry maintenance and statistical reports.
- Define areas for further education and research.

DATA SOURCES

Cancer has been a reportable disease in Montana for hospitals and radiation centers since the central registry was formed in 1979 and for independent clinical laboratories since 1985. The laboratory reporting requirement allowed the MCTR to maintain a more complete registry. Reporting facilities submit data on paper Tumor Registry Abstract Forms or electronically via diskette. More than 50% of cancer case reports are transferred to the MCTR electronically.

The central registry performs yearly follow-up and death certificate matching on all patients to calculate accurate survival rates and maintain treatment information. The death certificates used are maintained in the Montana Vital Statistics System.

The MCTR receives information from other states on Montana residents who receive treatment outside of Montana. The registry collects information on out-of-state residents receiving treatment in Montana and provides it to the patient's resident state.

TECHNICAL OVERVIEW

DATA SOURCES AND LIMITATIONS

DELAY IN REPORTING

This report includes 1994 and 1995 vital records and transcripts that were received before April 1, 1996. With the exception of cancer incidence data, prior year records received after April 15 are not included in any year's statistics. The number of records received after April 15 is so few, and the use of an April "cut off" date so consistent, that the effect of omitted data on the trends and patterns discussed is likely to be very small. Because reporting to the Montana Central Tumor Registry (MCTR) lags up to six months behind the event, the cut off date for MCTR data was October 15, 1996.

GEOGRAPHIC ALLOCATION

Table titles or footnotes indicate whether data are shown by place of residence or place of occurrence. For example, if a resident of Florida is killed in an automobile accident in Montana, the death is counted as a Montana occurrence but is included in Florida's residence statistics. Births, deaths and fetal deaths may be tabulated either way. For deaths, the place of residence is the usual state and county of residence of the decedent. For births, the place of residence of the child is the usual state and county of residence of the mother.

Residence data for births, deaths, and fetal deaths occurring out-of-state are available because of a cooperative, interstate transcript-exchange agreement. All other states and the provinces of Canada participate in this agreement under the auspices of the National Association for Public Health Statistics and Information Systems. Interstate data on induced abortions are not available for all states, so all tabulations of abortion data except those in Table 30 are by Montana occurrence. The resident abortion statistics in that table are incomplete because only in-state occurrences are tabulated.

While we can determine most of the nonresidents marrying in Montana, we do not know how many Montana residents marry outside of the state, nor do we know of residency changes associated with marital terminations. No exchange agreement is in effect for marriages or marital terminations, and tabulations are thus only by Montana occurrence. Data on marital terminations are limited to Montana decrees involving at least one Montana resident and are tabulated as occurrences by the Montana county in which the decree was issued.

CAUSE OF DEATH CERTIFICATION

The medical certification section of the Montana Death Certificate asks for information on the causal and chronological sequence of events leading to death. The attending physician or coroner completes this section of the death certificate. It consists of two parts. Part I is

used for reporting the conditions leading directly to death and, for each, the interval between onset of the conditions and death. Part II is for reporting any important diseases or conditions that influenced the course of the illness or trauma unfavorably — thus contributing to the fatal outcome — but that were not related to the immediate cause of death. For example, a medical certification might read as follows:

Part I. Death was caused by:			Duration
Immediate cause	Due to	(a) *postoperative bronchial pneumonia*	*3 days*
	Due to	(b) *lobectomy*	*1 week*
Underlying cause	Due to	(c) *primary cancer of lung*	*1 year*

Part II. Other significant conditions
Hypertensive cardiovascular disease

The causes of death in this report represent the underlying cause derived from the information provided on Parts I and II. In the above example, that cause would be lung cancer. Each condition or cause reported on death certificates is classified according to the Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Ninth Revision, World Health Organization, Geneva, 1977 (ICD-9). The nosologist — the person responsible for coding cause of death — develops an underlying cause using ICD-9 codes and coding procedures developed for nationwide use by the National Center for Health Statistics in the U.S. Department of Health and Human Services, Public Health Services, Center for Disease Control and Prevention (CDC). The ICD-9 code for the death in the illustration above would be 162.9, "malignant neoplasm of bronchus and lung, area or lobe unspecified."

When the underlying cause is a traumatic injury, the ICD-9 external code (E-code) is used. This code indicates the nature of the event rather than the nature of the injury. Thus code 810.1 would indicate that the decedent was a passenger in a motor vehicle other than a motorcycle who was in a traffic accident involving a collision with a train. The same code used as a nature of injury code (N-code) would mean a closed fracture of the clavicle.

Whenever possible, deaths are classified by the underlying cause reported. Exceptions occur when the underlying cause is not apparent from the certificate and clarification is not available. In these instances, the probable underlying cause is determined using a system of rules developed by the National Center for Health Statistics (NCHS).

MARRIAGE AND MARITAL TERMINATION

Reliance on national marriage and marital termination statistics is limited by differences in data collection and data availability at or below the state level. Marriage, marital termination and residency are defined by the laws of each state. The minimum age for marriage, marriage license requirements, residency requirements for marital termination, acceptable grounds for such termination, and minimum period between marriage and marital termination vary from state to state. These differences can affect the comparability of data from state to state.

Data aggregation is also affected by how data are collected and reported. For most states, frequency of marriage is based on marriages performed. For New Mexico, New York City, and some counties of Arizona, data represent licenses issued.

POPULATION ESTIMATES

All crude rates per 1,000 or per 100,000 population in this report use state population estimates provided by the U. S. Bureau of the Census (Census Bureau). The Census Bureau used the Tax Return method (formerly, the Administrative Records Method) to arrive at population estimates.

RACE

Tabulation of vital events by race is imprecise for several reasons. First, it is difficult to identify a single or predominant race when persons are of mixed ancestry, as is the case for many U.S. citizens. A second difficulty with tabulations by race is that the category assignment is based on the opinion of the informant. As such, it may not reflect the same definitions of racial groups from one record to the next.

For births and fetal deaths, the race of the infant or fetus is defined as the reported race of the mother. This is the NCHS definition of infant or fetal race and is used so Montana statistics may be compared to U.S. regional and national statistics.

There are two other areas where racial classifications may lack precision: the "Hispanic" ancestry designation and the grouping of responses into an "Other" category. Hispanic ancestry is reported separately from race. Thus, it may apply to any racial category including "White" and "Native American." The proportion of persons in Montana reported as being of Hispanic ancestry is so small, however, that creating racial categories based on combined racial and Hispanic classifications is unlikely to yield any meaningful information.

The "Other" category, which appears in Tables 4, 9, 13, and 14, is made up of all individuals not classified in the identified group(s) shown in the table. Those for whom race is not reported are therefore included as "Other." More than 94% of Montana's population is white. Thus, classifying persons of unknown race as "Other" could introduce an unknown, probably slight, bias into statistics calculated from the data in these tables.

MARITAL STATUS

Mother's marital status is designated "Married" on the birth record if the mother is shown on the birth certificate as married "at birth, conception or any time in between." "Unmarried" indicates that the mother was not married at any time during the pregnancy.

Marital status for death and abortion records is "Married or Separated," "Divorced," "Widowed," or "Single" as described by the informant. The "Divorced" designation on such records includes both marital dissolutions (formerly called divorces) and invalid marriages (formerly called annulments).

LIMITATIONS OF SMALL NUMBERS

The occurrence of vital events is subject to chance variation. For example, a birth at 11:59 P.M. on December 31 would be counted in one year. If the infant had been born two minutes later at 12:01 A.M., the birth would be counted in the following year. This phenomenon is not of great importance for states — or counties — with substantial populations, since the relative number of births is not greatly affected by one event. However, for Montana counties, with their relatively small populations, the occurrence of an event in one year rather than the next could change the pattern of events and might, for example, lead to mistaken conclusions about trends in the county's birth rate.

When the number of events is displayed, the occurrence of small numbers is obvious. When rates or percentages are based on small numbers of events, that fact may not be immediately apparent. Rates or trends based on small numbers — less than 100 — must be interpreted with caution. In no case can meaningful conclusions be drawn based on a frequency of less than five. This report provides the frequency as well as the rate in all tables where small numbers may appear.

Similarly, percentages that are based on small totals can be misleading. For example, if there were ten births in a county and three of the new mothers were 18 or 19, the distribution of births by mother's age would show that 30% of the county's births were to teenagers. While accurate, this statistic is probably not useful for making policy.

Tabulating occurrences of an event over a period of several years may reduce the impact of chance variability in small numbers. An example is the five-year infant mortality rate shown in Table 13 on page 95-31. However, the VSB has limited the use of multi-year rates in this report because such rates can conceal changes in trends that take place during the multi-year period.

DATA TABULATION AND PRESENTATION

GEOGRAPHIC TABULATION

The birth, death, fetal death, and abortion data in this report are tabulated for Montana residents by place of residence and for all events occurring in Montana by place of occurrence. All occurrence statistics include events that occurred in Montana to out-of-state residents. Births, deaths and fetal deaths that occurred out-of-state to Montana residents are included under resident statistics. Resident statistics on abortions include only in-state occurrences.

CAUSE OF DEATH

The discussion and tables in this report show the underlying cause-of-death (ICD-9) codes grouped into named diseases and conditions. These groupings are those that the NCHS and most public health professionals use. In many cases, the ICD-9 codes are listed in the table along with the condition or disease name; however, some tables show only the name. **Figure 1** shows how ICD-9 codes are grouped into cause-of-death conditions and diseases when the codes are not shown in the table. Causes identified by single, three-digit ICD-9 codes appear in Table 9 beginning on page 95-9; therefore, those causes are not listed here.

Figure 1

CLASSIFICATION (ICD-9) CODES FOR UNDERLYING CAUSES OF DEATH

ICD-9 Code	Underlying Cause of Death
002.0	TYPHOID FEVER
005.1	BOTULISM
010 - 018, 137	TUBERCULOSIS
042 - 044	HIV INFECTION
045, 138	POLIOMYELITIS
082.0	ROCKY MOUNTAIN SPOTTED FEVER
090 - 097	SYPHILIS
140 - 208	CANCER
320 - 322	MENINGITIS
331.0	ALZHEIMER'S DISEASE
390 - 398, 402, 404, and 410 - 429	HEART DISEASE
430 - 438	CEREBROVASCULAR DISEASE
480 - 486	PNEUMONIA
490 - 496	CHRONIC OBSTRUCTIVE PULMONARY DISEASES
540 - 543	APPENDICITIS
580 - 589	NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS
810 - 825	MOTOR VEHICLE ACCIDENTS
800 - 807, 826 - 949	OTHER ACCIDENTS
950 - 959	SUICIDE
960 - 969	HOMICIDE

USE OF CRUDE RATES AND RATIOS

This report presents rates and ratios that have not been adjusted to account for population variability. In such "crude" rates, the denominator is the estimated state or county population and the numerator is the number of events, not weighted by any factor to adjust that population count. Examples of crude rates are given in the DEFINITIONS section below.

DEFINITIONS

This section provides definitions of selected demographic, statistical, and medical terms as they are used in this publication. The terms are listed in alphabetical order. Cause of death, race, marital status, and population estimates are discussed above, and are therefore not included with these definitions.

ABORTION RATIO — the number of induced abortions reported to the VSB, as compared to the number of live births. It is computed as follows:

$$\textit{Annual abortion ratio} = \frac{\textit{Annual number of induced abortions}}{\textit{Annual number of live births}} \times 1{,}000$$

AGE — the calculated or reported age of the person(s) involved in a vital or reportable event. For fetal deaths, parents' reported ages were used. For births, induced abortions, marriages, divorces, and reportable cancers, age was calculated based on reported date of birth and date of the event. For deaths, age was calculated as the number of days between birth and death dates. Age in days was divided by 365.25 and truncated to yield age in years if the decedent was one year old or older. Where the record of the month and day of birth were incomplete or invalid, the month was

assumed to be June and/or the day was assumed to be the 15th for the calculation of age in years.

AT-RISK POPULATION — all of the persons to whom a given event could occur. The at-risk or "subject" population is the denominator in a rate calculation. See the use of "at risk" in the definition of FERTILITY RATE.

BIRTH RATE — the proportion of live births in the total population, expressed as a number per thousand persons in that population. Unless otherwise stated, the birth rate is the annual, crude rate, unadjusted for factors affecting the population. It is computed as follows:

$$\textit{Annual crude birth rate} = \frac{\textit{Annual number of live births}}{\textit{Midyear population}} \times 1{,}000$$

COUNTY — as used in table titles, either an incorporated county or that part of Yellowstone National Park which is located in Montana, but which is not incorporated into any Montana county. For example, a tabulation of deaths "by county of occurrence" would show deaths in the Montana portion of Yellowstone National Park as "county" occurrences.

DEATH RATE — the proportion of deaths in the total population, expressed as a number per thousand population. Unless otherwise stated, the death rate is the annual, crude rate, unadjusted for factors affecting the population. It is computed as follows:

$$\textit{Annual crude death rate} = \frac{\textit{Annual number of deaths}}{\textit{Midyear population}} \times 1{,}000$$

FERTILITY RATE — the total number of live births as a proportion of the estimated population of women at risk, expressed as a number per thousand women in that population. The population at risk of experiencing a birth is all fertile women. The approximation used is all women in the main childbearing ages (15 to 44 years). The rate is computed as follows:

$$\textit{Annual fertility rate} = \frac{\textit{Annual number of live births}}{\textit{Midyear population of women aged } 15\text{-}44} \times 1{,}000$$

FETAL DEATH — the reported birth of a fetus that shows no evidence of life after complete birth — that is, no action of the heart, breathing or movement of voluntary muscles. Montana law requires report of fetal death if (1) the fetus weighed 500 grams or more or (2) the birth took place after 20 weeks of gestation. There is no provision in Montana law for reporting the birth of a non-viable fetus with a lower gestational age and weight.

FETAL DEATH RATIO — the number of fetal deaths as compared to the number of live births, expressed as a number per thousand live births. It is computed as follows:

$$\textit{Annual fetal mortality ratio} = \frac{\textit{Annual number of fetal deaths}}{\textit{Annual number of live births}} \times 1{,}000$$

FIVE-YEAR INFANT MORTALITY RATE — the number of infant deaths in a five-year period as compared to the number of live births in that same period, expressed as a number per thousand live births. It is calculated as follows:

$$\textit{Five-year infant mortality rate} = \frac{\textit{Number of infant deaths} \in \textit{a five-year period}}{\textit{Number of live births} \in \textit{the same five-year period}} \times 1{,}000$$

FREQUENCY — the number of occurrences of an event or observation; how often an event occurs.

INCIDENCE RATE — the number of new occurrences of an event within a population during a stated time period for a given number of persons in that population. The time period is assumed to be annual unless otherwise stated. The incidence rate for reportable diseases is expressed as the number of new cases per 100,000 population.

INDUCED ABORTION — a legal, medical procedure that is intended to terminate a pregnancy without live birth.

INFANT — an individual less than 365 days (one year) old.

INVALID MARRIAGE — marriage deemed never to have been legal; a declaration of invalid marriage was formerly called an annulment.

LIVE BIRTH — the birth of a child who shows evidence of life after complete birth. Evidence of life includes heart action, breathing, or movement of voluntary muscles.

LOW BIRTHWEIGHT — the birth weight for a live-born infant of less than 2,500 grams (about five pounds, eight ounces).

MARITAL DISSOLUTION — legal termination of a valid marriage; a marital dissolution was formerly called a divorce.

MATERNAL DEATH — a woman's death attributable to childbirth or complications of pregnancy, delivery, and the puerperium.

MATERNAL DEATH RATE — the total number of maternal deaths as a proportion of total live births, expressed as a number per hundred thousand live births. It is computed as follows:

$$\textit{Annual maternal mortality rate} = \frac{\textit{Annual number of maternal deaths}}{\textit{Annual number of live births}} \times 100{,}000$$

MEAN — the arithmetic average, obtained by dividing the sum of individual values or scores by the number of values or scores observed. For example, the mean age for six persons aged 9, 10, 12, 13, 13, and 16 is 73 divided by 6, or 12.2 years.

MEDIAN — the midpoint; the middle value in a series of values arranged in order of size. For the example under the definition of "mean," the median age is 12.5.

MODE — the most frequently observed value in a series of values. For the example under the definition of "mean," the modal age is 13.

NATURAL INCREASE — the excess of births over deaths among residents of an area.

NEONATAL DEATH — a death occurring within the first 27 days of life.

NEOPLASM — a new, abnormal, malignant, or benign growth of tissue that is uncontrolled and progressive. Malignant neoplasms are commonly called cancers.

OUT-OF-WEDLOCK BIRTH RATIO — the number of births to unmarried women as compared to the number of live births, expressed as a number per thousand live births. It is computed as follows:

$$\textit{Annual out-of-wedlock birth ratio} = \frac{\textit{Annual number of live out-of-wedlock births}}{\textit{Annual number of live births}} \times 1{,}000$$

PARITY — the condition of a woman with respect to her having borne viable offspring. The parity of this birth is the number of live children the woman has born, including those born in the current delivery.

PERINATAL DEATH — a death occurring near the time of birth. The number of perinatal deaths is the sum of registered fetal deaths and neonatal deaths.

PERINATAL MORTALITY RATE — the number of fetal deaths plus neonatal deaths as compared to the number of deliveries (fetal deaths plus live births), expressed as a number per thousand persons in that population. It is calculated as follows:

$$\textit{Perinatal mortality rate} = \frac{\textit{Annual number of fetal deaths plus neonatal deaths}}{\textit{Annual number of fetal deaths plus live births}} \times 1{,}000$$

PLACE OF OCCURRENCE — the location where an event took place, regardless of the usual residence of the person(s) involved.

PLACE OF RESIDENCE — the usual residence of the person(s) involved in a vital event, regardless of the event's place of occurrence. For births and fetal deaths, the mother's usual place of residence. For abortions, the usual place of residence of the patient. For deaths, the usual place of residence of the decedent.

PLURALITY — the number of infants born during this delivery.

PUERPERIUM — the condition of the mother immediately following childbirth.

RATE — the frequency of an event in a population subject to that event, expressed as the frequency of occurrence per unit — generally 1,000 or 100,000 — of the subject population. For example, the Montana resident birth rate per 1,000 population is the number of births to Montana resident women for every 1,000 men, women, and children in the Montana population.

RATIO — the comparison of two types of events occurring in a subject population, expressed as a frequency of occurrence per unit of one of the events. For instance, the Montana fetal death ratio is the number of fetal deaths per 1,000 live births to Montana resident women. The population, fertile women residing in Montana, is the same for both events, but the events are unlikely to have happened to the same women. Also, the total number of fertile women is not part of the calculation; the basis for the unit (the denominator) is live births, one of the events.

STAGE AT DIAGNOSIS — the point to which a disease has progressed when it is first diagnosed. Summary stages for cancer diagnoses are:

In-Situ — An abnormal cell growth that fulfills all microscopic criteria for malignancy, but does not invade or penetrate surrounding tissue.

Local — An abnormal cell growth that is invasive but remains restricted to the site of origin.

Regional — An abnormal cell growth that has spread by direct extension to adjacent organs and/or regional lymph nodes, and appears to have spread no further.

Distant — An abnormal cell growth that has spread by direct extension beyond the adjacent organs or tissues and/or has metastasized to distant lymph nodes or other distant organs.

Unknown — Insufficient information available to determine the stage of disease at diagnosis.

SUBJECT POPULATION — see AT-RISK POPULATION.

SURVIVAL RATE — the percentage of people diagnosed with a life-threatening disease and remaining alive as of a stated time period after diagnosis.

THERAPIES — procedures used to treat disease or other health conditions: The following are therapies for reportable cancers.

Biological Response Modifiers (BRM) — all chemicals or biological agents that alter the immune system or change the host response to a cancer.

Chemotherapy — administration of any chemical to attack or treat tissue that is not thought to achieve its affect through a change in the hormone balance, immune system, or immune response.

Hormone — administration of any agent that affects cancer tissue by changing the hormonal balance of the patient, including hormones, anti-hormones, and steroids.

Radiation — transmission of light, short radio waves, ultraviolet light, or x-rays to destroy tumor cells. Palliative radiation is used to improve the quality of life by relieving pain; it reduces the growth but does not necessarily destroy the cancer.

Surgery — partial or total removal of a tumor.

VERY LOW BIRTHWEIGHT — The birthweight of an infant of less than 1,500 grams (about 3 pounds 5 ounces).

NATALITY

There were 11,062 babies born to Montana residents in 1994 and 11,136 in 1995, continuing the decline in the birth rate since 1980. **Table 1** (pages 94-1 and 95-1) shows the frequency and rate of births to Montana residents each year since 1946 and births occurring in Montana (regardless of place of residence) in five-year intervals beginning in 1910. **Figure 2** compares the resident birth rates for Montana and the U.S. for 37 years.

Figure 2

RESIDENT BIRTH RATES
MONTANA AND THE UNITED STATES, 1959 — 1995



While the Montana rate exceeded the U.S. rate from 1971 to 1985, it has been the lower of the two since. The Montana birth rate for 1995, 12.8 per thousand population, is the lowest ever recorded for the state.

As in 1992 and 1993, those giving birth in 1994 and 1995 were predominantly married White women aged 20 to 34 years. **Table 30** (pages 94-52 through 94-60 and 95-52 through 95-60) shows the frequency and percent distribution of births to Montana residents by the mother's age and county of residence. **Table 4** (pages 94-4 and 95-4) shows the frequency of births by race and county of residence of the mother. Any of the races shown may include women of Hispanic origin.

The proportion of births to non-white women is higher than might be expected. According to the 1990 census of Montana, Whites made up more than 92% of the women of child-bearing age (ages 15 to 44); 6.4% were Native Americans. However, infants of White mothers accounted for only about 88% of the resident births in both 1994 and 1995.

Table 5 (pages 94-9 and 95-9) shows the frequency and percent of resident births to unmarried women for 1990 through 1995. **Figure 3** shows the trend in those births since 1978. Births to unmarried women represented 9.5% of Montana's resident births in 1970, 12.5% in 1980, 25.4 in 1994 and 26.4% in 1995.

Figure 3

PERCENT OF BIRTHS TO UNMARRIED MOTHERS
MONTANA RESIDENTS, 1976 — 1995



By comparison, unmarried women in the U.S. accounted for 10.7% of the resident births in 1970, 18.4% in 1980 and 32.6% in 1994 (the latest year for which a national statistic was available).

Table 6 (pages 94-6 and 95-6) shows the frequency and percent distribution of live births by type of facility or attendant and by county of occurrence. **Figure 4** shows the trend in Montana births occurring in places other than hospitals for the past 20 years.

Figure 4

PERCENT OF BIRTHS OUTSIDE HOSPITALS
MONTANA OCCURRENCES, 1976 — 1995



While the vast majority of births occurred in hospitals in all of these years, non-hospital births were increasingly frequent in Montana.

MORTALITY

The death rate for Montanans changed little in the past two calendar years. **Table 1** shows that 7,331 Montanans died in 1994 and 7,614 died in 1995, for rates of 8.6 and 8.7, respectively, in those years. **Table 9** (pages 94-9 through 94-16 and 95-9 through 95-16) shows that of the Montana residents who died in 1995, just over half (51.9%) were males. Ninety four and nine-tenths percent were white and 4.7% were Native American.

Table 1 displays the frequency and crude rate or ratio of all deaths and of fetal, infant, and maternal deaths every five years from 1910 to 1945 and yearly from 1946 through 1995. **Figure 5** shows the crude death rates per 1,000 population for Montana and U.S. residents from 1959 through 1995. Montana's annual death rate, has been relatively stable since 1990, and is now similar to the national trend.

Figure 5

RESIDENT CRUDE DEATH RATES
MONTANA AND THE UNITED STATES, 1959 - 1995



FETAL, INFANT AND MATERNAL DEATHS

As **Table 1** shows, maternal deaths of Montanans have decreased dramatically since 1946, (the first year for which we have resident statistics). In 1946, there were 18 resident maternal deaths, a mortality rate of 140.0 per 100,000 live births. There was only one maternal death in the five years from 1991 to 1995.

There were 67 resident fetal deaths and 79 resident infant deaths in Montana in 1995. Infant and fetal deaths by Montana county of occurrence and of residence appear in **Table 3** (pages 94-3 and 95-3.) **Table 4** (pages 94-4 and 95-4) presents fetal deaths by the mother's race and county of residence.

Annual infant death rates for Montana residents appear in **Table 1**. Montana's rate of 7.1 infant deaths per 1,000 live births is at an all-time low. Infant deaths and five-year infant mortality rates by Montana county of residence appear in **Table 13** (pages 94-31 and 95-31).

Selected causes of death by age and by race are shown in **Table 14** (pages 94-32 and 95-32) for Montana resident infants. Slightly over half (51.9%) of the 79 infant deaths in 1995 occurred in the neonatal period, the first 27 days of life.

CAUSE OF DEATH

Table 9 (pages 94-9 through 94-16 and 95-9 through 95-16) shows frequency of death by detailed cause of death categories and the race and sex of the decedent . **Table 10** (pages 94-17 through 94-28 and 95-17 through 95-28) shows frequency of death by somewhat broader cause-of-death categories and age group and sex of decedent.

Table 11 (pages 94-29 and 95-29 gives frequencies of accidental deaths and shows accidental deaths as a percent of all deaths occurring in Montana. **Table 12** (pages 94-30 and 95-30) shows the frequency of death from selected causes by county of residence. **Table 15** (pages 94-33 through 94-34 and 95-33 through 95-34) shows the frequency of resident deaths from selected communicable diseases by year of occurrence. **Table 16** (pages 94-35 through 94-36 and 95-35 through 95-36) shows the frequency of resident deaths from other selected causes by year of occurrence.

Table 29 (pages 94-44 through 94-51 and 95-44 through 95-51) shows, for the state and for each county, the frequency and rate of death from each of the ten leading causes of death. **Figure 6** compares the crude cause-specific death rates of Montana and the United States for Montana's five leading causes of death: heart disease, cancer, cerebrovascular disease, chronic obstructive pulmonary disease (COPD), and accidents.

FIGURE 6





* HEART denotes deaths from heart disease
CANCER denotes deaths from cancer.
CEREBRO denotes deaths from cerebrovascular disease.
COPD denotes deaths from chronic obstructive pulmonary diseases.
ACCID denotes deaths from accidents and adverse effects.





* HEART denotes deaths from heart disease.
CANCER denotes deaths from cancer.
CEREBRO denotes deaths from cerebrovascular disease
COPD denotes deaths from chronic obstructive pulmonary diseases.
ACCID denotes deaths from accidents and adverse effects.

INDUCED ABORTIONS

Induced terminations of pregnancy (abortions) have been reported to the department since July 1, 1974, when the Montana Abortion Control Act was implemented. The states no longer report induced abortions to the National Center for Health Statistics and few states exchange resident abortion statistics. For these reasons, national abortion rates are estimates based on incomplete reporting and Montana's complete resident abortion statistics are unknown. The statistics provided in this report are for those abortions occurring in Montana, and any references to Montana residents must be viewed as incomplete.

From 1980 through 1995, the Montana ratio of occurrences of abortions per 1,000 occurrences of live births has ranged from a low of 236.6 (in 1993) to a high of 295.6 (in 1983). This ratio was 251.7 in 1994 and 242.0 in 1995. These ratios exhibit a statistically unstable trend line and little can be said about direction of trend.

Table 17 (pages 94-37 and 95-37) displays Montana occurrence abortions by total previous pregnancies and number of previous induced abortions for 1994 and 1995 respectively.

These same data are displayed by age of patient (**Table 18** - pages 94-37 and 95-37) for 1994 and 1995; and by gestational age and procedure used for termination (**Table 19** - pages 94-38 and 95-38).

Table 19A (pages 94-38 and page 95-38) displays Montana occurrence abortions by Montana county of occurrence, Montana county of residence, and state or country of residence. Of particular interest here is the continuing decline in the number of Canadian women seeking abortion services in Montana - 35 in 1994 and 28 in 1995. The most recent year in which at least 100 Canadian women were provided abortion services in Montana was 1991 (452).

There were no deaths, attributable to the procedure of abortion, of women receiving abortions in Montana in 1994 or 1995. Such has been the case in Montana since 1974.

The number of women experiencing complications from the procedure in Montana in 1994 and 1995 constituted less than 0.50% of the abortions provided. The most frequently reported complication was infection in both years.

MARRIAGE

Table 20 (pages 94-39 and 95-39) shows the frequency of marriage licenses issued and marriages solemnized by county of occurrence. **Table 21** (pages 94-40 and 95-40) shows the frequency and rate of marriage in Montana from 1944 to 1995. **Figure 7** shows the trends in marriage rates for Montana and the United States from 1959 through 1995.

Figure 7

MARRIAGE RATES
MONTANA AND THE UNITED STATES, 1959 - 1995



From 1973 to 1981, the trends in Montana and national marriage rates were quite similar. In 1981, the Montana marriage rate began to fall faster than the national rate.

rate. Beginning in the latter 1980's, both rates began to rise slightly and then level off. The Montana rate is now falling again, as is the national rate.

Table 22 (pages 94-41 and 95-41) shows the frequency of marriage by month. In the ten years from 1986 through 1995, slightly more than half of the marriages solemnized in Montana occurred during the summer and early fall (June through September). Fifty four and four-tenths percent of marriages occurred in these months in 1995.

The median age of brides in 1995 was 26 years and that of grooms was 29. The youngest bride was 15 years old and youngest groom was 16. The oldest bride was 91 and the oldest groom was 89. The age and prior marital status of the bride and groom are shown in **Table 23** (pages 94-41 and 95-41).

Sixty-two and two-tenths percent of the grooms and 59.3% of the brides married for the first time in 1995. The frequency of first marriages (for both bride and groom) is presented in **Table 24** (pages 94-42 and 95-42) by age of bride and groom. In 1986, 53.7% of marriages were the first marriage for both the bride and the groom. This proportion has decreased slowly since then and was 49.4% in 1995. In 1995, about half of those marrying for the first time and marrying a first-time bride or groom were in the same 5-year age group as their spouse.

MARITAL TERMINATION

The number of marital terminations, shown in **Table 20** (pages 94-39 and 95-39), is the number of marital dissolutions (previously called divorces) plus the number of invalid marriages (previously called annulments). The rate of marital terminations per 1,000 population is shown in **Table 21** (pages 94-40 and 95-40). The rate of marital termination decreased from 5.3 in 1986 to 4.8 in 1995.

The trends in marital termination for Montana have been roughly parallel to the national trend since 1959, as **Figure 7** shows, although the Montana rates have been consistently higher.

Figure 8

MARITAL TERMINATION RATES
MONTANA AND THE UNITED STATES, 1959 - 1995



Table 29 (pages 94-44 through 94-51 and 95-44 through 95-51) shows the frequency and rate of marital termination by county of occurrence.

Table 28 (pages 94-43 and 95-43) shows the frequency of marital termination by the number of minors in the household and the age of the wife. While the number of minors affected by divorce in 1995 was more than 4,100, this number has been falling since 1991.

CANCER INCIDENCE

Table 32 (pages 94-64 and 95-64) shows the frequency of cancers first diagnosed or treated in the current year by the patient's sex and by primary site -- the original bodily location or organ system of the cancer. The most frequently reported cancers in these years were of the prostate, the female breast, the lung and bronchus, the colon and rectum, and the urinary bladder.

Table 33 (pages 94-65 and 95-65) shows the incidence of cancer by the nine most frequently diagnosed primary sites, excluding cervical cancer, and by the sex and age of the patient. Men diagnosed with prostate cancer tended to be aged 65 or older. Breast cancer tended to affect women 40 and older. As in 1993, Montanans diagnosed with cancer of the lung and bronchus or the urinary bladder were most likely to be men 55 or older. The distribution of cancer diagnoses by site, sex, and county of residence is shown in **Table 34** (pages 94-66 and 95-66) for the same group of most frequently diagnosed primary sites.

1995
MONTANA
VITAL STATISTICS
TABLES

SYMBOLS USED IN THESE TABLES

Quantity is zero . . . . . -

Rate or percent is less than 0.05 . . . . . 0.0

Data are not applicable or not reliable . . . . . ---

MONTANA VITAL STATISTICS TABLES

1995

TABLE NO.	CONTENTS	PAGE
1	Frequency and Rate or Ratio of Death, Live Birth, and Fetal, Infant, and Maternal Death by Year - Montana, 1910-1995	95-1
2	State Population by County - Montana, 1995, 1990 and 1980	95-2
3	Frequency of Death, Live Birth, and Fetal, Infant, and Maternal Death by County of Occurrence and County of Residence - Montana, 1995	95-3
4	Frequency of Death, Live Birth and Fetal Death by Race and by County of Residence - Montana, 1995	95-4
5	Frequency and Percent Distribution of Births by Infant's Sex, Legitimacy, Plurality, and Parity - Montana Residents 1990-1995	95-5
6	Frequency and Percent Distribution of Live Births by Type of Facility or Attendant and by County of Occurrence - Montana, 1995	95-6
7	Frequency and Percent Distribution of Live Births by Birthweight and County of Residence - Montana, 1995	95-7
8	Frequency and Percent Distribution of Live Births to Montana Residents Delivering in Montana by Number of Children Born Alive and by Years of Education of Mother - Montana, 1995	95-8
9	Frequency of Death by Sex, Race, and Cause - Montana Residents, 1995	95-9
10	Frequency of Death by Age, Sex and Cause - Montana Residents, 1995	95-17
11	Frequency of Accidental Death by Age and Type of Accident - Percent of deaths in Each Age Group That Were Accidental - Montana Occurrences, 1995	95-29
12	Frequency of Death from Selected Causes by County of Residence - Montana 1995	95-30
13	Frequency of Infant Mortality by Age, Race, and County of Residence - Five-Year Infant Mortality Rate by County of Residence - Montana, 1995	95-31
14	Frequency of Infant Mortality from Selected Causes by Age and Race - Montana Residents, 1995	95-32
15	Frequency and Rate of Death from Selected Communicable Diseases by Year - Montana, 1910-1995	95-33
16	Frequency and Rate of Death from Selected Causes by Year - Montana, 1910-1995	95-35

TABLE NO.	CONTENTS	PAGE
17	Frequency of Induced Abortion by Number of Previous Induced Abortions and Number of Previous Pregnancies - Montana Occurrences, 1995	95-37
18	Frequency of Induced Abortion by Age of Patient - Montana Occurrences, 1995	95-17
19	Frequency of Induced Abortion by Completed Week of Gestation and Primary Procedure - Montana Occurrences, 1995	95-38
19a	Frequency of Induced Abortion by County of Residence and County of Occurrence - Montana, 1995	95-38
20	Frequency of Marriage and Marital Termination - Marriage Licenses Issued, Marriages Solemnized, Marital Dissolutions, and Marriages Invalidated by County of Occurrence - Montana, 1995	95-34
21	Frequency and Rate of Marriage and Marital Termination by Year - Montana Occurrences, 1944-1995	95-40
22	Frequency and Percent Distribution of Marriages by Month of Occurrence - Montana, 1995	95-41
23	Frequency of Marriage by Previous Marital Status and Age of Bride and by Previous Marital Status and Age of Groom - Montana Occurrences, 1995	95-41
24	Frequency of First Marriage by Age of Bride and Age of Groom - Montana Occurrences, 1995	95-42
25	Frequency of Marriage by Race of Bride and Race of Groom - Montana Occurrences, 1995	95-42
26	Frequency of Marital Termination by Type and by Legal Grounds for Decree - Montana Occurrences, 1995	95-42
27	Frequency of Marital Termination by Age of Wife and Age of Husband - Montana Occurrences, 1995	95-43
28	Frequency of Marital Termination by Number of Minor Children in the Household and by Age of Wife - Montana Occurrences, 1995	95-43
29	Selected Vital Statistics - Frequencies and Rates or Ratios by County - Montana, 1995	95-44
30	Frequency and Percent Distribution of Births, Fetal Deaths, and Induced Abortions by Woman's Age and County of Residence - Montana, 1995	95-52
31	Frequency of Reportable Diseases by County of Residence - Montana, 1995	95-61
32	Reported Neoplasms by Anatomical Site and Sex - Montana Residents, 1995 Diagnoses	95-64

TABLE NO.	CONTENTS	PAGE
33	Most Frequently Reported Neoplasms by Site, Sex, and Age - Montana Residents, 1995 Diagnoses	95-65
34	Most Frequently Reported Neoplasms by Site, Sex, and County of Residence - Montana Residents, 1995 Diagnoses	95-66

TABLE 1

FREQUENCY AND RATE OR RATIO OF
DEATH, LIVE BIRTH, AND FETAL, INFANT, AND MATERNAL DEATH BY YEAR*
MONTANA, 1910-1995

YEAR	ESTIMATED MIDYEAR POPULATION	DEATHS		LIVE BIRTHS		FETAL DEATHS		INFANT DEATHS		MATERNAL DEATH	
		NUMBER	RATE+	NUMBER	RATE+	NUMBER	RATIO**	NUMBER	RATE**	NUMBER	RATE++
1910	376,053	3,999	10.6	6,124	16.3	NA	NA	714	116.6	62	1,012.4
1915	468,067	5,072	10.8	11,132	23.8	NA	NA	816	73.3	91	817.5
1920	548,339	5,289	9.6	11,862	21.6	NA	NA	862	72.7	104	876.7
1925	542,834	5,188	9.6	10,302	19.0	343	33.3	726	70.5	83	805 7
1930	537,606	5,435	10.1	10,004	18.6	286	28.6	569	56.9	67	669.7
1935	549,077	6,291	11.5	10,029	18.3	232	23.1	602	60.0	52	518.5
1940	559,456	5,722	10.2	11,468	20.5	216	18.8	527	46.0	39	340.1
1945	504,600	5,414	10.7	10,601	21.0	184	17.4	363	34.2	17	160.4
1946	521,900	5,595	10.7	12,858	24.6	224	17.4	448	34.8	18	140.0
1947	539,200	5,760	10.7	15,086	28.0	238	15.8	484	32.1	16	106.1
1948	556,500	5,884	10.6	15,035	27.0	236	15.7	461	30.7	14	93.1
1949	573,800	5,878	10.2	15,366	26.8	231	15.0	457	29.7	14	91.1
1950	591,024	5,817	9.8	15,592	26.4	233	14.9	441	28.3	20	128.3
1951	596,000	5,964	10.0	15,929	26.7	248	15.6	425	26.7	10	62.8
1952	602,000	5,974	9.9	16,479	27.4	253	15.4	448	27.2	8	48.5
1953	616,000	6,125	9.9	16,596	26.9	232	14.0	480	28.9	3	18.1
1954	624,000	6,030	9.7	17,276	27.7	247	14.3	398	23.0	5	28.9
1955	636,000	6,115	9.6	17,454	27.4	221	12.7	433	24.8	5	28.6
1956	656,000	6,450	9.8	17,703	27.0	239	13.5	495	28.0	2	11.3
1957	667,000	6,486	9.7	18,219	27.3	224	12.3	462	25.4	5	27.4
1958	666,000	6,265	9.4	17,275	25.9	233	13.5	444	25.7	3	17.4
1959	669,000	6,570	9.8	17,646	26.4	223	12.6	431	24.4	3	17.0
1960	674,767	6,525	9.7	17,448	25.9	190	10.9	435	24.9	5	28.7
1961	682,000	6,338	9.3	17,368	25.5	194	11.2	441	25.4	2	11.5
1962	709,000	6,418	9.1	16,818	23.7	210	12.5	436	25.9	7	41.6
1963	707,000	6,609	9.3	15,934	22.5	194	12.2	383	24.0	2	12.6
1964	705,000	6,851	9.7	15,094	21.4	200	13.3	403	26.7	7	46.4
1965	706,000	6,578	9.3	13,641	19.3	177	13.0	338	24.8	2	14.7
1966	702,000	6,864	9.8	12,623	18.0	140	11.1	286	22.7	3	23.8
1967	701,000	6,549	9.3	12,087	17.2	141	11.7	290	24.0	3	24.8
1968	693,000	6,534	9.4	11,992	17.3	146	12.2	233	19.4	1	8.3
1969	694,000	6,694	9.6	11,762	16.9	132	11.2	246	20.9	1	8.5
1970	694,409	6,597	9.5	12,622	18.2	140	11.1	272	21.5	3	23.8
1971	710,000	6,860	9.7	12,347	17.4	127	10.3	267	21.6	-	-
1972	719,000	6,896	9.6	11,444	15.9	129	11.3	225	19.7	4	35.0
1973	721,000	6,870	9.5	11,392	15.8	105	9.2	222	19.5	-	-
1974	735,000	6,552	8.9	12,273	16.7	125	10.2	202	16.5	1	8.1
1975	748,000	6,539	8.7	12,070	16.1	112	9.3	187	15.5	3	24.9
1976	753,000	6,733	8.9	12,605	16.7	104	8.3	209	16.6	-	-
1977	761,000	6,397	8.4	13,304	17.5	119	8.9	183	13.8	1	7.5
1978	785,000	6,484	8.3	13,545	17.3	110	8.1	155	11.4	3	22.1
1979	786,000	6,471	8.2	14,057	17.9	116	8.3	151	10.7	4	28.5
1980	786,690	6,664	8.5	14,208	18.1	104	7.3	176	12.4	2	14.1
1981	793,000	6,709	8.5	14,309	18.0	85	5.9	153	10.7	-	-
1982	801,000	6,625	8.3	14,538	18.1	93	6.4	147	10.1	1	6.9
1983	817,000	6,699	8.2	14,054	17.2	91	6.5	126	9.0	4	28.5
1984	824,000	6,698	8.1	14,141	17.2	110	7.8	125	8.8	1	7.1
1985	826,000	6,725	8.1	13,497	16.3	96	7.1	139	10.3	-	-
1986	819,000	6,738	8.2	12,728	15.5	95	7.5	122	9.6	2	15.7
1987	809,000	6,597	8.2	12,239	15.1	96	7.8	121	9.9	-	-
1988	805,000	6,759	8.4	11,682	14.5	92	7.9	100	8.6	1	8.6
1989	805,600	6,735	8.4	11,667	14.5	86	7.4	132	11.3	-	-
1990	799,065	6,835	8.6	11,602	14.5	78	6.7	106	9.1	-	-
1991	808,000	6,995	8.7	11,498	14.2	90	7.8	82	7.1	1	8.7
1992	823,700	7,067	8.6	11,468	13.9	84	7.3	85	7.4	-	-
1993	839,000	7,457	8.9	11,362	13.5	74	6.5	84	7.4	-	-
1994	856,240	7,331	8.6	11,062	12.9	52	4.7	82	7.4	-	-
1995	870,280	7,614	8.7	11,136	12.8	67	6.0	79	7.1	-	-

* DATA FOR 1910-1945 ARE BY PLACE OF OCCURRENCE. BEGINNING IN 1946, DATA ARE BY PLACE OF RESIDENCE.
\+ PER 1,000 ESTIMATED MIDYEAR POPULATION. U. S. CENSUS ENUMERATIONS ARE USED FOR YEARS ENDING IN ZER
** PER 1,000 LIVE BIRTHS.
++ PER 100,000 LIVE BIRTHS.

TABLE 2

STATE POPULATION BY COUNTY
MONTANA, 1995, 1990 AND 1980

COUNTY	1995 ESTIMATED POPULATION*	1990 U.S. CENSUS ENUMERATION	1980 U.S. CENSUS ENUMERATION
MONTANA, TOTAL	870,280	799,065	786,690
BEAVERHEAD	9,010	8,424	8,186
BIG HORN	12,220	11,337	11,096
BLAINE	7,030	6,728	6,999
BROADWATER	3,890	3,318	3,267
CARBON	9,030	8,080	8,099
CARTER	1,460	1,503	1,799
CASCADE	81,090	77,691	80,696
CHOUTEAU	5,490	5,452	6,092
CUSTER	12,190	11,697	13,109
DANIELS	2,140	2,266	2,835
DAWSON	9,100	9,505	11,805
DEER LODGE	10,150	10,278	12,518
FALLON	3,000	3,103	3,763
FERGUS	12,690	12,083	13,076
FLATHEAD	69,510	59,218	51,966
GALLATIN	59,410	50,463	42,865
GARFIELD	1,420	1,589	1,656
GLACIER	12,680	12,121	10,628
GOLDEN VALLEY	980	912	1,026
GRANITE	2,620	2,548	2,700
HILL	17,670	17,654	17,985
JEFFERSON	9,230	7,939	7,029
JUDITH BASIN	2,280	2,282	2,646
LAKE	24,480	21,041	19,056
LEWIS & CLARK	52,790	47,485	43,039
LIBERTY	2,250	2,295	2,329
LINCOLN	18,680	17,481	17,752
MCCONE	2,120 ~~6,660~~	2,276	2,702
MADISON	6,660 ~~2,120~~	5,989	5,448
MEAGHER	1,830	1,819	2,154
MINERAL	3,630	3,315	3,675
MISSOULA	87,130	78,687	76,016
MUSSELSHELL	4,490	4,106	4,428
PARK	15,860	14,562	12,869
PETROLEUM	530	519	655
PHILLIPS	5,150	5,163	5,367
PONDERA	6,270	6,433	6,731
POWDER RIVER	2,010	2,090	2,520
POWELL	6,860	6,620	6,958
PRAIRIE	1,340	1,383	1,836
RAVALLI	32,230	25,010	22,493
RICHLAND	10,350	10,716	12,243
ROOSEVELT	11,240	10,999	10,467
ROSEBUD	10,880	10,505	9,899
SANDERS	10,090	8,669	8,675
SHERIDAN	4,430	4,732	5,414
SILVER BOW	34,800	33,941	38,092
STILLWATER	7,470	6,536	5,598
SWEET GRASS	3,370	3,154	3,216
TETON	6,370	6,271	6,491
TOOLE	5,100	5,046	5,559
TREASURE	840	874	981
VALLEY	8,460	8,239	10,250
WHEATLAND	2,430	2,246	2,359
WIBAUX	1,170	1,191	1,476
YELLOWSTONE	124,660	113,419	108,035
YELLOWSTONE PARK	54	52	66

* POPULATION ESTIMATES, PROVIDED BY THE U.S. BUREAU OF THE CENSUS, WERE ROUNDED TO THE NEAREST TEN FOR ALL LOCATIONS EXCEPT YELLOWSTONE PARK.

TABLE 3

FREQUENCY OF DEATH, LIVE BIRTH, AND FETAL, INFANT, AND MATERNAL DEATH
BY COUNTY OF OCCURRENCE AND COUNTY OF RESIDENCE
MONTANA, 1995

COUNTY	DEATHS		LIVE BIRTHS		FETAL DEATHS		INFANT DEATHS		MATERNAL DEATH	
	OCC.	RES.	OCC.	RES.	OCC.	RES.	OCC.	RES.	OCC.	RES.
MONTANA, TOTAL	7,613	7,614	11,049	11,136	69	67	69	79	-	-
BEAVERHEAD	67	67	112	149	1	1	-	1	-	-
BIG HORN	89	108	252	226	-	1	-	-	-	-
BLAINE	41	78	1	87	-	1	-	1	-	-
BROADWATER	36	46	9	48	-	1	-	-	-	-
CARBON	59	87	42	98	-	-	-	-	-	-
CARTER	8	14	-	15	-	-	-	1	-	-
CASCADE	822	712	1,591	1,280	15	12	19	7	-	-
CHOUTEAU	39	53	3	56	-	-	-	-	-	-
CUSTER	173	141	246	133	1	-	2	-	-	-
DANIELS	25	30	5	22	-	-	-	-	-	-
DAWSON	68	61	91	90	-	1	-	-	-	-
DEER LODGE	114	143	49	108	1	2	-	1	-	-
FALLON	26	29	15	31	-	-	-	-	-	-
FERGUS	159	161	157	142	-	-	-	1	-	-
FLATHEAD	577	556	920	842	7	5	-	2	-	-
GALLATIN	254	270	735	687	8	6	5	7	-	-
GARFIELD	11	12	-	16	-	-	-	-	-	-
GLACIER	100	128	183	208	-	-	1	2	-	-
GOLDEN VALLEY	3	8	-	14	-	-	-	-	-	-
GRANITE	25	33	-	28	-	-	-	-	-	-
HILL	151	152	374	260	2	1	1	1	-	-
JEFFERSON	48	63	1	92	-	1	-	-	-	-
JUDITH BASIN	5	20	-	23	-	-	-	-	-	-
LAKE	210	242	180	292	-	3	2	3	-	-
LEWIS & CLARK	436	408	758	669	5	4	3	4	-	-
LIBERTY	34	22	18	21	1	1	-	-	-	-
LINCOLN	122	158	132	209	4	5	-	-	-	-
MCCONE	15	21	-	19	-	-	-	-	-	-
MADISON	67	66	16	75	-	-	-	-	-	-
MEAGHER	17	21	-	22	-	-	-	-	-	-
MINERAL	26	32	4	37	-	-	-	-	-	-
MISSOULA	754	596	1,514	1,110	14	8	10	8	-	-
MUSSELSHELL	48	61	2	59	-	-	-	1	-	-
PARK	161	162	214	198	1	1	2	1	-	-
PETROLEUM	2	4	-	4	-	-	-	-	-	-
PHILLIPS	45	52	3	66	-	-	-	-	-	-
PONDERA	56	67	16	94	-	-	1	2	-	-
POWDER RIVER	10	15	1	26	-	-	-	-	-	-
POWELL	67	84	33	82	-	-	-	-	-	-
PRAIRIE	5	8	-	9	-	-	-	-	-	-
RAVALLI	249	302	226	359	1	6	2	7	-	-
RICHLAND	84	95	143	108	3	2	-	1	-	-
ROOSEVELT	79	105	156	203	-	-	-	3	-	-
ROSEBUD	53	70	3	188	-	-	1	4	-	-
SANDERS	69	96	3	112	-	-	-	-	-	-
SHERIDAN	40	47	51	44	-	-	-	-	-	-
SILVER BOW	461	471	551	412	-	1	1	1	-	-
STILLWATER	70	74	41	83	-	-	1	-	-	-
SWEET GRASS	22	33	-	33	-	-	-	1	-	-
TETON	61	74	1	84	-	-	-	-	-	-
TOOLE	51	61	90	60	-	-	-	1	-	-
TREASURE	2	12	-	9	-	-	-	-	-	-
VALLEY	79	90	106	99	1	1	-	-	-	-
WHEATLAND	24	21	-	29	-	-	-	-	-	-
WIBAUX	15	18	1	15	-	-	-	-	-	-
YELLOWSTONE	1,279	1,051	2,000	1,651	4	3	18	18	-	-
YELLOWSTONE PARK	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	3	-	-	-	-	-	-	-	-

TABLE 4

FREQUENCY OF DEATH, LIVE BIRTH, AND FETAL DEATH BY RACE* AND COUNTY OF RESIDENCE
MONTANA, 1995

COUNTY	DEATHS				LIVE BIRTHS				FETAL DEATHS			
	TOTAL	WHITE	NATIVE AMERICAN	OTHER	TOTAL	WHITE	NATIVE AMERICAN	OTHER	TOTAL	WHITE	NATIVE AMERICAN	OTHER
MONTANA, TOTAL	7,614	7,225	360	29	11,136	9,843	1,140	153	67	61	4	2
BEAVERHEAD	67	67	-	-	149	147	1	1	1	1	-	-
BIG HORN	108	56	51	1	226	61	164	1	1	-	1	-
BLAINE	78	54	23	1	87	33	54	-	1	-	1	-
BROADWATER	46	46	-	-	48	43	5	-	1	1	-	-
CARBON	87	87	-	-	98	96	2	-	-	-	-	-
CARTER	14	14	-	-	15	15	-	-	-	-	-	-
CASCADE	712	691	18	3	1,280	1,150	81	49	12	11	-	1
CHOUTEAU	53	53	-	-	56	55	1	-	-	-	-	-
CUSTER	141	140	-	1	133	126	6	1	-	-	-	-
DANIELS	30	30	-	-	22	19	3	-	-	-	-	-
DAWSON	61	60	1	-	90	87	3	-	1	1	-	-
DEER LODGE	143	142	1	-	108	104	4	-	2	2	-	-
FALLON	29	29	-	-	31	31	-	-	-	-	-	-
FERGUS	161	158	3	-	142	138	3	1	-	-	-	-
FLATHEAD	556	552	1	3	842	825	10	7	5	5	-	-
GALLATIN	270	270	-	-	687	662	19	6	6	6	-	-
GARFIELD	12	12	-	-	16	16	-	-	-	-	-	-
GLACIER	128	67	61	-	208	58	150	-	-	-	-	-
GOLDEN VALLEY	8	8	-	-	14	14	-	-	-	-	-	-
GRANITE	33	33	-	-	28	27	1	-	-	-	-	-
HILL	152	124	25	3	260	157	98	5	1	1	-	-
JEFFERSON	63	63	-	-	92	88	3	1	1	1	-	-
JUDITH BASIN	20	20	-	-	23	22	1	-	-	-	-	-
LAKE	242	204	36	2	292	209	80	3	3	1	2	-
LEWIS & CLARK	408	402	6	-	669	649	17	3	4	4	-	-
LIBERTY	22	22	-	-	21	21	-	-	1	1	-	-
LINCOLN	158	154	4	-	209	202	4	3	5	5	-	-
MCCONE	21	21	-	-	19	19	-	-	-	-	-	-
MADISON	66	64	2	-	75	71	4	-	-	-	-	-
MEAGHER	21	21	-	-	22	22	-	-	-	-	-	-
MINERAL	32	31	1	-	37	37	-	-	-	-	-	-
MISSOULA	596	586	8	2	1,110	1,045	39	26	8	7	-	1
MUSSELSHELL	61	61	-	-	59	59	-	-	-	-	-	-
PARK	162	162	-	-	198	194	2	2	1	1	-	-
PETROLEUM	4	4	-	-	4	3	1	-	-	-	-	-
PHILLIPS	52	47	5	-	66	56	9	1	-	-	-	-
PONDERA	67	66	1	-	94	76	17	1	-	-	-	-
POWDER RIVER	15	15	-	-	26	25	1	-	-	-	-	-
POWELL	84	80	3	1	82	80	2	-	-	-	-	-
PRAIRIE	8	8	-	-	9	8	1	-	-	-	-	-
RAVALLI	302	298	3	1	359	348	5	6	6	6	-	-
RICHLAND	95	95	-	-	108	104	2	2	2	2	-	-
ROOSEVELT	105	52	53	-	203	64	138	1	-	-	-	-
ROSEBUD	70	50	20	-	188	105	83	-	-	-	-	-
SANDERS	96	88	8	-	112	98	10	4	-	-	-	-
SHERIDAN	47	47	-	-	44	42	1	1	-	-	-	-
SILVER BOW	471	464	4	3	412	396	11	5	1	1	-	-
STILLWATER	74	74	-	-	83	82	-	1	-	-	-	-
SWEET GRASS	33	33	-	-	33	32	-	1	-	-	-	-
TETON	74	74	-	-	84	80	3	1	-	-	-	-
TOOLE	61	60	-	1	60	56	3	1	-	-	-	-
TREASURE	12	12	-	-	9	9	-	-	-	-	-	-
VALLEY	90	85	5	-	99	80	18	1	1	1	-	-
WHEATLAND	21	21	-	-	29	28	1	-	-	-	-	-
WIBAUX	18	18	-	-	15	13	1	1	-	-	-	-
YELLOWSTONE	1,051	1,030	16	5	1,651	1,556	78	17	3	3	-	-
YELLOWSTONE PARK	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	3	-	1	2	-	-	-	-	-	-	-	-

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED. LIVE BIRTHS AND FETAL DEATH ARE SHOWN BY RACE OF THE MOTHER.

TABLE 5

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS BY INFANT'S SEX,
LEGITIMACY, PLURALITY, AND PARITY
MONTANA RESIDENTS 1990-1995

ITEM	1995		1994		1993		1992		1991		1990	
	NUMBER	PERCENT*	NUMBER	PERCENT*	NUMBER	PERCENT*	NUMBER	PERCENT*	NUMBER	PERCENT*	NUMBER	PERCENT*
MONTANA TOTAL	11,136	100.0	11,062	100.0%	11,362	100.0%	11,468	100.0%	11,498	100.0%	11,602	100.0%
SEX												
MALE	5,655	50.8	5,664	51.2	5,891	51.8	5,819	50.7	5,802	50.5	5,996	51.7
FEMALE	5,481	49.2	5,398	48.8	5,471	48.2	5,649	49.3	5,696	49.5	5,605	48.3
UNKNOWN	-	-	-	-	-	-	-	-	-	-	1	0.0
LEGITIMACY												
IN WEDLOCK	8,181	73.5	8,233	74.4	8,252	72.6	8,434	73.5	8,602	74.8	8,847	76.3
OUT OF WEDLOCK	2,945	26.4	2,815	25.4	3,103	27.3	3,031	26.4	2,893	25.2	2,750	23.7
NOT STATED	10	0.1	14	0.1	7	0.1	3	0.0	3	0.0	5	0.0
MULTIPLE BIRTHS												
SINGLE	10,901	97.9	10,835	97.9	11,110	97.8	11,205	97.7	11,235	97.7	11,328	97.6
TWINS	233	2.1	218	2.0	243	2.1	255	2.2	251	2.2	268	2.3
TRIPLETS OR MORE	-	-	-	-	3	0.0	7	0.1	10	0.1	6	0.1
NOT STATED	2	-	9	0.1	6	0.1	1	0.0	2	0.0	-	-
PARITY												
FIRST BIRTH	4,430	39.8	4,383	39.6	4,463	39.3	4,331	37.8	4,255	37.0	4,353	37.5
SECOND BIRTH	3,618	32.5	3,433	31.0	3,633	32.0	3,661	31.9	3,608	31.4	3,763	32.4
THIRD BIRTH	1,746	15.7	1,893	17.1	1,909	16.8	1,983	17.3	2,146	18.7	2,080	17.9
FOURTH BIRTH	768	6.9	782	7.1	757	6.7	863	7.5	886	7.7	897	7.7
FIFTH BIRTH	308	2.8	333	3.0	319	2.8	347	3.0	339	2.9	258	2.2
SIXTH BIRTH	130	1.2	114	1.0	149	1.3	153	1.3	157	1.4	117	1.0
SEVENTH BIRTH	51	0.5	60	0.5	64	0.6	64	0.6	46	0.4	53	0.5
EIGHTH BIRTH	32	0.3	28	0.3	28	0.2	28	0.2	30	0.3	26	0.2
NINTH OR MORE	41	0.4	28	0.3	27	0.2	33	0.3	26	0.2	26	0.2
NOT STATED	12	0.1	8	0.1	13	0.1	5	0.0	5	0.0	2	0.0

* EACH PERCENTAGE HAS BEEN INDEPENDENTLY ROUNDED TO THE NEAREST TENTH OF ONE PERCENT. HENCE, THE SUMS OF PARTS MAY DIFFER SLIGHTLY FROM THE TOTALS.

TABLE 6

FREQUENCY AND PERCENT DISTRIBUTION OF LIVE BIRTHS BY TYPE OF FACILITY OR ATTENDANT AND BY COUNTY OF OCCURRENCE - MONTANA, 1995

COUNTY	TOTAL	BOA* AND IN HOSPITAL		PHYSICIAN NOT IN HOSPITAL		OTHER NOT IN HOSPITAL	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MONTANA, TOTAL	11,049	10,693	96.8	12	0.1	344	3.1
BEAVERHEAD	112	108	96.4	-	-	4	3.6
BIG HORN	252	251	99.6	-	-	1	0.4
BLAINE	1	1	100.0	-	-	-	-
BROADWATER	9	9	100.0	-	-	-	-
CARBON	42	38	90.5	-	-	4	9.5
CARTER	-	-	-	-	-	-	-
CASCADE	1,591	1,527	96.0	-	-	64	4.0
CHOUTEAU	3	-	-	-	-	3	100.0
CUSTER	246	245	99.6	-	-	1	0.4
DANIELS	5	5	100.0	-	-	-	-
DAWSON	91	91	100.0	-	-	-	-
DEER LODGE	49	49	100.0	-	-	-	-
FALLON	15	15	100.0	-	-	-	-
FERGUS	157	155	98.7	-	-	2	1.3
FLATHEAD	920	890	96.7	-	-	30	3.3
GALLATIN	735	701	95.4	3	0.4	31	4.2
GARFIELD	-	-	-	-	-	-	-
GLACIER	183	183	100.0	-	-	-	-
GOLDEN VALLEY	-	-	-	-	-	-	-
GRANITE	-	-	-	-	-	-	-
HILL	374	368	98.4	-	-	6	1.6
JEFFERSON	1	-	-	-	-	1	100.0
JUDITH BASIN	-	-	-	-	-	-	-
LAKE	180	172	95.6	-	-	8	4.4
LEWIS & CLARK	758	742	97.9	-	-	16	2.1
LIBERTY	18	18	100.0	-	-	-	-
LINCOLN	132	122	92.4	-	-	10	7.6
MCCONE	-	-	-	-	-	-	-
MADISON	16	15	93.8	-	-	1	6.3
MEAGHER	-	-	-	-	-	-	-
MINERAL	4	4	100.0	-	-	-	-
MISSOULA	1,514	1,480	97.8	3	0.2	31	2.0
MUSSELSHELL	2	-	-	-	-	2	100.0
PARK	214	170	79.4	-	-	44	20.6
PETROLEUM	-	-	-	-	-	-	-
PHILLIPS	3	3	100.0	-	-	-	-
PONDERA	16	15	93.8	1	6.3	-	-
POWDER RIVER	1	-	-	-	-	1	100.0
POWELL	33	31	93.9	-	-	2	6.1
PRAIRIE	-	-	-	-	-	-	-
RAVALLI	226	185	81.9	-	-	41	18.1
RICHLAND	143	142	99.3	-	-	1	0.7
ROOSEVELT	156	152	97.4	1	0.6	3	1.9
ROSEBUD	3	3	100.0	-	-	-	-
SANDERS	3	-	-	-	-	3	100.0
SHERIDAN	51	51	100.0	-	-	-	-
SILVER BOW	551	549	99.6	-	-	2	0.4
STILLWATER	41	35	85.4	-	-	6	14.6
SWEET GRASS	-	-	-	-	-	-	-
TETON	1	-	-	-	-	1	100.0
TOOLE	90	87	96.7	3	3.3	-	-
TREASURE	-	-	-	-	-	-	-
VALLEY	106	106	100.0	-	-	-	-
WHEATLAND	-	-	-	-	-	-	-
WIBAUX	1	-	-	-	-	1	100.0
YELLOWSTONE	2,000	1,975	98.8	1	0.1	24	1.2
YELLOWSTONE PARK	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-

* BORN ON ARRIVAL

TABLE 7

FREQUENCY AND PERCENT DISTRIBUTION OF LIVE BIRTHS BY BIRTHWEIGHT
AND BY COUNTY OF RESIDENCE
MONTANA, 1995

COUNTY	TOTAL	LESS THAN 1,500 GRAMS		1,500 - 2,499 GRAMS		2,500 - 3,999 GRAMS		4,000 GRAMS OR MORE	
	NUMBER	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MONTANA, TOTAL*	11,132	110	1.0	542	4.9	9,345	83.9	1,135	10.2
BEAVERHEAD	149	3	2.0	6	4.0	132	88.6	8	5.4
BIG HORN	226	3	1.3	9	4.0	184	81.4	30	13.3
BLAINE	87	-	-	6	6.9	66	75.9	15	17.2
BROADWATER	48	-	-	-	-	42	87.5	6	12.5
CARBON	98	2	2.0	2	2.0	84	85.7	10	10.2
CARTER	15	1	6.7	-	-	12	80.0	2	13.3
CASCADE	1,279	7	0.5	76	5.9	1,059	82.8	137	10.7
CHOUTEAU	56	-	-	2	3.6	41	73.2	13	23.2
CUSTER	133	2	1.5	6	4.5	115	86.5	10	7.5
DANIELS	22	-	-	-	-	17	77.3	5	22.7
DAWSON	90	-	-	4	4.4	76	84.4	10	11.1
DEER LODGE	108	-	-	11	10.2	89	82.4	8	7.4
FALLON	31	-	-	-	-	28	90.3	3	9.7
FERGUS	141	-	-	8	5.7	113	80.1	20	14.2
FLATHEAD	841	10	1.2	50	5.9	691	82.2	90	10.7
GALLATIN	687	9	1.3	29	4.2	586	85.3	63	9.2
GARFIELD	16	-	-	1	6.3	12	75.0	3	18.8
GLACIER	207	2	1.0	10	4.8	164	79.2	31	15.0
GOLDEN VALLEY	14	-	-	1	7.1	12	85.7	1	7.1
GRANITE	28	1	3.6	2	7.1	23	82.1	2	7.1
HILL	260	4	1.5	7	2.7	218	83.8	31	11.9
JEFFERSON	92	-	-	4	4.3	79	85.9	9	9.8
JUDITH BASIN	23	-	-	-	-	20	87.0	3	13.0
LAKE	292	1	0.3	16	5.5	239	81.8	36	12.3
LEWIS & CLARK	669	2	0.3	29	4.3	576	86.1	62	9.3
LIBERTY	21	-	-	3	14.3	17	81.0	1	4.8
LINCOLN	209	-	-	10	4.8	177	84.7	22	10.5
MCCONE	19	-	-	1	5.3	16	84.2	2	10.5
MADISON	75	1	1.3	4	5.3	62	82.7	8	10.7
MEAGHER	22	2	9.1	1	4.5	17	77.3	2	9.1
MINERAL	37	1	2.7	3	8.1	28	75.7	5	13.5
MISSOULA	1,110	9	0.8	51	4.6	951	85.7	99	8.9
MUSSELSHELL	59	-	-	5	8.5	51	86.4	3	5.1
PARK	198	2	1.0	13	6.6	166	83.8	17	8.6
PETROLEUM	4	-	-	-	-	4	100.0	-	-
PHILLIPS	66	-	-	1	1.5	56	84.8	9	13.6
PONDERA	94	1	1.1	3	3.2	78	83.0	12	12.8
POWDER RIVER	26	-	-	2	7.7	19	73.1	5	19.2
POWELL	82	-	-	2	2.4	78	95.1	2	2.4
PRAIRIE	9	-	-	-	-	8	88.9	1	11.1
RAVALLI	359	6	1.7	20	5.6	299	83.3	34	9.5
RICHLAND	108	1	0.9	3	2.8	92	85.2	12	11.1
ROOSEVELT	203	1	0.5	4	2.0	168	82.8	30	14.8
ROSEBUD	188	3	1.6	13	6.9	145	77.1	27	14.4
SANDERS	112	-	-	5	4.5	100	89.3	7	6.3
SHERIDAN	44	-	-	3	6.8	34	77.3	7	15.9
SILVER BOW	412	7	1.7	22	5.3	351	85.2	32	7.8
STILLWATER	83	1	1.2	1	1.2	72	86.7	9	10.8
SWEET GRASS	33	-	-	1	3.0	30	90.9	2	6.1
TETON	84	4	4.8	2	2.4	66	78.6	12	14.3
TOOLE	60	-	-	8	13.3	45	75.0	7	11.7
TREASURE	9	-	-	-	-	8	88.9	1	11.1
VALLEY	99	2	2.0	9	9.1	75	75.8	13	13.1
WHEATLAND	29	-	-	3	10.3	25	86.2	1	3.4
WIBAUX	15	-	-	-	-	14	93.3	1	6.7
YELLOWSTONE	1,651	22	1.3	70	4.2	1,415	85.7	144	8.7
YELLOWSTONE PARK	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-

* BIRTHWEIGHT WAS NOT STATED FOR FOUR BIRTHS.

TABLE 8

FREQUENCY AND PERCENT DISTRIBUTION OF LIVE BIRTHS TO MONTANA RESIDENTS
DELIVERING IN MONTANA BY NUMBER OF CHILDREN BORN ALIVE AND
AND BY YEARS OF EDUCATION OF MOTHER
MONTANA, 1995

EDUCATION OF MOTHER IN YEARS	NUMBER OF LIVE-BORN CHILDREN											
	TOTAL	ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	TEN OR MORE	NOT STATED
TOTAL												
NUMBER	10,943	4,361	3,548	1,714	755	303	127	51	32	21	20	11
PERCENT	100.0	39.9	32.4	15.7	6.9	2.8	1.2	0.5	0.3	0.2	0.2	0.1
NONE												
NUMBER	-	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-	-
LESS THAN 8 YEARS												
NUMBER	31	10	7	4	4	3	2	-	-	1	-	-
PERCENT	100.0	32.3	22.6	12.9	12.9	9.7	6.5	-	-	3.2	-	-
8 YEARS												
NUMBER	231	84	46	40	27	19	7	3	-	2	3	-
PERCENT	100.0	36.4	19.9	17.3	11.7	8.2	3.0	1.3	-	0.9	1.3	-
9 YEARS												
NUMBER	278	143	68	34	15	10	5	-	-	1	-	2
PERCENT	100.0	51.4	24.5	12.2	5.4	3.6	1.8	-	-	0.4	-	0.7
10 YEARS												
NUMBER	480	245	98	72	31	20	8	2	1	2	1	-
PERCENT	100.0	51.0	20.4	15.0	6.5	4.2	1.7	0.4	0.2	0.4	0.2	-
11 YEARS												
NUMBER	585	311	125	79	42	17	6	1	2	1	-	1
PERCENT	100.0	53.2	21.4	13.5	7.2	2.9	1.0	0.2	0.3	0.2	-	0.2
12 YEARS												
NUMBER	3,852	1,475	1,245	620	303	111	46	21	14	7	8	2
PERCENT	100.0	38.3	32.3	16.1	7.9	2.9	1.2	0.5	0.4	0.2	0.2	0.1
1 YR COLLEGE												
NUMBER	1,368	463	492	220	110	45	24	8	2	-	3	1
PERCENT	100.0	33.8	36.0	16.1	8.0	3.3	1.8	0.6	0.1	-	0.2	0.1
2 YRS COLLEGE												
NUMBER	1,193	407	440	208	82	25	17	6	4	3	1	-
PERCENT	100.0	34.1	36.9	17.4	6.9	2.1	1.4	0.5	0.3	0.3	0.1	-
3 YRS COLLEGE												
NUMBER	509	180	189	82	35	13	2	1	4	1	2	-
PERCENT	100.0	35.4	37.1	16.1	6.9	2.6	0.4	0.2	0.8	0.2	0.4	-
4 YRS COLLEGE												
NUMBER	1,527	661	522	223	75	23	8	7	2	2	2	2
PERCENT	100.0	43.3	34.2	14.6	4.9	1.5	0.5	0.5	0.1	0.1	0.1	0.1
POST GRADUATE												
NUMBER	872	377	312	131	31	14	2	2	2	1	-	-
PERCENT	100.0	43.2	35.8	15.0	3.6	1.6	0.2	0.2	0.2	0.1	-	-
NOT STATED												
NUMBER	17	5	4	1	-	3	-	-	1	-	-	3
PERCENT	100	29	24	6	-	18	-	-	6	-	-	18

FREQUENCY OF DEATH BY SEX, RACE,* AND CAUSE
MONTANA RESIDENTS, 1995

INTERNAT'L CLASSIF. (ICD-9)	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE	OTHER	WHITE	OTHER
	ALL CAUSES	**7,614**	**3,736**	**215**	**3,489**	**174**
001 - 139	**INFECTIOUS AND PARASITIC DISEASES**	**107**	**47**	**4**	**49**	**7**
001 - 009	INTESTINAL INFECTIOUS DISEASES	2	1	-	1	-
008	INTESTINAL INFECTION - OTHER ORGANISMS	2	1	-	1	-
010 - 018	TUBERCULOSIS	2	-	-	1	1
017	OF OTHER ORGANS	2	-	-	1	1
030 - 041	OTHER BACTERIAL DISEASES	51	18	2	28	3
031	DISEASE DUE TO OTHER MYCOBACTERIA	1	1	-	-	-
038	SEPTICEMIA	49	16	2	28	3
042 - 044	HUMAN IMMUNODEFICIENCY VIRUS (HIV) INFECTION	23	16	1	3	3
041	BACTERIAL INFECTION OF UNSPECIFIED SITE	1	1	-	-	-
042	HIV INFECTION WITH SPECIFIED CONDITIONS	22	15	1	3	3
044	OTHER HIV INFECTION	1	1	-	-	-
045 - 049	POLIOMYELITIS AND OTHER NON-ARTHROPOD BORNE VIRAL DISEASES OF CENTRAL NERVOUS SYSTEM (CNS)	2	1	-	1	-
046	SLOW VIRUS INFECTION OF CENTRAL NERVOUS SYSTEM	2	1	-	1	-
050 - 057	VIRAL DISEASES ACCOMPANIED BY EXANTHEM	3	1	-	2	-
053	HERPES ZOSTER	2	1	-	1	-
054	HERPES SIMPLEX	1	-	-	1	-
070 - 079	OTHER DISEASES DUE TO VIRUSES AND CHLAMYDIAE	14	5	-	9	-
070	VIRAL HEPATITIS	9	4	-	5	-
078	OTHER DISEASES DUE TO VIRUSES AND CHLAMYDIAE	2	1	-	1	-
079	VIRAL INFECTION IN CONDITIONS CLASSIFIED ELSEWHERE AND OF UNSPECIFIED SITE	3	-	-	3	-
110 - 118	MYCOSES	4	3	-	1	-
112	CANDIDIASIS	1	1	-	-	-
114	COCCIDIOIDOMYCOSIS	1	1	-	-	-
117	OTHER MYCOSES	2	1	-	1	-
130 - 136	OTHER INFECTIOUS AND PARASITIC DISEASES	3	1	-	2	-
135	SARCOIDOSIS	1	-	-	1	-
136	OTHER AND UNSPECIFIED INFECTIOUS AND PARASITIC DISEASE	2	1	-	1	-
137 - 139	LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES	3	1	1	1	-
138	LATE EFFECTS OF ACUTE POLIOMYELITIS	2	-	1	1	-
139	LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES	1	1	-	-	-
140 - 239	**NEOPLASMS**	**1,789**	**894**	**38**	**813**	**44**
140 - 149	MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX	24	12	-	11	1
140	LIP	1	1	-	-	-
141	TONGUE	7	3	-	4	-
142	MAJOR SALIVARY GLANDS	4	2	-	1	1
144	FLOOR OF THE MOUTH	1	1	-	-	-
145	OTHER AND UNSPECIFIED PARTS OF MOUTH	4	1	-	3	-
146	OROPHARYNX	1	-	-	1	-
147	NASOPHARYNX	2	2	-	-	-
149	OTHER AND ILL-DEFINED SITE - LIP, ORAL, CAVITY, AND PHARYNX	4	2	-	2	-
150 - 159	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM	414	209	9	188	8
150	ESOPHAGUS	34	20	2	12	-
151	STOMACH	37	22	-	14	1
152	SMALL INTESTINE INCLUDING DUODENUM	5	2	-	3	-
153	COLON	138	66	3	65	4
154	RECTUM, RECTOSIGMOID JUNCTION, AND ANUS	34	17	3	14	-
155	LIVER AND INTRAHEPATIC BILE DUCTS	31	20	-	10	1
156	GALL BLADDER AND EXTRAHEPATIC BILEDUCTS	17	5	-	12	-
157	PANCREAS	112	56	1	53	2
158	RETROPERITONEUM AND PERITONEUM	2	1	-	1	-
159	ILL-DEFINED SITE IN DIGESTIVE ORGANS AND PERITONEUM	4	-	-	4	-
160 - 165	MALIGNANT NEOPLASMS-RESPIRATORY AND INTRATHORACIC ORGANS	477	259	16	189	13
161	LARYNX	11	9	1	1	-
162	TRACHEA, BRONCHUS, AND LUNG	464	248	15	188	13
164	THYMUS, HEART, AND MEDIASTINUM	2	2	-	-	-

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

FREQUENCY OF DEATH BY SEX, RACE,* AND CAUSE
MONTANA RESIDENTS, 1995

INTERNAT'L CLASSIF. (ICD-9)	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE	OTHER	WHITE	OTHER
170 - 175	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN AND BREAST	203	29	-	169	5
170	BONE AND ARTICULAR CARTILAGE	4	2	-	2	-
171	CONNECTIVE AND OTHER SOFT TISSUE	10	5	-	5	-
172	MALIGNANT MELANOMA OF SKIN	21	16	-	5	-
173	OTHER MALIGNANT NEOPLASM OF SKIN	9	6	-	3	-
174	FEMALE BREAST	159	-	-	154	5
179 - 189	MALIGNANT NEOPLASMS OF GENITOURINARY ORGANS	295	188	6	93	8
179	UTERUS, PART UNSPECIFIED	9	-	-	8	1
180	CERVIX UTERI	8	-	-	6	2
182	BODY OF UTERUS	10	-	-	10	-
183	OVARY AND OTHER UTERINE ADNEXA	51	-	-	50	1
184	OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	3	-	-	3	-
185	PROSTATE	125	119	6	-	-
186	TESTIS	2	2	-	-	-
188	URINARY BLADDER	46	40	-	6	-
189	KIDNEY AND OTHER UNSPECIFIED URINARY ORGANS	41	27	-	10	4
190 - 199	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES	167	83	4	73	7
190	EYE	1	-	-	1	-
191	BRAIN	37	20	1	15	1
193	THYROID GLAND	3	1	-	2	-
194	OTHER ENDOCRINE GLAND AND RELATED STRUCTURES	1	1	-	-	-
195	OTHER AND ILL-DEFINED SITES	10	4	-	6	-
199	MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE	115	57	3	49	6
200 - 208	MALIGNANT NEOPLASMS OF LYMPHATC AND HEMATOPOIETIC TISSUE	185	100	3	82	-
200	LYMPHOSARCOMA AND RETICULOSARCOMA	5	3	-	2	-
201	HODGKIN'S DISEASE	3	1	-	2	-
202	OTHER MALIGNANT NEOPLASM OF LYMPHOID AND HISTIOCYTIC TISSUE	71	38	1	32	-
203	MULTIPLE MYELOMA ANDIMMUNOPROLIFERATIVE NEOPLASMS	22	13	2	7	-
204	LYMPHOID LEUKEMIA	19	13	-	6	-
205	MYELOID LEUKEMIA	38	18	-	20	-
208	LEUKEMIA OF UNSPECIFIED CELL TYPE	27	14	-	13	-
210 - 229	BENIGN NEOPLASMS	3	1	-	2	-
225	BRAIN AND OTHER PARTS OF NERVOUS SYSTEM	2	-	-	2	-
228	HEMANGIOMA AND LYMPHANGIOMA, ANY SITE	1	1	-	-	-
235 - 238	NEOPLASMS OF UNCERTAIN BEHAVIOR	7	2	-	3	2
235	DIGESTIVE AND RESPIRATORY SYSTEMS	2	-	-	1	1
236	NEOPLASMS OF UNCERTAIN BEHAVIOR OF GENITOURINARY ORGANS	1	-	-	1	-
238	OTHER AND UNSPECIFIED SITES AND TISSUES	4	2	-	1	1
239	NEOPLASMS OF UNSPECIFIED NATURE	14	11	-	3	-
240 - 279	ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS	275	119	9	136	11
240 - 246	DISORDERS OF THYROID GLAND	5	-	-	5	-
244	ACQUIRED HYPOTHYROIDISM	5	-	-	5	-
250 - 259	DISEASES OF OTHER ENDOCRINE GLANDS	214	90	8	105	11
250	DIABETES MELLITUS	210	87	8	104	11
251	OTHER DISORDERS OF PANCREATIC INTERNAL SECRETION	1	1	-	-	-
255	DISORDERS OF ADRENAL GLANDS	3	2	-	1	-
260 - 269	NUTRITIONAL DEFICIENCIES	22	9	1	12	-
261	NUTRITIONAL MARASMUS	1	1	-	-	-
263	OTHER AND UNSPECIFIED PROTIEN OR CALORIE MALNUTRITION	21	8	1	12	-
270 - 279	OTHER METABOLIC AND IMMUNITY DISORDERS	34	20	-	14	-
270	DISORDERS OF AMIONO ACID TRANSPORT AND METABOLISM	1	-	-	1	-
272	LIPOID METABOLISM	6	6	-	-	-
274	GOUT	1	1	-	-	-
276	FLUID, ELECTROLYTE, AND ACID-BASE BALANCE	11	4	-	7	-
277	OTHER AND UNSPECIFIED DISORDERS OF METABOLISM	9	5	-	4	-
278	OBESITY AND OTHER HYPERALIMENTATION	4	2	-	2	-
279	DISORDER INVOLVING THE IMMUNE MECHANISM	2	2	-	-	-
280 - 289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	38	21	-	15	2
282	HEREDITARY HAEMOLYTIC ANAEMIA	1	-	-	1	-
283	ACQUIRED HAEMOLYTIC ANAEMIA	2	2	-	-	-
284	APLASTIC ANEMIA	3	1	-	2	-
285	OTHER AND UNSPECIFIED ANEMIAS	8	2	-	6	-

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

FREQUENCY OF DEATH BY SEX, RACE,* AND CAUSE
MONTANA RESIDENTS, 1995

INTERNAT'L CLASSIF. (ICD-9)	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE	OTHER	WHITE	OTHER
286	COAGULATION DEFECT	4	2	-	1	1
287	PURPURA AND OTHER HEMORRHAGIC CONDITIONS	2	2	-	-	-
288	DISEASE OF WHITE BLOOD CELLS	1	1	-	-	-
289	OTHER DISEASE OF BLOOD AND BLOOD-FORMING ORGANS	17	11	-	5	1
290 - 319	**MENTAL DISORDERS**	**179**	**62**	**6**	**109**	**2**
290 - 294	ORGANIC PSYCHOTIC CONDITIONS	98	31	-	67	-
290	SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS	94	28	-	66	-
291	ALCOHOLIC PSYCHOSIS	3	2	-	1	-
294	OTHER CHRONIC ORGANIC PSYCHOTIC CONDITIONS	1	1	-	-	-
295 - 299	OTHER PSYCHOSES	48	15	1	32	-
298	OTHER NONORGANIC PSYCHOSES	48	15	1	32	-
300 - 316	NEUROTIC, PERSONALITY, AND OTHER NONPSYCHOTIC MENTAL DISORDERS	32	15	5	10	2
303	ALCOHOL DEPENDENCE SYNDROME	21	12	4	4	1
305	NONDEPENDENT ABUSE OF DRUGS	3	1	1	1	-
307	SPECIAL SYMPTOMS OR SYNDROMES NOT CLASSIFIED	1	-	-	1	-
310	SPECIFIC NONPSYCHOTIC MENTAL DISORDERS AFTER ORGANIC BRAIN DAMAGE	7	2	-	4	1
317 - 319	MENTAL RETARDATION	1	1	-	-	-
318	OTHER SPECIFIED MENTAL RETARDATION	1	1	-	-	-
320 - 389	**DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS**	**251**	**112**	**2**	**134**	**3**
320 - 326	INFLAMMATORY DISEASES OF CNS	4	2	-	2	-
320	BACTERIAL MENINGITIS	1	-	-	1	-
322	MENINGITIS OF UNSPECIFIED CAUSE	1	-	-	1	-
324	INTRACRANIAL AND INTRASPINAL ABSCESS	1	1	-	-	-
326	LATE EFFECTS OF INTRACRANIAL ABCESS OR PYOGENIC ABCESS	1	1	-	-	-
330 - 337	HEREDITARY AND DEGENERATIVE DISEASES OF CNS	198	82	1	112	3
331	ALZHEIMER'S AND OTHER CEREBRAL DEGENERATION	134	46	-	88	-
332	PARKINSON'S DISEASE	40	23	-	15	2
333	OTHER EXTRAPYRAMIDAL DISEASE AND ABNORMAL MOVEMENT DISORDERS	6	2	-	3	1
334	SPINOCEREBELLAR DISEASE	4	2	1	1	-
335	ANTERIOR HORN CELL DISEASE	14	9	-	5	-
340 - 349	OTHER DISORDERS OF CNS	37	23	-	14	-
340	MULTIPLE SCLEROSIS	13	8	-	5	-
341	OTHER DEMYELINATING DISEASES	1	1	-	-	-
342	HEMIPLEGIA	1	-	-	1	-
343	INFANTILE CEREBRAL PALSY	1	1	-	-	-
344	OTHER PARALYTIC SYNDROMES	2	2	-	-	-
345	EPILEPSY	9	3	-	6	-
348	OTHER CONDITION OF BRAIN	6	6	-	-	-
349	OTHER AND UNSPECIFIED NERVOUS SYSTEM DISORDERS	4	2	-	2	-
350 - 359	DISORDERS OF PERIPHERAL NERVOUS SYSTEM	12	5	1	6	-
355	MONONEURITIS OF LOWER LIMB	1	-	-	1	-
356	HEREDITARY AND IDIOPATHIC PERIPHERAL NEUROPATHY	6	2	-	4	-
358	MYONEURAL DISORDERS	2	1	-	1	-
359	MUSCULAR DYSTROPHIES AND OTHER MYOPATHIES	3	2	1	-	-
390 - 459	**DISEASES OF CIRCULATORY SYSTEM**	**2,815**	**1,357**	**48**	**1,362**	**48**
393 - 398	CHRONIC RHEUMATIC HEART DISEASE	28	7	1	19	1
394	DISEASE OF MITRAL VALVE	9	2	-	7	-
395	DISEASES OF AORTIC VALVE	2	1	1	-	-
396	DISEASE OF MITRAL AND AORTIC VALVE	3	-	-	3	-
397	DISEASE OF OTHER ENDOCARDIAL STRUCTURES	5	1	-	4	-
398	OTHER RHEUMATIC HEART DISEASE	9	3	-	5	1
401 - 405	HYPERTENSIVE DISEASE	79	35	3	40	1
401	ESSENTIAL HYPERTENSION	14	7	1	6	-
402	HYPERTENSIVE HEART DISEASE	38	17	1	19	1
403	HYPERTENSIVE RENAL DISEASE	18	7	1	10	-
404	HYPERTENSIVE HEART AND RENAL DISEASE	9	4	-	5	-

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

FREQUENCY OF DEATH BY SEX, RACE,* AND CAUSE
MONTANA RESIDENTS, 1995

INTERNAT'L CLASSIF. (ICD-9)	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE	OTHER	WHITE	OTHER
410 - 414	ISCHEMIC HEART DISEASE	1,165	652	23	474	16
410	ACUTE MYOCARDIAL INFARCTION	592	351	13	220	8
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE	2	2	-	-	-
412	OLD MYOCARDIAL INFARCTION	1	-	-	1	-
413	ANGINA PECTORIS	1	-	-	1	-
414	OTHER FORM OF CHRONIC ISCHEMIC HEART DISEASE	569	299	10	252	8
415 - 417	DISEASES OF PULMONARY CIRCULATION	34	13	-	21	-
415	ACUTE PULMONARY HEART DISEASE	30	12	-	18	-
416	CHRONIC PULMONARY HEART DISEASE	4	1	-	3	-
420 - 429	OTHER FORMS OF HEART DISEASE	729	325	11	377	16
421	ACUTE AND SUBACUTE ENDOCARDITIS	4	1	-	3	-
422	ACUTE MYOCARDITIS	1	-	-	-	1
424	OTHER DISEASES OF ENDOCARDIUM	80	26	1	52	1
425	CARDIOMYOPATHY	57	32	1	22	2
426	CONDUCTION DISORDERS	6	1	-	5	-
427	CARDIAC DYSRHYTHMIAS	173	76	1	91	5
428	HEART FAILURE	214	93	3	114	4
429	ILL-DEFINED DESCRIPTIONS AND COMPLICATIONS OF HEART DISEASE	194	96	5	90	3
430 - 438	CEREBROVASCULAR DISEASE	593	233	8	343	10
430	SUBARACHNOID HEMORRHAGE	24	11	-	13	-
431	INTRACEREBRAL HEMORRHAGE	66	32	-	31	3
432	OTHER AND UNSPECIFIED INTRACRANIAL HEMORRHAGE	14	8	-	6	-
433	OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES	7	4	-	3	-
434	OCCLUSION OF CEREBRAL ARTERIES	38	13	-	25	-
436	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE	359	133	7	213	6
437	OTHER AND ILL-DEFINED CEREBROVASCULAR DISEASE	40	19	1	19	1
438	LATE EFFECT OF CEREBROVASCULAR DISEASE	45	13	-	32	-
440 - 448	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	177	88	2	83	4
440	ATHEROSCLEROSIS	78	30	1	45	2
441	AORTIC ANEURYSM	67	40	1	25	1
442	OTHER ANEURYSM	5	4	-	-	1
443	OTHER PERIPHERAL VASCULAR DISEASE	16	10	-	6	-
444	ARTERIAL EMBOLISM AND THROMBOSIS	2	-	-	2	-
446	POLYARTERITIS NODOSA AND ALLIED CONDITIONS	4	1	-	3	-
447	OTHER DISORDER OF ARTERIES AND ARTERIOLES	4	2	-	2	-
448	DISEASES OF CAPILLARIES	1	1	-	-	-
451 - 459	DISEASES OF VEINS AND LYMPHATICS AND OTHER CIRCULATORY SYSTEM DISEASES	10	4	-	6	-
451	PHLEBITIS AND THROMBOPHLEBITIS	2	-	-	2	-
454	VARICOSE VEINS OF LOWER EXTREMITIES	1	1	-	-	-
456	VARICOSE VEINS OF OTHER SITES	1	1	-	-	-
458	HYPOTENSION	2	1	-	1	-
459	OTHER DISORDER OF CIRCULATORY SYSTEM	4	1	-	3	-
460 - 519	DISEASES OF RESPIRATRY SYSTEM	905	449	17	428	11
460 - 466	ACUTE RESPIRATORY INFECTIONS	3	1	-	2	-
465	ACUTE UPPER RESPIRATORY INFECTIONS OF MULTIPLE OR UNSPECIFIED SITE	1	-	-	1	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	-	-	-
470 - 478	OTHER UPPER RESPIRATORY TRACT DISEASES	1	1	-	-	-
478	OTHER DISEASE OF UPPER RESPIRATORY TRACT	1	1	-	-	-
480 - 487	PNEUMONIA AND INFLUENZA	319	135	12	168	4
481	PNEUMOCOCCAL PNEUMONIA	9	2	3	4	-
482	OTHER BACTERIAL PNEUMONIA	9	5	-	4	-
485	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED	20	7	3	10	-
486	PNEUMONIA, ORGANISM UNSPECIFIED	275	120	6	145	4
487	INFLUENZA	6	1	-	5	-
490 - 496	CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	481	260	3	214	4
490	BRONCHITIS NOT SPECIFIED AS ACUTE ORCHRONIC	2	1	-	1	-
491	CHRONIC BRONCHITIS	8	5	-	3	-
492	EMPHYSEMA	67	39	-	28	-
493	ASTHMA	24	8	-	16	-
494	BRONCHIECTASIS	1	1	-	-	-
496	CHRONIC AIRWAYS OBSTRUCTION NOT ELSEWHERE CLASSIFIED	379	206	3	166	4

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

FREQUENCY OF DEATH BY SEX, RACE,* AND CAUSE
MONTANA RESIDENTS, 1995

INTERNAT'L CLASSIF. (ICD-9)	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE	OTHER	WHITE	OTHER
500 - 508	PNEUMOCONIOSES AND OTHER LUNG DISEASE AND EXTERNAL AGENTS	26	11	-	14	1
500	COAL WORKERS' PNEUMOCONIOSIS	2	2	-	-	-
502	PNEUMOCONIOSIS DUE TO OTHER SILICA OR SILICATES	1	1	-	-	-
507	PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	23	8	-	14	1
510 - 519	OTHER RESPIRATORY SYSTEM DISEASES	75	41	2	30	2
510	EMPYEMA	1	1	-	-	-
511	PLEURISY	2	1	-	1	-
512	PNEUMOTHORAX	1	-	-	1	-
514	PULMONARY CONGESTION AND HYPOSTASIS	2	-	1	1	-
515	POSTINFLAMMATORY PULMONARY FIBROSIS	40	25	-	13	2
516	OTHER ALVEOLAR AND PARIETOALVEOLAR PNEUMOPATHY	1	1	-	-	-
518	OTHER DISEASES OF LUNG	21	10	1	10	-
519	OTHER DISEASES OF RESPIRATORY SYSTEM	7	3	-	4	-
520 - 579	DISEASES OF DIGESTIVE SYSTEM	277	135	13	107	22
530 - 537	DISEASES OF ESOPHAGUS, STOMACH, AND DUODENUM	41	21	1	18	1
530	DISEASES OF ESOPHAGUS	16	8	1	7	-
531	GASTRIC ULCER	7	4	-	2	1
532	DUODENAL ULCER	5	4	-	1	-
533	PEPTIC ULCER, SITE UNSPECIFIED	9	3	-	6	-
535	GASTRITIS AND DUODENITIS	3	1	-	2	-
537	OTHER DISORDERS OF STOMACH AND DUODENUM	1	1	-	-	-
540 - 543	APPENDICITIS	1	-	-	1	-
540	ACUTE APPENDICITIS	1	-	-	1	-
550 - 553	HERNIA OF ABDOMINAL CAVITY	3	-	-	2	1
552	OTHER HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION BUT WITHOUT GANGRENE	2	-	-	1	1
553	OTHER HERNIA OF ABDOMINAL CAVITY WITHOUT OBSTRUCTION OR GANGRENE	1	-	-	1	-
555 - 558	NONINFECTIVE ENTERITIS AND COLITIS	29	12	-	16	1
555	REGIONAL ENTERITIS	1	1	-	-	-
556	IDIOPATHIC PROCTOCOLITIS	1	-	-	1	-
557	VASCULAR INSUFFICIENCY OF INTESTINE	23	8	-	14	1
558	OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS	4	3	-	1	-
560 - 569	OTHER DISEASES OF INTESTINES AND PERITONEUM	44	20	1	19	4
560	INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	16	6	-	10	-
562	DIVERTICULA OF INTESTINE	12	5	1	4	2
564	FUNCTIONAL DIGESTIVE DISORDERS, NOT ELSEWHERE CLASSIFIED	2	-	-	2	-
567	PERITONITIS	6	4	-	1	1
569	OTHER DISORDERS OF INTESTINE	8	5	-	2	1
570 - 579	OTHER DIGESTIVE SYSTEM DISEASES	159	82	11	51	15
570	ACUTE AND SUBACUTE NECROSIS OF LIVER	1	-	-	1	-
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	83	45	6	22	10
572	LIVER ABSCESS AND SEQUELAE OF CHRONIC LIVER DISEASE	19	11	2	4	2
573	OTHER DISORDERS OF LIVER	6	2	-	3	1
574	CHOLELITHIASIS	6	5	-	1	-
575	OTHER DISORDERS OF GALLBLADDER	7	2	-	4	1
577	DISEASE OF PANCREAS	11	3	2	6	-
578	GASTROINTESTINAL HEMORRHAGE	26	14	1	10	1
580 - 629	DISEASES OF GENITOURINARY SYSTEM	99	45	3	47	4
580 - 589	NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	56	28	2	24	2
582	CHRONIC GLOMERULONEPHRITIS	3	2	-	1	-
584	ACUTE RENAL FAILURE	6	3	-	3	-
585	CHRONIC RENAL FAILURE	6	1	1	3	1
586	RENAL FAILURE, UNSPECIFIED	41	22	1	17	1
590 - 599	OTHER URINARY SYSTEM DISEASES	42	17	1	23	1
590	INFECTIONS OF KIDNEY	7	3	-	4	-
591	HYDRONEPHROSIS	1	-	-	1	-
593	OTHER DISORDERS OF KIDNEY AND URETER	10	6	1	3	-
596	OTHER DISORDERS OF BLADDER	2	-	-	1	1
599	OTHER DISORDERS OF URETHRA AND URINARY TRACT	22	8	-	14	-
614 - 616	INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS	1	-	-	-	1
616	INFLAMMATORY DISEASE OF CERVIX, VAGINA, AND VULVA	1	-	-	-	1

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

FREQUENCY OF DEATH BY SEX, RACE,* AND CAUSE
MONTANA RESIDENTS, 1995

INTERNAT'L CLASSIF. (ICD-9)	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE	OTHER	WHITE	OTHER
680 - 709	DISEASES OF SKIN AND SUBCUTANEOUS TISSUE	4	-	-	4	-
680 - 686	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	2	-	-	2	-
682	OTHER CELLULITIS AND ABSCESS	2	-	-	2	-
690 - 698	OTHER INFLAMMATORY CONDITIONS OF SKIN AND SUBCUTANEOUS TISSUES	1	-	-	1	-
694	BULLOUS DERMATOSES	1	-	-	1	-
700 - 709	OTHER SKIN AND SUBCUTANEOUS TISSUE DISEASE	1	-	-	1	-
707	CHRONIC ULCER OF SKIN	1	-	-	1	-
710 - 739	MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE DISEASES	42	10	-	31	1
710 - 719	ARTHROPATHIES AND RELATED DISORDERS	29	8	-	20	1
710	DIFFUSE DISEASE OF CONNECTIVE TISSUE	15	6	-	8	1
714	RHEUMATOID ARTHRITIS AND OTHER INFLAMATORY POLYARTHROPATHIES	11	2	-	9	-
715	OSTEOARTHROSIS AND ALLIED DISORDERS	3	-	-	3	-
725 - 729	RHEUMATISM, EXCLUDING THE BACK	2	1	-	1	-
728	DISORDERS OF MUSCLE, LIGAMENT, AND FASCIA	1	1	-	-	-
729	OTHER DISORDERS OF SOFT TISSUES	1	-	-	1	-
730 - 739	OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULO-SKELETAL DEFORMITIES	11	1	-	10	-
730	OSTEOMYELITIS, PERIOSTITIS, AND OTHER INFECTIONS INVOLVING BONE	3	-	-	3	-
733	OTHER DISORDERS OF BONE AND CARTILAGE	5	1	-	4	-
737	CURVATURE OF SPINE	3	-	-	3	-
740 - 759	CONGENITAL ANOMALIES	41	21	1	16	4
741	SPINA BIFIDA	1	1	-	-	-
742	OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM	5	2	-	2	1
745	BULBUS CORDIS ANOMALIES AND ANOMALIES OF CARDIAC SEPTAL CLOSURE	2	-	-	1	1
746	OTHER CONGENITAL ANOMALIES OF HEART	12	8	-	4	-
747	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	6	2	-	4	-
748	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	4	-	1	1	2
750	OTHER CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT	1	1	-	-	-
753	CONGENITAL ANOMALIES OF URINARY SYSTEM	2	2	-	-	-
756	OTHER CONGENITAL MUSCULOSKELETAL ANOMALIES	3	3	-	-	-
758	CHROMOSOMAL ANOMALIES	4	1	-	3	-
759	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	1	1	-	-	-
760 - 779	CERTAIN CONDITIONS ORIGINATING IN PERINATAL PERIOD	27	18	-	7	2
761	NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY	2	2	-	-	-
762	NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES	2	2	-	-	-
765	DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT	8	3	-	4	1
768	INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	1	1	-	-	-
769	RESPIRATORY DISTRESS SYNDROME	4	3	-	1	-
770	OTHER RESPIRATORY CONDITION OF NEWBORN	2	2	-	-	-
771	INFECTION SPECIFIC TO THE PERINATAL PERIOD	4	3	-	1	-
772	FETAL AND NEONATAL HEMORRHAGE	1	-	-	1	-
778	CONDITION INVOLVING THE INTEGUMENT AND TEMPERATURE REGULATION OF FETUS AND NEWBORN	1	1	-	-	-
779	OTHER ILL-DEFINED CONDITION ORIGINATING IN THE PERINATAL PERIOD	2	1	-	-	1
780 - 799	SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS	138	58	4	75	1
780 - 789	SYMPTOMS	11	5	-	6	-
780	GENERAL SYMPTOMS	3	2	-	1	-
783	SYMPTOMS CONCERNING NUTRITION, METABOLISM, AND DEVELOPMENT	2	1	-	1	-
784	INVOLVING HEAD AND NECK	1	-	-	1	-
785	SYMPTOMS INVOLVING CARDIOVASCULAR SYSTEM	3	1	-	2	-
789	OTHER SYMPTOMS INVOLVING ABDOMEN AND PELVIS	2	1	-	1	-
797 - 799	ILL-DEFINED AND UNKNOWN CAUSES OF MORTALITY	127	53	4	69	1
797	SENILITY WITHOUT MENTION OF PSYCHOSIS	29	6	-	23	-

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

FREQUENCY OF DEATH BY SEX, RACE,* AND CAUSE
MONTANA RESIDENTS, 1995

INTERNAT'L CLASSIF. (ICD-9)	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE	OTHER	WHITE	OTHER
798	SUDDEN DEATH, CAUSE UNKNOWN	28	15	1	12	-
799	OTHER ILL-DEFINED AND UNKNOWN CAUSES OF MORBIDITY AND MORTALITY	70	32	3	34	1
800 - 999	**EXTERNAL CAUSES OF INJURY AND POISONING**	**628**	**388**	**70**	**158**	**12**
800 - 807	RAILWAY ACCIDENTS	4	2	2	-	-
805	HIT BY ROLLING STOCK	4	2	2	-	-
810 - 819	MOTOR VEHICLE TRAFFIC ACCIDENTS	181	100	25	51	5
810	INVOLVING COLLISION WITH TRAIN	4	3	1	-	-
811	INVOLVING RE-ENTRANT COLLISION WITH ANOTHER MOTOR VEHICLE	3	-	2	-	1
812	INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE	53	33	4	16	-
813	INVOLVING COLLISION WITH OTHER VEHICLE	2	2	-	-	-
814	INVOLVING COLLISION WITH PEDESTRIAN	11	5	2	4	-
815	OTHER TRAFFIC ACCIDENT INVOLVING COLLISION ON THE HIGHWAY	13	7	2	4	-
816	LOSS OF CONTROL, WITHOUT COLLISION ON THE HIGHWAY	78	40	13	22	3
818	OTHER NONCOLLISION TRAFFIC ACCIDENT	4	-	1	2	1
819	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE	13	10	-	3	-
820 - 825	MOTOR VEHICLE NON-TRAFFIC ACCIDENTS	10	6	-	3	1
820	INVOLVING MOTOR-DRIVEN SNOW VEHICLE	2	2	-	-	-
821	INVOLVING OTHER OFF-ROAD MOTOR VEHICLE	1	-	-	1	-
822	INVOLVING COLLISION WITH MOVING OBJECT	5	2	-	2	1
825	OTHER AND UNSPECIFIED NATURE	2	2	-	-	-
826 - 829	OTHER ROAD VEHICLE ACCIDENTS	2	2	-	-	-
828	ACCIDENT INVOLVING ANIMAL BEING RIDDEN	2	2	-	-	-
830 - 838	WATER TRANSPORT ACCIDENTS	1	-	-	1	-
830	ACCIDENT TO WATERCRAFT CAUSING SUBMERSION	1	-	-	1	-
840 - 845	AIR AND SPACE TRANSPORT ACCIDENTS	4	4	-	-	-
841	ACCIDENT TO POWERED AIRCRAFT, OTHER AND UNSPECIFIED	2	2	-	-	-
842	UNPOWERED AIRCRAFT	2	2	-	-	-
850 - 858	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	7	2	1	3	1
850	BY ANALGESICS, ANTIPYRETICS, AND ANTIRHEUMATICS	5	1	1	2	1
854	BY OTHER PSYCHOTROPIC AGENTS	1	-	-	1	-
858	BY OTHER DRUGS	1	1	-	-	-
860 - 869	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES, AND VAPORS	8	5	-	3	-
868	BY OTHER UTILITY GAS AND OTHER CARBON MONOXIDE	8	5	-	3	-
878 - 879	SURGICAL AND MEDICAL PROCEDURES CAUSING REACTION OR LATER COMPLICATIONS WITHOUT MISADVENTURE	2	2	-	-	-
878	SURGICAL PROCEDURES CAUSING REACTION WITHOUT MENTION OF MISADVENTURE AT THE TIME OF OPERATION	2	2	-	-	-
880 - 888	ACCIDENTAL FALLS	73	32	5	35	1
880	FALL ON OR FROM STAIRS OR STEPS	5	2	1	2	-
882	FALL FROM OR OUT OF BUILDING OR OTHER STRUCTURE	1	1	-	-	-
883	FALL INTO HOLE OR OTHER OPENING IN SURFACE	1	-	-	1	-
884	OTHER FALL FROM ONE LEVEL TO ANOTHER	14	7	-	7	-
885	FALL ON SAME LEVEL FROM SLIP, TRIP, OR STUMBLE	5	1	-	4	-
887	FRACTURE, CAUSE UNSPECIFIED	9	4	-	5	-
888	OTHER AND UNSPECIFIED FALL	38	17	4	16	1
890 - 899	ACCIDENTS CAUSED BY FIRE AND FLAMES	9	7	1	1	-
890	CONFLAGRATION IN PRIVATE DWELLING	6	4	1	1	-
894	IGNITION OF HIGHLY INFLAMMABLE MATERIAL	1	1	-	-	-
897	CONTROLLED FIRE NOT IN BUILDING OR STRUCTURE	1	1	-	-	-
898	ACCIDENT CAUSED BY OTHER SPECIFIED FIRE AND FLAMES	1	1	-	-	-
900 - 909	ACCIDENTS DUE TO NATURAL AND ENVIRONMENTAL FACTORS	10	9	-	1	-
900	EXCESSIVE HEAT	1	1	-	-	-
901	EXCESSIVE COLD	3	3	-	-	-
904	HUNGER, THIRST, EXPOSURE, AND NEGLECT	4	4	-	-	-
909	CATACLYSMIC EARTH SURFACE MOVEMENTS	2	1	-	1	-

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

FREQUENCY OF DEATH BY SEX, RACE,* AND CAUSE
MONTANA RESIDENTS, 1995

INTERNAT'L CLASSIF. (ICD-9)	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE	OTHER	WHITE	OTHER
910 - 915	ACCIDENTS CAUSED BY SUBMERSION, SUFFOCATION, AND FOREIGN BODIES	31	19	4	7	1
910	ACCIDENTAL DROWNING AND SUBMERSION	15	8	2	4	1
911	INHALATION AND INGESTION OF FOOD CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION	4	1	1	2	-
912	INHALATION AND INGESTION OF OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION	2	-	1	1	-
913	ACCIDENTAL MECHANICAL SUFFOCATION	10	10	-	-	-
916 - 928	OTHER ACCIDENTS	24	18	3	3	-
916	STRUCK ACCIDENTALLY BY FALLING OBJECT	2	2	-	-	-
917	STRIKING AGAINST OR STRUCK ACCIDENTALLY BY OBJECTS OR PERSONS	4	3	1	-	-
919	ACCIDENT CAUSED BY MACHINERY	4	4	-	-	-
920	CAUSED BY CUTTING AND PIERCING INSTRUMENTS OR OBJECTS	1	1	-	-	-
921	EXPLOSION OF PRESSURE VESSEL	1	1	-	-	-
922	CAUSED BY FIREARM MISSILE	3	2	-	1	-
924	BY HOT SUBSTANCE OR OBJECT, CAUSTIC MATERIAL, AND STEAM	1	1	-	-	-
925	ACCIDENT CAUSED BY ELECTRIC CURRENT	2	1	-	1	-
928	OTHER AND UNSPECIFIED ENVIRONMENTAL AND ACCIDENTAL CAUSE	6	3	2	1	-
929	LATE EFFECTS OF ACCIDENTAL INJURY	6	2	1	3	-
930 - 949	DRUGS CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE	2	1	-	1	-
945	AGENTS ACTING PRIMARILY ON THE SMOOTHE AND SKELETAL MUSCLES AND RESPIRATORY SYSTEM	1	1	-	-	-
947	UNSPECIFIED DRUGS AND MEDICAMENTS	1	-	-	1	-
950 - 959	SUICIDE AND SELF-INFLICTED INJURY	197	152	14	30	1
950	SELF-INFLICTED POISONING BY SOLID OR LIQUID	20	9	1	9	1
952	SELF-INFLICTED POISONING BY OTHER GASES AND VAPORS	17	14	-	3	-
953	SELF-INFLICTED INJURY BY HANGING, STRANGULATION, AND SUFFOCATION	23	16	4	3	-
954	SELF-INFLICTED INJURY BY DROWNING	2	1	-	1	-
955	SELF-INFLICTED INJURY BY FIREARMS AND EXPLOSIVES	132	110	8	14	-
956	SELF-INFLICTED INJURY BY CUTTING AND PIERCING INSTRUMENTS	2	1	1	-	-
957	SELF-INFLICTED INJURY BY JUMPING FROM HIGH PLACE	1	1	-	-	-
960 - 969	HOMICIDE AND INJURY PURPOSELY INFLICTED BY OTHERS	45	20	12	12	1
962	ASSAULT BY POISONING	1	1	-	-	-
963	ASSAULT BY HANGING AND STRANGULATION	4	-	1	3	-
965	ASSAULT BY FIREARMS AND EXPLOSIVES	22	11	5	6	-
966	ASSAULT BY CUTTING AND PIERCING INSTRUMENT	10	4	5	1	-
968	ASSAULT BY OTHER AND UNSPECIFIED MEANS	8	4	1	2	1
970 - 978	LEGAL INTERVENTION	1	1	-	-	-
978	LEGAL EXECUTION	1	1	-	-	-
980 - 989	INJURY WITH UNDETERMINED INTENT	11	4	2	4	1
980	POISONING BY SOLID OR LIQUID SUBSTANCES	3	2	1	-	-
984	DROWNING, INTENTION UNDETERMINED	1	1	-	-	-
985	INJURY BY FIREARMS AND EXPLOSIVES	2	-	1	1	-
.987	FALLING FROM HIGH PLACE	1	1	-	-	-
988	INJURY BY OTHER AND UNSPECIFIED MEANS	4	-	-	3	1

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

TABLE 10
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1995

CAUSE OF DEATH	ALL AGES			UNDER 1 YEAR		1		2-4		5-9		10-14		15-17	
	BOTH	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
TOTAL, ALL CAUSES	7,614	3,951	3,663	52	27	4	5	8	8	12	4	15	5	35	10
	7,614	3,951	3,663	52	27	4	5	8	8	12	4	15	5	35	10
CIRCULATORY SYSTEM DISEASES	2,815	1,405	1,410	-	1	-	-	-	-	-	1	-	-	1	2
HEART DISEASE	2,003	1,054	949	-	1	-	-	-	-	-	1	-	-	-	2
ACUTE MYOCARDIAL INFARCTION	592	364	228	-	-	-	-	-	-	-	-	-	-	-	-
OTHER CHRONIC ISCHEMIC HEART DISEASE	573	311	262	-	-	-	-	-	-	-	-	-	-	-	-
PULMONARY HEART DISEASE	34	13	21	-	-	-	-	-	-	-	-	-	-	-	-
HYPERTENSIVE HEART DISEASE	38	18	20	-	-	-	-	-	-	-	-	-	-	-	-
HYPERTENSIVE HEART AND RENAL DISEASE	9	4	5	-	-	-	-	-	-	-	-	-	-	-	-
RHEUMATIC FEVER AND RHEUMATIC HEART	28	8	20	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER HEART DISEASE	729	336	393	-	1	-	-	-	-	-	1	-	-	-	2
OTHER CIRCULATORY SYSTEM DISEASES	812	351	461	-	-	-	-	-	-	-	-	-	-	1	-
ESSENTIAL HYPERTENSION	14	8	6	-	-	-	-	-	-	-	-	-	-	-	-
HYPERTENSIVE RENAL DISEASE	18	8	10	-	-	-	-	-	-	-	-	-	-	-	-
CEREBROVASCULAR DISEASE (INCLUDING STROKE)	593	241	352	-	-	-	-	-	-	-	-	-	-	1	-
ATHEROSCLEROSIS	78	31	47	-	-	-	-	-	-	-	-	-	-	-	-
AORTIC ANEURYSM	67	41	26	-	-	-	-	-	-	-	-	-	-	-	-
OTHER CIRCULATORY SYSTEM DISEASES	42	22	20	-	-	-	-	-	-	-	-	-	-	-	-
NEOPLASMS	1,789	932	857	-	-	-	-	-	1	1	2	2	-	1	-
CANCER (MALIGNANT NEOPLASMS*)	1,765	918	847	-	-	-	-	-	1	1	2	2	-	1	-
TRACHEA, BRONCHUS, AND LUNG	464	263	201	-	-	-	-	-	-	-	-	-	-	-	-
COLON	138	69	69	-	-	-	-	-	-	-	-	-	-	-	-
RECTUM, RECTOSIGMOID JUNCTION, AND ANUS	34	20	14	-	-	-	-	-	-	-	-	-	-	-	-
PROSTATE	125	125	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE BREAST	159	-	159	-	-	-	-	-	-	-	-	-	-	-	-
CERVIX UTERI	8	-	8	-	-	-	-	-	-	-	-	-	-	-	-
UTERUS, OVARY, AND OTHER UTERINE ADNEXA	70	-	70	-	-	-	-	-	-	-	-	-	-	-	-
LEUKEMIA	84	45	39	-	-	-	-	-	1	-	2	1	-	-	-
OTHER LYMPHOID AND HEMATOPOIETIC TISSUE	101	58	43	-	-	-	-	-	-	-	-	-	-	-	-
PANCREAS	112	57	55	-	-	-	-	-	-	-	-	-	-	-	-
BRAIN	37	21	16	-	-	-	-	-	-	1	-	1	-	-	-
STOMACH	37	22	15	-	-	-	-	-	-	-	-	-	-	-	-
BLADDER	46	40	6	-	-	-	-	-	-	-	-	-	-	-	-

* AN UNCONTROLLED AND INVASIVE GROWTH CAPABLE OF SPREADING TO A DISTANT PART OF THE BODY.

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1995

CAUSE OF DEATH	ALL AGES			UNDER 1 YEAR		1		2-4		5-9		10-14		15-17	
	BOTH	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
NEOPLASMS (CONTINUED)															
CANCER (MALIGNANT NEOPLASMS*)															
KIDNEY AND UNSPECIFIED URINARY ORGANS	41	27	14	-	-	-	-	-	-	-	-	-	-	-	-
LIP, ORAL CAVITY, AND PHARYNX	24	12	12	-	-	-	-	-	-	-	-	-	-	-	-
ESOPHAGUS	34	22	12	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER CANCER	251	137	114	-	-	-	-	-	-	-	-	-	-	1	-
PRE-MALIGNANT AND BENIGN NEOPLASMS**	24	14	10	-	-	-	-	-	-	-	-	-	-	-	-
RESPIRATORY SYSTEM DISEASES	904	466	438	2	2	-	-	-	-	-	-	-	-	2	-
CHRONIC OBSTRUCTIVE PULMONARY DISEASES	481	263	218	-	-	-	-	-	-	-	-	-	-	-	-
EMPHYSEMA	67	39	28	-	-	-	-	-	-	-	-	-	-	-	-
ASTHMA	24	8	16	-	-	-	-	-	-	-	-	-	-	-	-
BRONCHITIS	10	6	4	-	-	-	-	-	-	-	-	-	-	-	-
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	380	210	170	-	-	-	-	-	-	-	-	-	-	-	-
PNEUMONIA AND INFLUENZA	319	147	172	1	2	-	-	-	-	-	-	-	-	2	-
PNEUMONIA	313	146	167	1	2	-	-	-	-	-	-	-	-	2	-
INFLUENZA	6	1	5	-	-	-	-	-	-	-	-	-	-	-	-
OTHER RESPIRATORY SYSTEM DISEASES	104	56	48	1	-	-	-	-	-	-	-	-	-	-	-
TRAUMATIC INJURY AND POISONING	628	458	170	3	1	3	3	1	3	9	1	11	3	27	7
MOTOR VEHICLE ACCIDENTS	191	131	60	1	1	-	2	-	-	5	1	4	1	8	5
OTHER ACCIDENTS	183	122	61	2	-	3	1	-	1	4	-	4	2	4	-
OTHER TRANSPORTATION ACCIDENTS	11	10	1	-	-	-	-	-	-	1	-	-	-	-	-
ACCIDENTAL FALLS	73	37	36	-	-	-	-	-	-	-	-	-	-	2	-
ACCIDENTAL DROWNING AND SUFFOCATION	31	23	8	-	-	2	1	-	-	3	-	2	2	1	-
ACCIDENTAL POISONING	15	8	7	-	-	-	-	-	-	-	-	-	-	-	-
DWELLING FIRE	6	5	1	1	-	-	-	-	-	-	-	-	-	-	-
OTHER FIRE AND FLAME	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT CAUSED BY FIREARM MISSILE	3	2	1	-	-	-	-	-	-	-	-	2	-	-	-
OTHER ACCIDENTAL INJURY AND POISONING	38	31	7	1	-	1	-	-	1	-	-	-	-	1	-
EXCESSIVE COLD	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE	197	166	31	-	-	-	-	-	-	-	-	1	-	11	1
SUICIDE BY FIREARM	132	118	14	-	-	-	-	-	-	-	-	1	-	8	1
OTHER SUICIDE	65	48	17	-	-	-	-	-	-	-	-	-	-	3	-
HOMICIDE	45	32	13	-	-	-	-	1	2	-	-	2	-	4	1
ASSAULT BY FIREARM	22	16	6	-	-	-	-	-	-	-	-	2	-	2	-
OTHER HOMICIDE	23	16	7	-	-	-	-	1	2	-	-	-	-	2	1
LEGAL INTERVENTION	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-

* AN UNCONTROLLED AND INVASIVE GROWTH CAPABLE OF SPREADING TO A DISTANT PART OF THE BODY.
** A NONINVASIVE GROWTH UNLIKELY TO SPREAD TO OTHER PARTS OF THE BODY.

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1995

CAUSE OF DEATH	ALL AGES			UNDER 1 YEAR		1		2-4		5-9		10-14		15-17	
	BOTH	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
TRAUMATIC INJURY AND POISONING															
INJURY - INTENTION UNDETERMINED	11	6	5	-	-	-	-	-	-	-	-	-	-	-	-
DIGESTIVE SYSTEM DISEASES	277	148	129	-	-	-	-	-	1	-	-	-	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	83	51	32	-	-	-	-	-	-	-	-	-	-	-	-
OTHER DIGESTIVE SYSTEM DISEASES	194	97	97	-	-	-	-	-	1	-	-	-	-	-	-
ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND IMMUNITY DISORDERS	275	128	147	-	-	1	-	3	-	1	-	1	1	-	1
DIABETES MELLITUS	210	95	115	-	-	-	-	-	-	-	-	-	-	-	-
NUTRITIONAL DEFICIENCIES	22	10	12	-	-	-	-	-	-	-	-	1	-	-	-
OTHER METABOLIC AND IMMUNITY DISORDERS	43	23	20	-	-	1	-	3	-	1	-	-	1	-	1
NERVOUS SYSTEM AND SENSE ORGAN DISEASES	251	114	137	4	-	-	-	-	1	1	-	-	-	2	-
CEREBRAL DEGENERATIONS	134	46	88	1	-	-	-	-	-	-	-	-	-	-	-
ALZHEIMER'S DISEASE	126	42	84	-	-	-	-	-	-	-	-	-	-	-	-
OTHER CEREBRAL DEGENERATIONS	8	4	4	1	-	-	-	-	-	-	-	-	-	-	-
OTHER NERVOUS SYSTEM AND SENSE ORGAN DISORDERS	117	68	49	3	-	-	-	-	1	1	-	-	-	2	-
PARKINSON'S DISEASE	40	23	17	-	-	-	-	-	-	-	-	-	-	-	-
MENINGITIS	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES AND DISORDERS OF THE CNS	63	39	24	3	-	-	-	-	1	1	-	-	-	1	-
PERIPHERAL NERVOUS SYSTEM, EYE, AND EAR	12	6	6	-	-	-	-	-	-	-	-	-	-	1	-
MENTAL DISORDERS	179	68	111	-	-	-	-	-	-	-	-	-	-	1	-
ORGANIC PSYCHOTIC CONDITIONS	94	28	66	-	-	-	-	-	-	-	-	-	-	-	-
ALCOHOLIC PSYCHOSES	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
OTHER PSYCHOSES	49	17	32	-	-	-	-	-	-	-	-	-	-	-	-
ALCOHOL DEPENDENCE SYNDROME	21	16	5	-	-	-	-	-	-	-	-	-	-	-	-
DRUG DEPENDENCE OR ABUSE	3	2	1	-	-	-	-	-	-	-	-	-	-	1	-
OTHER MENTAL DISORDERS	9	3	6	-	-	-	-	-	-	-	-	-	-	-	-
GENITOURINARY SYSTEM DISEASES	99	48	51	-	-	-	-	-	-	-	-	-	-	-	-
NEPHRITIS, NEPHROSIS	56	30	26	-	-	-	-	-	-	-	-	-	-	-	-
OTHER GENOTOURINARY SYSTEM DISEASES	43	18	25	-	-	-	-	-	-	-	-	-	-	-	-
INFECTIOUS AND PARASITIC DISEASES	107	51	56	-	-	-	-	1	1	-	-	-	-	-	-
TUBERCULOSIS	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA	49	18	31	-	-	-	-	-	-	-	-	-	-	-	-
HIV INFECTION	23	17	6	-	-	-	-	1	-	-	-	-	-	-	-
LATE EFFECTS OF POLIOMYLEITIS	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
OTHER INFECTIOUS AND PARASITIC DISEASES	31	15	16	-	-	-	-	-	1	-	-	-	-	-	-
CONDITIONS ORIGINATING IN EARLY INFANCY	27	18	9	18	9	-	-	-	-	-	-	-	-	-	-
MATERNAL COMPLICATION OF PREGNANCY	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
PLACENTA, CORD, AND MEMBRANES	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1995

CAUSE OF DEATH	ALL AGES			UNDER 1 YEAR		1		2-4		5-9		10-14		15-17	
	BOTH	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
CONDITIONS ORIGINATING IN EARLY INFANCY (CONTINUED)															
SHORT GESTATION AND LOW BIRTHWEIGHT	8	3	5	3	5	-	-	-	-	-	-	-	-	-	-
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
RESPIRATORY DISTRESS SYNDROME	4	3	1	3	1	-	-	-	-	-	-	-	-	-	-
OTHER RESPIRATORY CONDITIONS	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
PERINATAL INFECTIONS	4	3	1	3	1	-	-	-	-	-	-	-	-	-	-
FETAL AND NEONATAL HEMORRHAGE	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
INTEGUMENT AND TEMPERATURE REGULATION	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
OTHER EARLY INFANCY CONDITIONS	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-
CONGENITAL ANOMALIES	41	22	19	13	8	-	1	2	1	-	-	-	1	1	-
SPINA BIFIDA	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
OTHER NERVOUS SYSTEM ANOMALIES	5	2	3	-	1	-	-	1	1	-	-	-	1	1	-
BULBUS CORDIS AND CARDIAC SEPTAL CLOSURE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ANOMALIES OF HEART	12	8	4	3	1	-	-	1	-	-	-	-	-	-	-
OTHER CIRCULATORY SYSTEM ANOMALIES	6	2	4	1	1	-	1	-	-	-	-	-	-	-	-
URINARY SYSTEM ANOMALIES	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
CHROMOSOMAL ANOMALIES	4	1	3	1	2	-	-	-	-	-	-	-	-	-	-
ANOMALIES OF RESPIRATORY SYSTEM	4	1	3	1	3	-	-	-	-	-	-	-	-	-	-
OTHER UPPER ALIMENTARY TRACT	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER MUSCULOSKELETAL ANOMALIES	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-
OTHER AND UNSPECIFIED ANOMALIES	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS	138	62	76	12	6	-	1	1	-	-	-	1	-	-	-
SENILITY WITHOUT MENTION OF PSYCHOSIS	29	6	23	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN INFANT DEATH SYNDROME	16	12	4	12	4	-	-	-	-	-	-	-	-	-	-
OTHER ILL DEFINED AND UNKNOWN CAUSES	82	39	43	-	2	-	1	1	-	-	-	-	-	-	-
SYMPTOMS AND NONSPECIFIED ABNORMAL FINDINGS	11	5	6	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER CAUSES	84	31	53	-	-	-	-	-	-	-	-	-	-	-	-
MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	42	10	32	-	-	-	-	-	-	-	-	-	-	-	-
OTHER BLOOD AND BLOOD-FORMING ORGAN DISEASES	38	21	17	-	-	-	-	-	-	-	-	-	-	-	-
SKIN AND SUBCUTANEOUS TISSUE DISEASES	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1995

CAUSE OF DEATH	18-19		20-24		25-29		30-34		35-39		40-44		45-49		50–54
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE
TOTAL, ALL CAUSES	25	4	47	9	42	15	48	23	72	47	95	48	116	77	155
CIRCULATORY SYSTEM DISEASES	-	-	-	-	4	-	2	2	6	3	19	4	28	5	56
HEART DISEASE	-	-	-	-	2	-	2	1	6	1	16	4	24	2	49
ACUTE MYOCARDIAL INFARCTION	-	-	-	-	-	-	1	-	1	-	6	3	16	-	26
OTHER CHRONIC ISCHEMIC HEART DISEASE	-	-	-	-	-	-	1	1	3	-	7	1	6	-	12
PULMONARY HEART DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
HYPERTENSIVE HEART DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
HYPERTENSIVE HEART AND RENAL DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RHEUMATIC FEVER AND RHEUMATIC HEART	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-
ALL OTHER HEART DISEASE	-	-	-	-	2	-	-	-	1	1	2	-	2	-	9
OTHER CIRCULATORY SYSTEM DISEASES	-	-	-	-	2	-	-	1	-	2	3	-	4	3	7
ESSENTIAL HYPERTENSION	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
HYPERTENSIVE RENAL DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
CEREBROVASCULAR DISEASE (INCLUDING STROKE)	-	-	-	-	1	-	-	1	-	2	2	-	3	1	4
ATHEROSCLEROSIS	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
AORTIC ANEURYSM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
OTHER CIRCULATORY SYSTEM DISEASES	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
NEOPLASMS	1	1	2	1	1	2	4	4	9	19	15	14	25	31	45
CANCER (MALIGNANT NEOPLASMS*)	1	1	2	1	1	2	4	4	9	19	14	14	24	30	43
TRACHEA, BRONCHUS, AND LUNG	-	-	-	-	-	-	-	-	-	2	1	1	5	3	17
COLON	-	-	-	-	-	-	-	-	-	2	1	3	-	-	4
RECTUM, RECTOSIGMOID JUNCTION, AND ANUS	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2
PROSTATE	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE BREAST	-	-	-	-	-	1	-	1	-	10	-	4	-	10	-
CERVIX UTERI	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
UTERUS, OVARY, AND OTHER UTERINE ADNEXA	-	-	-	-	-	-	-	-	-	1	-	1	-	5	-
LEUKEMIA	1	-	1	-	-	-	1	2	1	1	2	-	4	1	1
OTHER LYMPHOID AND HEMATOPOIETIC TISSUE	-	1	-	1	-	-	-	-	4	-	3	1	2	-	2
PANCREAS	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2
BRAIN	-	-	-	-	-	-	-	-	1	1	-	2	2	2	3
STOMACH	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2
BLADDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* AN UNCONTROLLED AND INVASIVE GROWTH CAPABLE OF SPREADING TO A DISTANT PART OF THE BODY.

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1995

CAUSE OF DEATH	18-19		20-24		25-29		30-34		35-39		40-44		45-49		50--54
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE
NEOPLASMS (CONTINUED)															
CANCER (MALIGNANT NEOPLASMS*)															
KIDNEY AND UNSPECIFIED URINARY ORGANS	-	-	-	-	-	-	-	1	-	-	2	-	1	-	1
LIP, ORAL CAVITY, AND PHARYNX	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2
ESOPHAGUS	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1
ALL OTHER CANCER	-	-	1	-	1	1	3	-	2	-	3	1	7	5	6
PRE-MALIGNANT AND BENIGN NEOPLASMS**	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2
RESPIRATORY SYSTEM DISEASES	-	-	-	-	-	-	-	-	1	-	2	2	6	4	7
CHRONIC OBSTRUCTIVE PULMONARY DISEASES	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3
EMPHYSEMA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
ASTHMA	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
BRONCHITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1
PNEUMONIA AND INFLUENZA	-	-	-	-	-	-	-	-	1	-	2	1	2	3	4
PNEUMONIA	-	-	-	-	-	-	-	-	1	-	2	1	2	3	4
INFLUENZA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER RESPIRATORY SYSTEM DISEASES	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
TRAUMATIC INJURY AND POISONING	22	2	41	6	35	8	31	13	38	17	35	15	30	17	19
MOTOR VEHICLE ACCIDENTS	9	2	14	3	13	3	14	5	10	8	7	6	3	5	6
OTHER ACCIDENTS	5	-	4	1	3	-	3	1	9	2	8	5	12	1	4
OTHER TRANSPORTATION ACCIDENTS	1	-	2	-	1	-	1	-	-	1	2	-	-	-	-
ACCIDENTAL FALLS	1	-	1	-	-	-	-	-	-	-	1	-	4	1	1
ACCIDENTAL DROWNING AND SUFFOCATION	2	-	-	-	-	-	2	-	2	-	1	1	1	-	-
ACCIDENTAL POISONING	-	-	-	1	-	-	-	-	2	-	2	3	2	-	1
DWELLING FIRE	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1
OTHER FIRE AND FLAME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT CAUSED BY FIREARM MISSILE	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
OTHER ACCIDENTAL INJURY AND POISONING	1	-	1	-	2	-	-	-	5	1	2	-	3	-	-
EXCESSIVE COLD	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
SUICIDE	7	-	21	1	9	4	11	4	16	5	17	3	13	8	7
SUICIDE BY FIREARM	3	-	15	-	8	2	7	3	10	3	8	3	10	1	4
OTHER SUICIDE	4	-	6	1	1	2	4	1	6	2	9	-	3	7	3
HOMICIDE	-	-	2	1	9	1	3	3	2	1	1	1	1	1	1
ASSAULT BY FIREARM	-	-	-	1	5	1	2	-	1	1	1	1	1	-	1
OTHER HOMICIDE	-	-	2	-	4	-	1	3	1	-	-	-	-	1	-
LEGAL INTERVENTION	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

* AN UNCONTROLLED AND INVASIVE GROWTH CAPABLE OF SPREADING TO A DISTANT PART OF THE BODY.
** A NONINVASIVE GROWTH UNLIKELY TO SPREAD TO OTHER PARTS OF THE BODY.

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1995

CAUSE OF DEATH	18-19		20-24		25-29		30-34		35-39		40-44		45-49		50–54
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE
TRAUMATIC INJURY AND POISONING															
INJURY - INTENTION UNDETERMINED	1	-	-	-	1	-	-	-	1	1	1	-	1	2	1
DIGESTIVE SYSTEM DISEASES	-	-	1	-	1	-	3	1	5	3	4	1	11	8	11
CHRONIC LIVER DISEASE AND CIRRHOSIS	-	-	-	-	1	-	1	1	4	2	4	-	7	5	6
OTHER DIGESTIVE SYSTEM DISEASES	-	-	1	-	-	-	2	-	1	1	-	1	4	3	5
ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND IMMUNITY DISORDERS	-	-	1	-	1	3	-	1	2	-	4	2	4	2	7
DIABETES MELLITUS	-	-	-	-	1	2	-	1	2	-	3	2	4	2	5
NUTRITIONAL DEFICIENCIES															
OTHER METABOLIC AND IMMUNITY DISORDERS	-	-	1	-	-	1	-	-	-	-	1	-	-	-	2
NERVOUS SYSTEM AND SENSE ORGAN DISEASES	-	1	2	-	-	-	1	-	2	2	5	3	1	-	2
CEREBRAL DEGENERATIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALZHEIMER'S DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER CEREBRAL DEGENERATIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER NERVOUS SYSTEM AND SENSE ORGAN DISORDERS	-	1	2	-	-	-	1	-	2	2	5	3	1	-	2
PARKINSON'S DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
MENINGITIS	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
OTHER DISEASES AND DISORDERS OF THE CNS	-	1	2	-	-	-	-	-	1	1	5	3	1	-	1
PERIPHERAL NERVOUS SYSTEM, EYE, AND EAR	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
MENTAL DISORDERS	-	-	-	-	-	-	2	-	1	-	2	-	6	2	2
ORGANIC PSYCHOTIC CONDITIONS	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
ALCOHOLIC PSYCHOSES	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
OTHER PSYCHOSES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALCOHOL DEPENDENCE SYNDROME	-	-	-	-	-	-	1	-	1	-	1	-	4	2	2
DRUG DEPENDENCE OR ABUSE	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
OTHER MENTAL DISORDERS	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
GENITOURINARY SYSTEM DISEASES	-	-	-	1	-	-	-	-	-	-	1	2	2	-	1
NEPHRITIS, NEPHROSIS	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
OTHER GENOTOURINARY SYSTEM DISEASES	-	-	-	1	-	-	-	-	-	-	1	1	1	-	1
INFECTIOUS AND PARASITIC DISEASES	-	-	-	-	-	1	5	1	4	1	1	3	3	2	2
TUBERCULOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
HIV INFECTION	-	-	-	-	-	1	5	1	4	-	1	2	1	-	1
LATE EFFECTS OF POLIOMYELITUS	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
OTHER INFECTIOUS AND PARASITIC DISEASES	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1
CONDITIONS ORIGINATING IN EARLY INFANCY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MATERNAL COMPLICATION OF PREGNANCY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLACENTA, CORD, AND MEMBRANES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1995

CAUSE OF DEATH	18-19		20-24		25-29		30-34		35-39		40-44		45-49		50–54
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE
CONDITIONS ORIGINATING IN EARLY INFANCY (CONTINUED)															
SHORT GESTATION AND LOW BIRTHWEIGHT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESPIRATORY DISTRESS SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER RESPIRATORY CONDITIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PERINATAL INFECTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FETAL AND NEONATAL HEMORRHAGE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INTEGUMENT AND TEMPERATURE REGULATION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER EARLY INFANCY CONDITIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONGENITAL ANOMALIES	1	-	-	-	-	-	-	-	2	-	1	-	-	2	-
SPINA BIFIDA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER NERVOUS SYSTEM ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BULBUS CORDIS AND CARDIAC SEPTAL CLOSURE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ANOMALIES OF HEART	1	-	-	-	-	-	-	-	2	-	1	-	-	2	-
OTHER CIRCULATORY SYSTEM ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
URINARY SYSTEM ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHROMOSOMAL ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ANOMALIES OF RESPIRATORY SYSTEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER UPPER ALIMENTARY TRACT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER MUSCULOSKELETAL ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER AND UNSPECIFIED ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS	-	-	-	-	-	1	-	1	2	1	4	-	-	2	2
SENILITY WITHOUT MENTION OF PSYCHOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN INFANT DEATH SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ILL DEFINED AND UNKNOWN CAUSES	-	-	-	-	-	1	-	1	2	1	3	-	-	2	2
SYMPTOMS AND NONSPECIFIED ABNORMAL FINDINGS	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER CAUSES	1	-	-	1	-	-	-	-	-	1	2	1	-	2	1
MUSCULOSKELETAL SYSTEM	1	-	-	1	-	-	-	-	-	1	2	-	-	-	-
BLOOD AND BLOOD-FORMING ORGAN DISEASES	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1
SKIN AND SUBCUTANEOUS TISSUE DISEASES	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1995

CAUSE OF DEATH	50--54	55-59		60-64		65-69		70-74		75-79		80-84		85 OR OLDER		AGE NOT STATED
	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE
TOTAL, ALL CAUSES	102	180	104	276	177	362	278	501	363	602	471	606	608	695	1,277	3
CIRCULATORY SYSTEM DISEASES	17	70	30	108	48	138	72	185	124	236	184	259	261	292	656	1
HEART DISEASE	12	60	24	84	37	111	51	145	84	170	122	178	184	206	423	1
ACUTE MYOCARDIAL INFARCTION	6	26	7	36	17	41	9	59	27	58	34	52	52	41	73	1
OTHER CHRONIC ISCHEMIC HEART DISEASE	2	16	4	15	7	44	21	38	25	50	31	51	51	68	119	-
PULMONARY HEART DISEASE	2	-	2	5	1	-	1	4	-	2	4	1	1	1	9	-
HYPERTENSIVE HEART DISEASE	-	1	-	-	-	1	2	1	-	2	1	5	2	6	15	-
HYPERTENSIVE HEART AND RENAL DISEASE	-	-	-	-	-	-	-	-	-	1	-	2	2	1	3	-
RHEUMATIC FEVER AND RHEUMATIC HEART	-	1	2	1	1	-	-	1	3	1	5	1	3	1	5	-
ALL OTHER HEART DISEASE	2	16	9	27	11	25	18	42	29	56	47	66	73	88	199	-
OTHER CIRCULATORY SYSTEM DISEASES	5	10	6	24	11	27	21	40	40	66	62	81	77	86	233	-
ESSENTIAL HYPERTENSION	-	1	1	3	-	-	-	2	-	-	-	1	-	-	5	-
HYPERTENSIVE RENAL DISEASE	-	-	-	-	-	-	1	2	-	3	1	1	5	1	3	-
CEREBROVASCULAR DISEASE (INCLUDING STROKE)	4	8	5	13	10	17	16	26	30	40	47	59	58	67	178	-
ATHEROSCLEROSIS	-	-	-	2	-	4	1	1	4	11	4	2	7	9	30	-
AORTIC ANEURYSM	1	1	-	5	-	4	3	5	4	8	8	13	5	4	5	-
OTHER CIRCULATORY SYSTEM DISEASES	-	-	-	1	1	2	-	4	2	4	2	5	2	5	12	-
NEOPLASMS	48	46	39	95	81	111	128	165	111	166	116	131	139	112	120	-
CANCER (MALIGNANT NEOPLASMS*)	47	46	39	94	80	110	128	164	109	165	114	128	137	109	119	-
TRACHEA, BRONCHUS, AND LUNG	11	19	15	29	21	48	43	54	36	42	29	29	27	19	13	-
COLON	3	1	2	14	9	6	10	12	4	8	10	8	11	15	15	-
RECTUM, RECTOSIGMOID JUNCTION, AND ANUS	-	1	-	2	-	3	2	3	1	5	3	-	1	3	6	-
PROSTATE	-	3	-	7	-	10	-	16	-	28	-	28	-	32	-	-
FEMALE BREAST	14	-	9	-	16	-	20	-	23	-	19	-	20	-	12	-
CERVIX UTERI	-	-	-	-	-	-	1	-	-	-	1	-	4	-	-	-
UTERUS, OVARY, AND OTHER UTERINE ADNEXA	6	-	2	-	10	-	11	-	8	-	9	-	9	-	8	-
LEUKEMIA	2	1	2	4	1	4	3	8	2	9	4	3	9	4	9	-
OTHER LYMPHOID AND HEMATOPOIETIC TISSUE	1	4	1	9	3	9	4	2	4	9	4	9	16	5	7	-
PANCREAS	-	2	1	5	6	8	10	10	4	11	13	10	9	8	12	-
BRAIN	-	1	-	3	2	1	3	4	2	3	-	1	4	-	-	-
STOMACH	-	2	1	2	-	1	1	6	4	4	1	2	3	2	3	-
BLADDER	-	-	-	2	-	4	1	8	-	8	1	14	2	4	2	-

* AN UNCONTROLLED AND INVASIVE GROWTH CAPABLE OF SPREADING TO A DISTANT PART OF THE BODY.

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1995

CAUSE OF DEATH	50–54	55-59		60-64		65-69		70-74		75-79		80-84		85 OR OLDER		AGE NOT STATED
	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE
NEOPLASMS (CONTINUED)																
CANCER (MALIGNANT NEOPLASMS*)																
KIDNEY AND UNSPECIFIED URINARY ORGANS	-	4	-	3	2	2	3	3	3	7	-	2	2	2	3	-
LIP, ORAL CAVITY, AND PHARYNX	-	-	1	1	1	-	3	3	1	2	-	-	3	3	3	-
ESOPHAGUS	1	2	-	1	-	2	2	12	1	2	2	1	2	-	2	-
ALL OTHER CANCER	9	6	5	12	9	12	11	23	16	27	18	21	15	12	24	-
PRE-MALIGNANT AND BENIGN NEOPLASMS**	1	-	-	1	1	1	-	1	2	1	2	3	2	3	1	-
RESPIRATORY SYSTEM DISEASES	8	12	9	26	23	38	28	62	58	85	68	103	69	120	166	-
CHRONIC OBSTRUCTIVE PULMONARY DISEASES	7	9	5	14	19	29	20	47	38	57	53	59	33	42	41	-
EMPHYSEMA	3	-	1	4	2	5	4	8	3	8	5	4	5	8	5	-
ASTHMA	-	1	1	1	3	2	2	2	2	-	2	-	2	-	4	-
BRONCHITIS	-	-	-	-	-	1	1	1	-	1	1	1	-	2	2	-
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	4	8	3	9	14	21	13	36	33	48	45	54	26	32	30	-
PNEUMONIA AND INFLUENZA	-	2	1	6	3	5	3	10	14	20	11	30	31	62	103	-
PNEUMONIA	-	2	1	6	3	5	3	10	14	20	11	30	30	61	99	-
INFLUENZA	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-
OTHER RESPIRATORY SYSTEM DISEASES	1	1	3	6	1	4	5	5	6	8	4	14	5	16	22	-
TRAUMATIC INJURY AND POISONING	6	22	5	19	1	20	4	20	6	22	5	17	17	32	30	1
MOTOR VEHICLE ACCIDENTS	1	7	3	4	1	5	3	6	1	5	1	3	5	7	3	-
OTHER ACCIDENTS	3	7	1	9	-	5	-	6	4	6	3	8	11	16	25	-
OTHER TRANSPORTATION ACCIDENTS	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
ACCIDENTAL FALLS	1	1	1	3	-	2	-	-	3	3	2	5	9	13	19	-
ACCIDENTAL DROWNING AND SUFFOCATION	-	-	-	4	-	1	-	1	1	-	-	1	1	-	2	-
ACCIDENTAL POISONING	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
DWELLING FIRE	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
OTHER FIRE AND FLAME	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-
ACCIDENT CAUSED BY FIREARM MISSILE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ACCIDENTAL INJURY AND POISONING	-	5	-	2	-	1	-	1	-	2	1	1	1	2	3	-
EXCESSIVE COLD	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
SUICIDE	1	7	-	6	-	8	1	8	-	9	1	6	1	9	1	-
SUICIDE BY FIREARM	-	6	-	3	-	6	-	7	-	8	1	6	-	8	-	-
OTHER SUICIDE	1	1	-	3	-	2	1	1	-	1	-	-	1	1	1	-
HOMICIDE	1	1	1	-	-	2	-	-	-	2	-	-	-	-	-	1
ASSAULT BY FIREARM	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
OTHER HOMICIDE	-	1	-	-	-	2	-	-	-	2	-	-	-	-	-	-
LEGAL INTERVENTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* AN UNCONTROLLED AND INVASIVE GROWTH CAPABLE OF SPREADING TO A DISTANT PART OF THE BODY.
** A NONINVASIVE GROWTH UNLIKELY TO SPREAD TO OTHER PARTS OF THE BODY.

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1995

CAUSE OF DEATH	50--54	55-59		60-64		65-69		70-74		75-79		80-84		85 OR OLDER		AGE NOT STATED
	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE
TRAUMATIC INJURY AND POISONING																
INJURY - INTENTION UNDETERMINED	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
DIGESTIVE SYSTEM DISEASES	10	10	7	8	6	13	11	22	11	17	14	16	22	26	34	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	4	5	5	4	8	1	4	-	5	4	2	7	-	-	-
OTHER DIGESTIVE SYSTEM DISEASES	7	6	2	3	2	5	10	18	11	12	10	14	15	26	34	-
ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND IMMUNITY DISORDERS	4	4	4	7	7	14	18	12	16	26	22	20	20	20	46	-
DIABETES MELLITUS	4	4	4	6	7	12	17	10	13	20	16	18	16	10	31	-
NUTRITIONAL DEFICIENCIES	-	-	-	-	-	1	-	-	3	2	2	-	1	6	6	-
OTHER METABOLIC AND IMMUNITY DISORDERS	-	-	-	1	-	1	1	2	-	4	4	2	3	4	9	-
NERVOUS SYSTEM AND SENSE ORGAN DISEASES	5	2	1	2	5	11	5	15	12	20	18	21	22	23	62	-
CEREBRAL DEGENERATIONS	-	-	-	2	-	2	2	4	6	12	12	10	16	15	52	-
ALZHEIMER'S DISEASE	-	-	-	2	-	2	2	3	5	12	12	9	15	14	50	-
OTHER CEREBRAL DEGENERATIONS	-	-	-	-	-	-	-	1	1	-	-	1	1	1	2	
OTHER NERVOUS SYSTEM AND SENSE ORGAN DISORDERS	5	2	1	-	5	9	3	11	6	8	6	11	6	8	10	-
PARKINSON'S DISEASE	-	-	-	-	1	2	1	7	2	2	2	6	4	5	7	-
MENINGITIS	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
OTHER DISEASES AND DISORDERS OF THE CNS	5	2	1	-	4	5	2	3	2	6	-	5	1	3	3	-
PERIPHERAL NERVOUS SYSTEM, EYE, AND EAR	-	-	-	-	-	2	-	1	2	-	3	-	1	-	-	-
MENTAL DISORDERS	-	4	1	2	1	2	4	1	5	6	7	16	23	23	68	-
ORGANIC PSYCHOTIC CONDITIONS	-	-	-	1	-	-	2	-	2	3	5	12	16	11	41	-
ALCOHOLIC PSYCHOSES	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
OTHER PSYCHOSES	-	-	-	-	-	-	-	-	2	3	-	2	6	12	24	-
ALCOHOL DEPENDENCE SYNDROME	-	4	1	1	-	1	2	-	-	-	-	1	-	-	-	-
DRUG DEPENDENCE OR ABUSE	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
OTHER MENTAL DISORDERS	-	-	-	-	-	-	-	1	1	-	1	1	1	-	3	-
GENITOURINARY SYSTEM DISEASES	-	3	-	1	2	4	2	7	1	8	11	4	10	17	22	-
NEPHRITIS, NEPHROSIS	-	2	-	-	1	3	2	4	-	6	6	4	7	10	9	-
OTHER GENOTOURINARY SYSTEM DISEASES	-	1	-	1	1	1	-	3	1	2	5	-	3	7	13	-
INFECTIOUS AND PARASITIC DISEASES	-	4	4	3	1	3	3	5	7	6	12	7	8	7	12	-
TUBERCULOSIS	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
SEPTICEMIA	-	-	2	2	1	1	2	2	2	5	8	4	6	3	8	-
HIV INFECTION	-	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-
LATE EFFECTS OF POLIOMYELITUS	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
OTHER INFECTIOUS AND PARASITIC DISEASES	-	-	1	1	-	2	1	3	3	1	3	3	1	4	4	-
CONDITIONS ORIGINATING IN EARLY INFANCY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MATERNAL COMPLICATION OF PREGNANCY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLACENTA, CORD, AND MEMBRANES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 10 (CONCLUDED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1995

CAUSE OF DEATH	50--54	55-59		60-64		65-69		70-74		75-79		80-84		85 OR OLDER		AGE NOT STATED
	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE
CONDITIONS ORIGINATING IN EARLY INFANCY (CONTINUED)																
SHORT GESTATION AND LOW BIRTHWEIGHT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESPIRATORY DISTRESS SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER RESPIRATORY CONDITIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PERINATAL INFECTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FETAL AND NEONATAL HEMORRHAGE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INTEGUMENT AND TEMPERATURE REGULATION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER EARLY INFANCY CONDITIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONGENITAL ANOMALIES	2	-	-	1	1	-	-	-	-	1	-	-	1	-	1	-
SPINA BIFIDA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER NERVOUS SYSTEM ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BULBUS CORDIS AND CARDIAC SEPTAL CLOSURE	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
OTHER ANOMALIES OF HEART	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER CIRCULATORY SYSTEM ANOMALIES	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
URINARY SYSTEM ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHROMOSOMAL ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ANOMALIES OF RESPIRATORY SYSTEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER UPPER ALIMENTARY TRACT	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
OTHER MUSCULOSKELETAL ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER AND UNSPECIFIED ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS	1	3	3	2	-	5	2	5	4	5	4	5	7	14	43	1
SENILITY WITHOUT MENTION OF PSYCHOSIS	-	-	-	-	-	-	-	-	-	1	-	-	1	5	22	-
SUDDEN INFANT DEATH SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ILL DEFINED AND UNKNOWN CAUSES	-	3	3	1	-	5	2	5	3	4	4	5	6	7	17	1
SYMPTOMS AND NONSPECIFIED ABNORMAL FINDINGS	1	-	-	1	-	-	-	-	1	-	-	-	-	2	4	-
ALL OTHER CAUSES	1	-	1	2	1	3	1	2	8	4	10	7	9	9	17	-
MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	1	-	1	-	1	1	1	2	6	2	8	2	3	-	9	-
OTHER BLOOD AND BLOOD-FORMING ORGAN DISEASES	-	-	-	2	-	2	-	-	1	2	2	5	5	9	7	-
SKIN AND SUBCUTANEOUS TISSUE DISEASES	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-

TABLE 11

FREQUENCY OF ACCIDENTAL DEATH BY AGE AND TYPE OF ACCIDENT
PERCENT OF DEATHS IN EACH AGE GROUP THAT WERE ACCIDENTAL
MONTANA OCCURRENCES, 1995

NINTH REVISION INTERNATIONAL LIST NUMBER	ACCIDENTAL CAUSE OF DEATH	TOTAL ALL AGES	UNDER 1 YEAR	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 AND OVER	NOT STATED
		NUMBER												
	TOTAL DEATHS, ALL CAUSES	7,613	69	25	16	23	77	58	135	268	451	730	5,758	3
	ACCIDENTAL DEATHS, TOTAL	414	4	9	12	14	37	26	47	61	42	40	122	-
810-825	MOTOR VEHICLE, TOTAL	225	2	3	8	8	29	18	38	32	23	24	40	-
800-807,826-949	OTHER ACCIDENTS, TOTAL	189	2	6	4	6	8	8	9	29	19	16	82	-
800-807,826-848	OTHER TRANSPORTATION, TOTAL	19	-	-	1	-	1	4	3	6	1	1	2	-
840-845	AIRCRAFT	8	-	-	-	-	-	3	-	3	-	1	1	-
800-807,826-838														
846-848	OTHER	11	-	-	1	-	1	1	3	3	1	-	1	-
850-866	POISONING BY SOLIDS AND LIQUIDS, TOTAL	6	-	-	-	-	-	1	-	4	1	-	-	-
850-858	DRUGS AND MEDICATIONS	6	-	-	-	-	-	1	-	4	1	-	-	-
860-866	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-
867-869	POISONING BY GASES, TOTAL	7	-	-	-	-	-	-	-	2	3	-	2	-
867-8681	UTILITY GAS	-	-	-	-	-	-	-	-	-	-	-	-	-
8682-8699	OTHER	7	-	-	-	-	-	-	-	2	3	-	2	-
880-888	FALLS, TOTAL	71	-	-	-	-	2	1	-	1	7	5	55	-
880	ON OR FROM STAIRS	5	-	-	-	-	-	-	-	-	2	1	2	-
882	FROM OR OUT OF BUILDING	1	-	-	-	-	-	-	-	-	-	1	-	-
883	INTO OPENING IN SURFACE	1	-	-	-	-	-	-	-	-	1	-	-	-
884	ONE LEVEL TO ANOTHER	13	-	-	-	-	2	1	-	-	1	-	9	-
885-886	SAME LEVEL	5	-	-	-	-	-	-	-	-	-	1	4	-
887-888	FRACTURE OR FALL, UNSPECIFIED	46	-	-	-	-	-	-	-	1	3	2	40	-
890-899	FIRE AND FLAMES, TOTAL	7	1	-	-	-	-	-	-	1	2	1	2	-
890, 893.0, 895	FIRE IN PRIVATE DWELLING	6	1	-	-	-	-	-	-	1	2	1	1	-
891-892, 893.1-894, 896-899	OTHER FIRE AND FLAMES	1	-	-	-	-	-	-	-	-	-	-	1	-
922	INJURY BY FIREARMS, TOTAL	3	-	-	-	2	-	-	1	-	-	-	-	-
923	EXPLOSIONS, TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-
910	DROWNING, TOTAL	16	-	2	1	3	3	-	2	3	-	-	2	-
916	STRUCK BY FALLING OBJECT, TOTAL	2	-	-	-	-	-	-	-	-	-	1	1	-
919	MACHINERY, TOTAL	5	-	-	-	-	-	-	-	4	-	1	-	-
870-879,900-909 911-915,917-918 920-921,924-949	OTHER ACCIDENTS, TOTAL	53	1	4	2	1	2	2	3	8	5	7	18	-
		PERCENT												
	ACCIDENTAL DEATHS, TOTAL	5.4	5.8	36.0	75.0	60.9	48.1	44.8	34.8	22.8	9.3	5.5	2.1	-
810-825	MOTOR VEHICLE, TOTAL	3.0	2.9	12.0	50.0	34.8	37.7	31.0	28.1	11.9	5.1	3.3	0.7	-
800-807,826-949	OTHER ACCIDENTS, TOTAL	2.5	2.9	24.0	25.0	26.1	10.4	13.8	6.7	10.8	4.2	2.2	1.4	-

* THE SUMS OF PERCENTS MAY DIFFER FROM THE TOTALS SHOWN BECAUSE EACH PERCENT WAS ROUNDED INDEPENDENTLY.

TABLE 12

FREQUENCY OF DEATH FROM SELECTED CAUSES BY COUNTY OF RESIDENCE
MONTANA, 1995

COUNTY	TOTAL	ACCI-DENTS	APPEN-DICITIS	CANCER	CEREBRO-VASCULAR DISEASE*	DIABETES	HEART DISEASE	INFLU-ENZA	MENIN-GITIS	NEPH-RITIS	PNEU-MONIA	POLIO-MYELITIS	TUBER-CULOSIS	ALL OTHER CAUSES
		800-949	540-543	140-208	430-438	250	390-398, 402, 404, 410-429	487	320-322	580-589	480-486	045, 138	110-118, 137	
MONTANA TOTAL	**7,614**	**374**	**1**	**1,765**	**593**	**210**	**2,003**	**6**	**2**	**56**	**313**	**2**	**2**	**2,287**
BEAVERHEAD	67	3	-	17	7	2	16	-	-	1	2	-	-	16
BIG HORN	108	14	-	17	10	7	15	-	-	-	6	-	-	39
BLAINE	78	5	-	18	4	2	20	-	-	-	7	-	-	22
BROADWATER	46	2	-	9	5	-	17	-	-	1	2	-	-	10
CARBON	87	7	-	17	5	5	19	-	-	1	4	-	-	29
CARTER	14	-	-	3	1	-	7	-	-	-	-	-	-	3
CASCADE	712	22	-	197	63	16	166	-	-	5	21	1	-	221
CHOUTEAU	53	2	-	13	4	-	16	-	-	-	-	-	-	17
CUSTER	141	1	-	33	8	5	38	-	-	2	1	-	-	53
DANIELS	30	1	-	8	-	-	5	-	-	-	-	-	-	12
DAWSON	61	2	-	15	6	1	18	-	-	1	5	-	-	13
DEER LODGE	143	9	-	29	6	2	49	-	-	-	7	-	-	41
FALLON	29	1	-	10	3	-	11	-	-	-	2	-	-	2
FERGUS	161	7	-	31	21	3	48	-	-	2	10	-	-	39
FLATHEAD	556	22	-	124	52	12	151	-	1	4	13	-	-	176
GALLATIN	270	8	-	62	21	12	61	-	-	3	9	-	-	94
GARFIELD	12	-	-	3	-	-	4	-	-	-	-	-	-	4
GLACIER	128	8	-	30	8	7	33	-	-	-	4	-	1	37
GOLDEN VALLEY	8	-	-	4	-	-	3	-	-	-	-	-	-	1
GRANITE	33	-	-	15	2	-	5	-	-	-	-	-	-	9
												-	-	
HILL	152	14	-	33	10	2	50	-	-	1	8	-	-	34
JEFFERSON	63	8	-	11	4	-	9	-	-	-	3	-	-	28
JUDITH BASIN	20	-	-	5	-	-	5	-	-	-	-	-	-	1
LAKE	242	25	-	53	13	4	67	-	-	3	5	-	-	72
LEWIS & CLARK	408	16	-	103	25	10	114	-	-	2	20	1	-	117
LIBERTY	22	4	-	5	-	-	6	-	-	-	-	-	-	5
LINCOLN	158	4	-	35	16	3	50	-	-	-	3	-	-	46
MADISON	66	7	-	17	5	2	12	-	-	-	-	-	-	3
MCCONE	21	-	-	6	1	-	8	-	-	-	-	-	-	16
MEAGHER	-	-	-	-	-	-	-	-	-	-	-	-	-	0
MINERAL	32	3	-	3	1	2	9	-	-	-	1	-	-	13
MISSOULA	596	41	-	129	38	18	143	-	-	4	40	-	-	183
MUSSELSHELL	61	-	-	15	2	3	26	-	-	-	3	-	-	12
PARK	162	7	-	33	12	2	49	-	-	2	7	-	-	50
PETROLEUM	4	-	-	-	-	-	2	-	-	-	-	-	-	2
PHILLIPS	52	-	-	17	-	1	15	-	-	1	2	-	-	14
PONDERA	67	4	-	14	8	-	11	-	-	-	6	-	-	19
POWDER RIVER	15	-	-	3	-	1	4	-	-	-	-	-	-	6
POWELL	84	2	-	14	3	6	23	-	-	-	5	-	-	31
PRAIRIE	8	-	-	2	1	-	3	-	-	-	-	-	-	2
RAVALLI	302	10	-	62	19	8	73	-	-	6	8	-	-	116
RICHLAND	95	-	-	25	8	4	37	-	-	-	3	-	-	18
ROOSEVELT	105	16	-	22	3	2	35	-	-	1	1	-	-	25
ROSEBUD	70	5	-	15	2	4	16	-	-	-	7	-	-	20
SANDERS	96	8	-	26	10	3	24	-	-	-	1	-	-	24
SHERIDAN	47	-	-	10	5	-	13	-	-	-	2	-	-	15
SILVER BOW	471	23	-	101	43	15	136	-	-	2	14	-	-	137
STILLWATER	74	3	-	19	10	-	21	-	-	-	3	-	-	16
SWEET GRASS	33	-	-	6	3	-	13	-	-	-	3	-	-	7
TETON	74	1	-	14	6	2	24	-	-	3	8	-	-	16
TOOLE	61	5	-	12	8	2	17	-	-	-	1	-	-	15
TREASURE	12	-	-	1	1	-	5	-	-	-	-	-	-	1
VALLEY	90	5	-	14	5	2	14	-	-	-	16	-	1	32
WHEATLAND	21	2	-	5	-	-	9	-	-	-	-	-	-	5
WIBAUX	18	1	-	3	-	-	7	-	-	-	1	-	-	4
YELLOWSTONE	1,051	41	-	273	97	25	243	1	-	4	40	-	-	327
YELLOWSTONE PARK												-	-	
NOT STATED	3	-	-	-	-	-	-	-	-	-	-	-	-	2

* INCLUDES "STROKE."

FREQUENCY OF INFANT MORTALITY BY AGE, RACE,* AND COUNTY OF RESIDENCE
FIVE-YEAR INFANT MORTALITY RATE BY COUNTY OF RESIDENCE
MONTANA, 1995

COUNTY	TOTAL UNDER 1 YEAR			UNDER 28 DAYS			28 DAYS - 1 YEAR			INFANT MORTALITY RATE+ 1991-1995
	TOTAL	WHITE	OTHER	TOTAL	WHITE	OTHER	TOTAL	WHITE	OTHER	
MONTANA TOTAL	79	70	9	41	37	4	38	33	5	7.3
BEAVERHEAD	1	1	-	1	1	-	-	-	-	4.9
BIG HORN	-	-	-	-	-	-	-	-	-	1.6
BLAINE	1	-	1	1	-	1	-	-	-	7.0
BROADWATER	-	-	-	-	-	-	-	-	-	4.3
CARBON	-	-	-	-	-	-	-	-	-	12.3
CARTER	1	1	-	1	1	-	-	-	-	11.2
CASCADE	7	7	-	3	3	-	4	4	-	6.2
CHOUTEAU	-	-	-	-	-	-	-	-	-	-
CUSTER	-	-	-	-	-	-	-	-	-	7.5
DANIELS	-	-	-	-	-	-	-	-	-	-
DAWSON	-	-	-	-	-	-	-	-	-	4.1
DEER LODGE	1	1	-	1	1	-	-	-	-	13.9
FALLON	-	-	-	-	-	-	-	-	-	-
FERGUS	1	1	-	1	1	-	-	-	-	4.1
FLATHEAD	2	1	1	2	1	1	-	-	-	4.0
GALLATIN	7	7	-	5	5	-	2	2	-	6.6
GARFIELD	-	-	-	-	-	-	-	-	-	26.3
GLACIER	2	1	1	2	1	1	-	-	-	9.1
GOLDEN VALLEY	-	-	-	-	-	-	-	-	-	13.5
GRANITE	-	-	-	-	-	-	-	-	-	32.3
HILL	1	-	1	-	-	-	1	-	1	10.6
JEFFERSON	-	-	-	-	-	-	-	-	-	6.2
JUDITH BASIN	-	-	-	-	-	-	-	-	-	-
LAKE	3	3	-	1	1	-	2	2	-	7.4
LEWIS & CLARK	4	4	-	1	1	-	3	3	-	9.3
LIBERTY	-	-	-	-	-	-	-	-	-	-
LINCOLN	-	-	-	-	-	-	-	-	-	9.0
MCCONE	-	-	-	-	-	-	-	-	-	8.9
MADISON	-	-	-	-	-	-	-	-	-	5.8
MEAGHER	-	-	-	-	-	-	-	-	-	7.8
MINERAL	-	-	-	-	-	-	-	-	-	4.9
MISSOULA	8	8	-	6	6	-	2	2	-	7.9
MUSSELSHELL	1	1	-	-	-	-	1	1	-	4.5
PARK	1	1	-	-	-	-	1	1	-	6.1
PETROLEUM	-	-	-	-	-	-	-	-	-	-
PHILLIPS	-	-	-	-	-	-	-	-	-	8.8
PONDERA	2	2	-	1	1	-	1	1	-	7.6
POWDER RIVER	-	-	-	-	-	-	-	-	-	-
POWELL	-	-	-	-	-	-	-	-	-	2.7
PRAIRIE	-	-	-	-	-	-	-	-	-	36.4
RAVALLI	7	7	-	4	4	-	3	3	-	7.8
RICHLAND	1	1	-	-	-	-	1	1	-	13.8
ROOSEVELT	3	.	3	1	-	1	2	-	2	10.6
ROSEBUD	4	3	1	2	2	-	2	1	1	18.9
SANDERS	-	-	-	-	-	-	-	-	-	5.7
SHERIDAN	-	-	-	-	-	-	-	-	-	-
SILVER BOW	1	1	-	-	-	-	1	1	-	6.7
STILLWATER	-	-	-	-	-	-	-	-	-	2.5
SWEET GRASS	1	1	-	-	-	-	1	1	-	5.9
TETON	-	-	-	-	-	-	-	-	-	2.5
TOOLE	1	1	-	-	-	-	1	1	-	6.5
TREASURE	-	-	-	-	-	-	-	-	-	-
VALLEY	-	-	-	-	-	-	-	-	-	7.9
WHEATLAND	-	-	-	-	-	-	-	-	-	-
WIBAUX	-	-	-	-	-	-	-	-	-	29.9
YELLOWSTONE	18	17	1	8	8	-	10	9	1	7.7
YELLOWSTONE PAR	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-

* EITHER RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.
\+ PER 1,000 LIVE BIRTHS.

TABLE 14

FREQUENCY OF INFANT MORTALITY FROM SELECTED CAUSES BY AGE AND RACE*
MONTANA RESIDENTS, 1995

INTERNATIONAL CLASSIFICATION CODES (ICD-9)	CAUSE OF DEATH	TOTAL UNDER 1 YEAR			UNDER 28 DAYS			28 DAYS - 1 YEAR		
		TOTAL	WHITE	OTHER	TOTAL	WHITE	OTHER	TOTAL	WHITE	OTHER
	TOTAL, ALL CAUSES	79	70	9	41	37	4	38	33	5
	PRENATAL AND NATAL CAUSES, TOTAL	48	43	5	38	34	4	10	9	1
740-759	CONGENITAL ANOMALIES	21	18	3	14	12	2	7	6	1
760-761,763-764	MATERNAL CONDITIONS OF PREGNANCY AND CHILDBIRTH	2	2	-	2	2	-	-	-	-
762	COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES	2	2	-	2	2	-	-	-	-
765	IMMATURITY	8	7	1	7	6	1	1	1	-
767	BIRTH TRAUMA	-	-	-	-	-	-	-	-	-
768	HYPOXIA AND BIRTH ASPHYXIA	1	1	-	-	-	-	1	1	-
769	RESPIRATORY DISTRESS SYNDROME	4	4	-	4	4	-	-	-	-
771	INFECTIONS SPECIFIC TO PERINATAL PERIOD	4	4	-	3	3	-	1	1	-
772	FETAL AND NEONATAL HEMORRHAGE	1	1	-	1	1	-	-	-	-
766,770,773-779	OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	5	4	1	5	4	1	-	-	-
7980	SUDDEN INFANT DEATH SYNDROME, TOTAL	16	15	1	-	-	-	16	15	1
	INFECTIONS, TOTAL	3	2	1	1	1	-	2	1	1
008-009,535, 555-558	CERTAIN GASTROINTESTINAL DISEASES	-	-	-	-	-	-	-	-	-
480-487	PNEUMONIA AND INFLUENZA	3	2	1	1	1	-	2	1	1
	VIOLENT AND ACCIDENTAL DEATHS, TOTAL	4	3	1	-	-	-	4	3	1
810-825	MOTOR VEHICLE ACCIDENTS	2	2	-	-	-	-	2	2	-
800-807,826-910 913-949,960-969 980-989	OTHER VIOLENT AND ACCIDENTAL DEATHS	2	1	1	-	-	-	2	1	1
	ALL OTHER CAUSES	8	7	1	2	2	-	6	5	1

* EITHER RACIAL CATEGORY MAY INCLUDE "HISPANIC", "OTHER" ALSO INCLUDES RACE NOT STATED

TABLE 15

FREQUENCY AND RATE OF DEATH FROM SELECTED COMMUNICABLE DISEASES BY YEAR*
MONTANA, 1910-1995

YEAR	BOTULISM+		DIPHTHERIA		INFLUENZA		MEASLES		MENINGOCOCCAL INFECTION	
	NUMBER	RATE**	NUMBER	RATE**	NUMBER	RATE**	NUMBER	RATE**	NUMBER	RATE**
1910	-	-	61	16.2	24	6.4	16	4.3	1	0.3
1915	5	1.1	21	4.5	41	8.8	7	1.5	7	1.5
1920	4	0.7	32	5.8	304	55.4	27	4.9	15	2.7
1925	6	1.1	34	6.3	109	20.1	5	0.9	5	0.9
1930	7	1.3	4	0.7	102	19.0	12	2.2	22	4.1
1935	3	0.5	14	2.5	173	31.5	49	8.9	15	2.7
1940	2	0.4	6	1.1	77	13.8	5	0.9	6	1.1
1945	1	0.2	4	0.8	47	9.3	1	0.2	3	0.6
1946	1	0.2	5	1.0	25	4.8	3	0.6	3	0.6
1947	1	0.2	2	0.4	33	6.1	13	2.4	3	0.6
1948	3	0.5	3	0.5	13	2.3	12	2.2	1	0.2
1949	2	0.3	3	0.5	13	2.3	3	0.5	3	0.5
1950	-	-	2	0.3	23	3.9	-	-	1	0.2
1951	2	0.3	-	-	30	5.0	9	1.5	5	0.8
1952	-	-	1	0.2	22	3.7	4	0.7	4	0.7
1953	-	-	3	0.5	59	9.6	4	0.6	2	0.3
1954	-	-	3	0.5	6	1.0	5	0.8	6	1.0
1955	-	-	1	0.2	12	1.9	4	0.6	5	0.8
1956	-	-	1	0.2	4	0.6	1	0.2	7	1.1
1957	-	-	1	0.1	25	3.7	3	0.4	3	0.4
1958	-	-	-	-	14	2.1	2	0.3	4	0.6
1959	-	-	-	-	15	2.2	5	0.7	3	0.4
1960	-	-	-	-	37	5.5	1	0.1	3	0.4
1961	-	-	-	-	8	1.2	1	0.1	1	0.1
1962	-	-	-	-	12	1.7	-	-	4	0.6
1963	-	-	-	-	31	4.4	-	-	3	0.4
1964	1	0.1	-	-	29	4.1	2	0.3	2	0.3
1965	-	-	-	-	5	0.7	-	-	3	0.4
1966	1	0.1	-	-	49	7.0	-	-	2	0.3
1967	-	-	-	-	3	0.4	-	-	2	0.3
1968	-	-	-	-	30	4.3	-	-	2	0.3
1969	-	-	-	-	38	5.5	2	0.3	2	0.3
1970	-	-	2	0.3	8	1.2	-	-	1	0.1
1971	-	-	-	-	9	1.3	2	0.3	2	0.3
1972	-	-	-	-	15	2.1	-	-	2	0.3
1973	-	-	-	-	43	6.0	-	-	2	0.3
1974	-	-	-	-	11	1.5	-	-	1	0.1
1975	-	-	-	-	17	2.3	-	-	-	-
1976	-	-	-	-	95	12.6	-	-	-	-
1977	-	-	-	-	9	1.2	-	-	2	0.3
1978	-	-	-	-	19	2.4	-	-	2	0.3
1979	-	-	-	-	4	0.5	-	-	4	0.5
1980	-	-	-	-	24	3.1	-	-	-	-
1981	1	0.1	-	-	10	1.3	-	-	1	0.1
1982	-	-	-	-	8	1.0	-	-	1	0.1
1983	-	-	-	-	26	3.2	-	-	1	0.1
1984	-	-	-	-	19	2.3	-	-	-	-
1985	-	-	-	-	24	2.9	-	-	3	0.4
1986	-	-	-	-	24	2.9	-	-	-	-
1987	-	-	-	-	9	1.1	-	-	-	-
1988	-	-	-	-	21	2.6	-	-	-	-
1989	-	-	-	-	19	2.4	-	-	-	-
1990	-	-	-	-	15	1.9	-	-	2	0.3
1991	-	-	-	-	7	0.9	-	-	-	-
1992	-	-	-	-	7	0.8	-	-	-	-
1993	-	-	-	-	13	1.5	-	-	-	-
1994	-	-	-	-	15	1.8	-	-	1	0.1
1995	-	-	-	-	6	0.7	-	-	1	0.1

* DATA FOR 1910-45 ARE BY PLACE OF OCCURRENCE. BEGINING IN 1946, DATA ARE BY PLACE OF RESIDENCE.

\+ PRIOR TO 1949 THE INTERNATIONAL CLASSIFICATION OF DISEASES DID NOT PERMIT IDENTIFICATION OF BOTULISM AS SUCH. THE MORE GENERAL RUBRIC OF "FOOD POISONING" IS REPORTED. THE DEATHS SHOWN PRIOR TO 1968 INCLUDE THOSE ASSIGNED TO "FOOD POISONING UNSPECIFIED."

** PER 100,000 ESTIMATED MIDYEAR POPULATION. U.S. CENSUS ENUMERATIONS USED FOR YEARS ENDING IN ZERO.

TABLE 15 (CONCLUDED)

FREQUENCY AND RATE OF DEATH FROM SELECTED COMMUNICABLE DISEASES BY YEAR*
MONTANA, 1910-1995

YEAR	POLIOMYELITIS		ROCKY MOUNTAIN SPOTTED FEVER+		TUBERCULOSIS		TYPHOID FEVER		WHOOPING COUGH	
	NUMBER	RATE**	NUMBER	RATE**	NUMBER	RATE**	NUMBER	RATE**	NUMBER	RATE**
1910	17	4.5	-	-	340	90.4	151	40.2	41	10.9
1915	1	0.2	8	1.7	530	113.2	57	12.2	36	7.7
1920	5	0.9	7	1.3	419	76.4	27	4.9	51	9.3
1925	6	1.1	11	2.0	396	73.0	24	4.4	63	11.6
1930	6	1.1	9	1.7	337	62.7	16	3.0	16	3.0
1935	1	0.2	21	3.8	257	46.8	12	2.2	22	4.0
1940	7	1.3	7	1.3	231	41.3	3	0.5	5	0.9
1945	10	2.0	1	0.2	171	33.9	2	0.4	2	0.4
1946	5	1.0	5	1.0	164	31.4	2	0.4	2	0.4
1947	4	0.7	1	0.2	152	28.2	1	0.2	6	1.1
1948	6	1.1	1	0.2	146	26.2	-	-	6	1.1
1949	13	2.3	-	-	109	19.0	1	0.2	2	0.3
1950	3	0.5	1	0.2	114	19.3	-	-	10	1.7
1951	6	1.0	-	-	85	14.3	1	0.2	1	0.2
1952	8	1.3	1	0.2	79	13.1	1	0.2	1	0.2
1953	14	2.3	-	-	77	12.5	-	-	4	0.6
1954	9	1.4	-	-	62	9.9	-	-	1	0.2
1955	8	1.3	-	-	50	7.9	-	-	1	0.2
1956	-	-	-	-	48	7.3	-	-	1	0.2
1957	2	0.3	-	-	68	10.2	-	-	2	0.3
1958	5	0.8	-	-	45	6.8	-	-	-	-
1959	2	0.3	-	-	37	5.5	-	-	-	-
1960	7	1.0	1	0.1	31	4.6	-	-	1	0.1
1961	1	0.1	-	-	24	3.5	1	0.1	-	-
1962	-	-	-	-	32	4.5	-	-	-	-
1963	-	-	-	-	27	3.8	-	-	-	-
1964	-	-	-	-	28	4.0	1	0.1	-	-
1965	-	-	-	-	22	3.1	-	-	-	-
1966	-	-	-	-	21	3.0	-	-	-	-
1967	-	-	-	-	17	2.4	-	-	-	-
1968	1	0.1	-	-	15	2.2	-	-	-	-
1969	-	-	-	-	16	2.3	-	-	-	-
1970	-	-	-	-	12	1.7	-	-	-	-
1971	1	0.1	-	-	10	1.4	-	-	1	0.1
1972	-	-	-	-	11	1.5	-	-	-	-
1973	-	-	-	-	13	1.8	-	-	-	-
1974	1	0.1	-	-	17	2.3	-	-	-	-
1975	1	0.1	1	0.1	13	1.7	-	-	-	-
1976	-	-	-	-	9	1.2	-	-	-	-
1977	-	-	-	-	4	0.5	-	-	-	-
1978	1	0.1	-	-	11	1.4	-	-	-	-
1979	-	-	-	-	5	0.6	-	-	-	-
1980	-	-	-	-	6	0.8	-	-	-	-
1981	-	-	-	-	7	0.9	-	-	-	-
1982	-	-	-	-	7	0.9	-	-	-	-
1983	1	0.1	-	-	1	0.1	-	-	-	-
1984	2	0.2	-	-	10	1.2	-	-	-	-
1985	-	-	-	-	5	0.6	-	-	1	0.1
1986	-	-	-	-	5	0.6	-	-	-	-
1987	-	-	-	-	4	0.5	-	-	-	-
1988	1	0.1	-	-	2	0.2	-	-	-	-
1989	2	0.2	-	-	5	0.6	-	-	-	-
1990	-	-	-	-	2	0.3	-	-	-	-
1991	1	0.1	-	-	4	0.5	-	-	-	-
1992	1	0.1	-	-	4	0.5	-	-	-	-
1993	-	-	-	-	2	0.2	-	-	-	-
1994	-	-	-	-	6	0.7	-	-	-	-
1995	2	0.2	-	-	2	0.2	-	-	-	-

* DATA FOR 1910-45 ARE BY PLACE OF OCCURRENCE. BEGINING IN 1946, DATA ARE BY PLACE OF RESIDENCE.
\+ DEATHS FROM ROCKY MOUNTAIN SPOTTED FEVER FOR THE YEARS 1915 - 1920 ARE COURTESY OF ROBERT PHILLIPS PH.D. (RETIRED), ROCKY MOUNTAIN LABORATORY, HAMILTON, MONTANA.
** PER 100,000 ESTIMATED MIDYEAR POPULATION. U.S. CENSUS ENUMERATIONS USED FOR YEARS ENDING IN ZERO.

TABLE 16

FREQUENCY AND RATE OF DEATH FROM SELECTED CAUSES BY YEAR*
MONTANA, 1910-1995

YEAR	ACCIDENTS						ALCOHOLISM		CANCER	
	TOTAL		MOTOR VEHICLE		OTHER					
	NUMBER	RATE+	NUMBER	RATE+	NUMBER	RATE+	NUMBER	RATE+	NUMBER	RATE+
1910	514	136.7	5	1.3	509	135.4	56	14.9	157	41.7
1915	556	118.8	31	6.6	525	112.2	66	14.1	223	47.6
1920	473	86.3	45	8.2	428	78.1	10	1.8	282	51.4
1925	505	93.0	98	18.1	407	75.0	41	7.6	379	69.8
1930	498	92.6	106	19.7	392	72.9	69	12.8	424	78.9
1935	552	100.5	161	29.3	391	71.2	14	2.5	528	96.2
1940	539	96.3	154	27.5	385	68.8	41	7.3	640	114.4
1945	498	98.7	118	23.4	380	75.3	13	2.6	658	130.4
1946	517	99.1	166	31.8	351	67.3	15	2.9	662	126.8
1947	537	99.6	157	29.1	380	70.5	19	3.5	712	132.0
1948	575	103.3	165	29.6	410	73.7	14	2.5	724	130.1
1949	552	96.2	152	26.5	400	69.7	17	3.0	729	127.0
1950	545	92.2	190	32.1	355	60.1	14	2.4	733	124.0
1951	525	88.1	187	31.4	338	56.7	17	2.9	726	121.8
1952	564	93.7	235	39.0	329	54.7	13	2.2	798	132.6
1953	534	86.7	228	37.0	306	49.7	17	2.8	809	131.3
1954	531	85.1	219	35.1	312	50.0	19	3.0	871	139.6
1955	549	86.3	239	37.6	310	48.7	28	4.4	829	130.3
1956	574	87.5	265	40.4	309	47.1	22	3.4	931	141.9
1957	541	81.1	219	32.8	322	48.3	20	3.0	873	130.9
1958	497	74.6	206	30.9	291	43.7	18	2.7	838	125.8
1959	565	84.5	258	38.6	307	45.9	15	2.2	920	137.5
1960	510	75.6	226	33.5	284	42.1	13	1.9	958	142.0
1961	518	76.0	270	39.6	248	36.4	18	2.6	965	141.5
1962	550	77.6	232	32.7	318	44.9	19	2.7	911	128.5
1963	517	73.1	218	30.8	299	42.3	12	1.7	896	126.7
1964	648	91.9	250	35.5	398	56.5	13	1.8	986	139.9
1965	591	83.7	268	38.0	323	45.8	14	2.0	933	132.2
1966	560	79.8	265	37.7	295	42.0	24	3.4	969	138.0
1967	607	86.6	318	45.4	289	41.2	12	1.7	1,004	143.2
1968	535	77.2	262	37.8	273	39.4	29	4.2	1,080	155.8
1969	635	91.5	329	47.4	306	44.1	10	1.4	1,041	150.0
1970	571	82.2	290	41.8	281	40.5	25	3.6	1,059	152.5
1971	609	85.8	310	43.7	299	42.1	19	2.7	1,050	147.9
1972	635	88.3	360	50.1	275	38.2	17	2.4	1,122	156.1
1973	611	84.7	324	44.9	287	39.8	20	2.8	1,061	147.2
1974	559	76.1	272	37.0	287	39.0	14	1.9	1,130	153.7
1975	584	78.1	282	37.7	302	40.4	28	3.7	1,105	147.7
1976	579	76.9	291	38.6	288	38.2	23	3.1	1,191	158.2
1977	574	75.4	302	39.7	272	35.7	25	3.3	1,184	155.6
1978	558	71.1	276	35.2	282	35.9	23	2.9	1,233	157.1
1979	596	75.8	313	39.8	283	36.0	22	2.8	1,240	157.8
1980	570	72.5	311	39.5	259	32.9	25	3.2	1,291	164.1
1981	553	69.7	308	38.8	245	30.9	32	4.0	1,343	169.4
1982	471	58.8	236	29.5	235	29.3	30	3.7	1,384	172.8
1983	516	63.2	267	32.7	249	30.5	16	2.0	1,350	165.2
1984	440	53.4	233	28.3	207	25.1	18	2.2	1,467	178.0
1985	417	50.5	210	25.4	207	25.1	20	2.4	1,445	174.9
1986	403	49.2	228	27.8	175	21.4	27	3.3	1,475	180.1
1987	416	51.4	223	27.6	193	23.9	22	2.7	1,516	187.4
1988	368	45.7	200	24.8	168	20.9	22	2.7	1,561	193.9
1989	360	44.7	171	21.2	189	23.5	16	2.0	1,593	197.7
1990	398	49.8	210	26.3	188	23.5	21	2.6	1,630	204.0
1991	384	47.5	183	22.6	201	24.9	19	2.4	1,656	205.0
1992	399	48.4	182	22.1	217	26.3	29	3.5	1,710	207.6
1993	375	44.7	182	21.7	193	23.0	26	3.1	1,738	207.2
1994	391	45.7	192	22.4	199	23.2	31	3.6	1,740	203.2
1995	374	43.0	191	21.9	183	21.0	21	2.4	1,765	202.8

* DATA FOR 1910-45 ARE BY PLACE OF OCCURRENCE. BEGINING IN 1946, DATA ARE BY PLACE OF RESIDENCE.
\+ PER 100,000 ESTIMATED MIDYEAR POPULATION. U.S. CENSUS ENUMERATIONS ARE USED FOR YEARS ENDING IN ZERO.

FREQUENCY AND RATE OF DEATH FROM SELECTED CAUSES BY YEAR*
MONTANA, 1910-1995

YEAR	DIABETES		HEART DISEASE		HOMICIDE		NEPHRITIS		PNEUMONIA		SUICIDE	
	NUMBER	RATE+	NUMBER	RATE+	NUMBER	RATE+	NUMBER	RATE+	NUMBER	RATE+	NUMBER	RATE+
1910	38	10.1	257	68.3	37	9.8	222	59.0	282	75.0	81	21.5
1915	65	13.9	407	87.0	53	11.3	339	72.4	511	109.2	103	22.0
1920	60	10.9	428	78.1	46	8.4	273	49.8	576	105.0	86	15.7
1925	64	11.8	672	123.8	51	9.4	301	55.4	437	80.5	102	18.8
1930	87	16.2	759	141.2	57	10.6	395	73.5	425	79.1	136	25.3
1935	112	20.4	1,299	236.6	34	6.2	355	64.7	674	122.8	96	17.5
1940	109	19.5	1,447	258.6	29	5.2	295	52.7	321	57.4	120	21.4
1945	129	25.6	1,603	317.7	19	3.8	279	55.3	196	38.8	79	15.7
1946	137	26.3	1,629	312.1	22	4.2	276	52.9	235	45.0	98	18.8
1947	130	24.1	1,690	313.4	14	2.6	266	49.3	223	41.4	96	17.8
1948	118	21.2	1,803	324.0	15	2.7	247	44.4	189	34.0	88	15.8
1949	102	17.8	2,002	348.9	21	3.7	129	22.5	144	25.1	89	15.5
1950	49	8.3	1,957	331.1	24	4.1	80	13.5	157	26.6	123	20.8
1951	58	9.7	2,159	362.2	15	2.5	85	14.3	121	20.3	85	14.3
1952	83	13.8	2,032	337.5	17	2.8	120	19.9	147	24.4	84	14.0
1953	73	11.9	2,164	351.3	23	3.7	77	12.5	180	29.2	106	17.2
1954	95	15.2	2,128	341.0	29	4.6	90	14.4	179	28.7	104	16.7
1955	108	17.0	2,116	332.7	21	3.3	94	14.8	155	24.4	79	12.4
1956	98	14.9	2,165	330.0	32	4.9	83	12.7	211	32.2	98	14.9
1957	118	17.7	2,290	343.3	23	3.4	71	10.6	249	37.3	105	15.7
1958	109	16.4	2,244	336.9	17	2.6	53	8.0	260	39.0	101	15.2
1959	123	18.4	2,382	356.1	29	4.3	58	8.7	231	34.5	97	14.5
1960	102	15.1	2,332	345.6	25	3.7	51	7.6	227	33.6	107	15.9
1961	117	17.2	2,269	332.7	21	3.1	41	6.0	219	32.1	96	14.1
1962	121	17.1	2,204	310.9	21	3.0	63	8.9	195	27.5	110	15.5
1963	125	17.7	2,340	331.0	22	3.1	42	5.9	218	30.8	115	16.3
1964	139	19.7	2,368	335.9	30	4.3	45	6.4	226	32.1	80	11.3
1965	114	16.1	2,297	325.4	20	2.8	35	5.0	198	28.0	94	13.3
1966	106	15.1	2,415	344.0	23	3.3	42	6.0	230	32.8	96	13.7
1967	143	20.4	2,297	327.7	31	4.4	38	5.4	196	28.0	100	14.3
1968	119	17.2	2,223	320.8	25	3.6	20	2.9	213	30.7	97	14.0
1969	117	16.9	2,297	331.0	31	4.5	21	3.0	201	29.0	91	13.1
1970	111	16.0	2,229	321.0	30	4.3	26	3.7	213	30.7	79	11.4
1971	120	16.9	2,339	329.4	43	6.1	19	2.7	210	29.6	117	16.5
1972	135	18.8	2,294	319.1	32	4.5	17	2.4	220	30.6	87	12.1
1973	126	17.5	2,300	319.0	46	6.4	27	3.7	236	32.7	108	15.0
1974	103	14.0	2,202	299.6	44	6.0	20	2.7	192	26.1	122	16.6
1975	122	16.3	2,178	291.2	42	5.6	19	2.5	185	24.7	112	15.0
1976	100	13.3	2,178	289.2	38	5.0	17	2.3	207	27.5	129	17.1
1977	89	11.7	2,149	282.4	53	7.0	24	3.2	144	18.9	143	18.8
1978	114	14.5	2,169	276.3	40	5.1	20	2.5	199	25.4	122	15.5
1979	94	12.0	2,302	292.9	39	5.0	46	5.9	143	18.2	123	15.6
1980	103	13.1	2,332	296.4	40	5.1	43	5.5	169	21.5	116	14.7
1981	95	12.0	2,279	287.4	47	5.9	70	8.8	171	21.6	137	17.3
1982	115	14.4	2,236	279.2	36	4.5	57	7.1	196	24.5	126	15.7
1983	103	12.6	2,241	274.3	33	4.0	62	7.6	219	26.8	143	17.5
1984	113	13.7	2,270	275.5	37	4.5	57	6.9	204	24.8	137	16.6
1985	123	14.9	2,201	266.5	49	5.9	58	7.0	211	25.5	144	17.4
1986	109	13.3	2,196	268.1	41	5.0	40	4.9	205	25.0	181	22.1
1987	116	14.3	2,109	260.7	39	4.8	60	7.4	192	23.7	159	19.7
1988	154	19.1	2,057	255.5	35	4.3	60	7.5	219	27.2	153	19.0
1989	170	21.1	2,019	250.6	32	4.0	47	5.8	224	27.8	159	19.7
1990	154	19.3	1,947	243.7	37	4.6	48	6.0	213	26.7	167	20.9
1991	181	22.4	1,944	240.6	36	4.5	51	6.3	245	30.3	167	20.7
1992	164	19.9	1,904	231.2	35	4.2	56	6.8	259	31.4	151	18.3
1993	191	22.8	2,110	251.5	39	4.6	59	7.0	249	29.7	154	18.4
1994	215	25.1	1,907	222.7	34	4.0	76	8.9	276	32.2	159	18.6
1995	210	24.1	2,003	230.2	45	5.2	56	6.4	313	36.0	197	22.6

* DATA FOR 1910-45 ARE BY PLACE OF OCCURRENCE. BEGINING IN 1946, DATA ARE BY PLACE OF RESIDENCE.
\+ PER 100,000 ESTIMATED MIDYEAR POPULATION. U.S. CENSUS ENUMERATIONS ARE USED FOR YEARS ENDING IN ZERO.

TABLE 17

FREQUENCY OF INDUCED ABORTION BY NUMBER OF PREVIOUS INDUCED ABORTIONS
AND NUMBER OF PREVIOUS PREGNANCIES
MONTANA OCCURRENCES, 1995

TOTAL PAST PREGNANCIES	TOTAL	PREVIOUS INDUCED ABORTIONS						
		NONE	ONE	TWO	THREE	FOUR	FIVE	SIX OR MORE
TOTAL	2,674	1,767	637	187	56	20	3	4
NONE	1,046	1,046	-	-	-	-	-	-
ONE	607	318	289	-	-	-	-	-
TWO	382	211	118	53	-	-	-	-
THREE	285	96	119	52	18	-	-	-
FOUR	187	61	71	40	10	5	-	-
FIVE	86	19	29	19	11	6	2	-
SIX	48	8	7	15	14	4	-	-
SEVEN	13	5	2	3	1	1	-	1
EIGHT	9	2	1	3	2	1	-	-
NINE OR MORE	11	1	1	2	-	3	1	3
NOT STATED	-	-	-	-	-	-	-	-

TABLE 18

FREQUENCY OF INDUCED ABORTION BY AGE OF PATIENT
MONTANA OCCURRENCES, 1995

PATIENT'S AGE	NUMBER
TOTAL	2,674
UNDER 15	20
15-17	291
18-19	372
20-24	817
25-29	478
30-34	348
35-39	270
40-44	71
45 AND OVER	7
NOT STATED	-

TABLE 19

FREQUENCY OF INDUCED ABORTION BY COMPLETED WEEK OF GESTATION AND BY PRIMARY PROCEDURE
MONTANA OCCURRENCES, 1995

PRIMARY PROCEDURE *	TOTAL	LENGTH OF GESTATION IN WEEKS							
		9 OR FEWER	10-11	12-13	14-15	16-17	18-19	20 OR MORE	NOT STATED
TOTAL	2,674	1,958	344	160	48	61	27	62	14
SUCTION CURRETTAGE	2,429	1,955	320	123	16	2	-	-	13
SHARP CURRETTAGE	2	-	-	-	-	1	-	1	-
DILATION AND EVACUATION (D&E)	241	3	24	37	32	57	27	60	1
OTHER	2	-	-	-	-	1	-	1	-

* THE PROCEDURE THAT TERMINATED PREGNANCY, AS OPPOSED TO "ADDITIONAL PROCEDURES USED."

TABLE 19A

FREQUENCY OF INDUCED ABORTION BY COUNTY OF RESIDENCE AND COUNTY OF OCCURRENCE
MONTANA, 1995

COUNTY	RESIDENCE	OCCURRENCE	COUNTY	RESIDENCE	OCCURRENCE
BEAVERHEAD	25	-	PONDERA	2	-
BIG HORN	22	-	POWDER RIVER	4	-
BLAINE	9	-	POWELL	13	-
BROADWATER	5	-	PRAIRIE	2	-
CARBON	26	-	RAVALLI	50	-
CARTER	-	-	RICHLAND	10	-
CASCADE	169	191	ROOSEVELT	17	-
CHOUTEAU	6	-	ROSEBUD	13	-
CUSTER	25	-	SANDERS	17	-
DANIELS	1	-	SHERIDAN	6	-
DAWSON	6	-	SILVER BOW	101	-
DEER LODGE	19	-	STILLWATER	14	-
FALLON	4	-	SWEET GRASS	6	-
FERGUS	16	-	TETON	3	-
FLATHEAD	234	366	TOOLE	7	-
GALLATIN	282	706	TREASURE	4	-
GARFIELD	1	-	VALLEY	8	-
GLACIER	25	-	WHEATLAND	4	-
GOLDEN VALLEY	-	-	WIBAUX	1	-
GRANITE	4	-	YELLOWSTONE	330	723
HILL	32	-	NOT STATED	43	-
JEFFERSON	5	-	TOTAL MONTANA	2,223	2,674
JUDITH BASIN	-	-	RESIDENTS		
LAKE	45	-			
LEWIS & CLARK	161	151	OUT OF STATE		
LIBERTY	3	-	RESIDENTS		
LINCOLN	33	-	IDAHO	62	NA
MCCONE	4	-	NORTH DAKOTA	26	NA
MADISON	15	-	SOUTH DAKOTA	39	NA
MEAGHER	10	-	WYOMING	264	NA
MINERAL	6	-	OTHER STATES	29	NA
MISSOULA	323	537			
MUSSELSHELL	5	-	CANADA	28	NA
PARK	36	-	REST OF WORLD	2	NA
PETROLEUM	1	-	NOT STATED	1	NA
PHILLIPS	10	-			
			TOTAL	2,674	

FREQUENCY OF MARRIAGE AND MARITAL TERMINATION
MARRIAGE LICENSES ISSUED, MARRIAGES SOLEMNIZED, MARITAL DISSOLUTIONS AND MARRIAGES INVALIDATED BY COUNTY OF OCCURRENCE - MONTANA, 1995

COUNTY	MARRIAGES		MARITAL TERMINATIONS	
	LICENSES ISSUED	MARRIAGES SOLEMNIZED	MARITAL DISSOLUTIONS	INVALID MARRIAGES
MONTANA, TOTAL	6,818	6,818	4,165	49
BEAVERHEAD	54	49	52	-
BIG HORN	67	64	22	-
BLAINE	28	37	25	-
BROADWATER	33	32	6	1
CARBON	139	248	21	1
CARTER	10	11	3	-
CASCADE	704	655	497	2
CHOUTEAU	28	33	13	1
CUSTER	95	85	68	1
DANIELS	13	13	5	-
DAWSON	59	56	40	2
DEER LODGE	58	79	26	1
FALLON	16	14	12	-
FERGUS	94	94	57	2
FLATHEAD	658	647	441	3
GALLATIN	574	536	258	-
GARFIELD	9	11	1	-
GLACIER	72	77	56	1
GOLDEN VALLEY	3	6	1	-
GRANITE	12	19	12	-
HILL	142	130	74	-
JEFFERSON	32	51	25	1
JUDITH BASIN	11	12	5	-
LAKE	171	190	167	5
LEWIS & CLARK	465	450	313	3
LIBERTY	9	11	2	-
LINCOLN	137	181	121	2
MCCONE	12	18	4	-
MADISON	52	58	21	-
MEAGHER	22	27	7	1
MINERAL	29	33	29	-
MISSOULA	720	667	407	12
MUSSELSHELL	48	36	20	-
PARK	124	140	91	2
PETROLEUM	-	2	3	-
PHILLIPS	28	29	15	-
PONDERA	44	50	18	-
POWDER RIVER	9	8	3	-
POWELL	35	37	20	-
PRAIRIE	9	10	1	-
RAVALLI	187	201	179	2
RICHLAND	97	106	39	-
ROOSEVELT	84	88	23	1
ROSEBUD	45	43	28	-
SANDERS	60	71	48	-
SHERIDAN	36	36	15	-
SILVER BOW	295	258	60	1
STILLWATER	57	63	23	-
SWEET GRASS	31	35	12	-
TETON	41	61	19	1
TOOLE	29	24	17	-
TREASURE	3	3	1	-
VALLEY	53	53	24	-
WHEATLAND	18	25	10	1
WIBAUX	10	10	3	-
YELLOWSTONE	947	833	702	2
YELLOWSTONE PARK	-	-	-	-
NOT STATED	-	2	-	-

TABLE 21

FREQUENCY AND RATE OF MARRIAGE AND MARITAL TERMINATION BY YEAR
MONTANA OCCURENCES, 1944-1995

YEAR	MARRIAGES		MARITAL TERMINATIONS	
	NUMBER	RATE*	NUMBER	RATE*
1944	6,433	11.2	1,745	3.1
1945	8,147	14.2	2,380	4.1
1946	12,974	22.4	3,212	5.6
1947	9,769	16.8	2,439	4.2
1948	7,131	12.2	2,090	3.6
1949	6,981	11.9	1,995	3.4
1950	7,235	12.2	1,951	3.3
1951	6,307	10.6	1,837	3.1
1952	6,410	10.6	1,989	3.3
1953	6,597	10.7	1,986	3.2
1954	6,575	10.5	1,966	3.2
1955	6,514	10.2	1,909	3.0
1956	6,770	10.3	1,985	3.0
1957	6,495	9.7	2,004	3.0
1958	6,142	9.2	2,023	3.0
1959	6,228	9.3	2,062	3.1
1960	5,883	8.7	2,003	3.0
1961	5,636	8.3	2,034	3.0
1962	5,051	7.1	1,932	2.7
1963	4,854	6.9	1,909	2.7
1964	4,556	6.5	1,981	2.8
1965	4,688	6.6	2,002	2.8
1966	4,914	7.0	2,087	3.0
1967	5,563	7.9	2,361	3.4
1968	6,250	9.0	2,592	3.7
1969	6,444	9.3	2,806	4.0
1970	6,919	10.0	3,051	4.4
1971	7,128	10.0	3,366	4.7
1972	7,674	10.7	3,609	5.0
1973	7,751	10.8	3,772	5.2
1974	7,741	10.5	3,940	5.4
1975	7,331	9.8	4,286	5.7
1976	7,390	9.8	4,850	6.4
1977	7,547	9.9	4,813	6.3
1978	8,136	10.4	4,877	6.2
1979	8,195	10.4	5,106	6.5
1980	8,336	10.6	4,940	6.3
1981	8,209	10.4	5,004	6.3
1982	8,185	10.2	4,612	5.8
1983	8,092	9.9	4,644	5.7
1984	7,659	9.3	4,355	5.3
1985	7,178	8.7	4,258	5.2
1986	6,739	8.2	4,307	5.3
1987	6,540	8.1	4,116	5.1
1988	6,784	8.4	4,063	5.0
1989	6,765	8.4	4,104	5.1
1990	6,924	8.7	4,049	5.1
1991	6,984	8.6	4,443	5.5
1992	7,189	8.7	4,223	5.1
1993	7,041	8.4	4,311	5.1
1994	7,088	8.3	4,196	4.9
1995	6,818	7.8	4,214	4.8

* PER 1,000 ESTIMATED MIDYEAR POPULATION. U.S. CENSUS ENUMERATION ARE USED FOR YEARS ENDING IN ZERO.

TABLE 22

FREQUENCY AND PERCENT DISTRIBUTION OF MARRIAGES BY MONTH OF OCCURRENCE
MONTANA, 1995

MONTH	NUMBER	PERCENT	MONTH	NUMBER	PERCENT
MONTANA, TOTAL	6,818	100.0	JUNE	945	13.9
			JULY	1,100	16.1
JANUARY	256	3.8	AUGUST	966	14.2
FEBRUARY	335	4.9	SEPTEMBER	697	10.2
MARCH	360	5.3	OCTOBER	389	5.7
APRIL	362	5.3	NOVEMBER	345	5.1
MAY	591	8.7	DECEMBER	472	6.9

TABLE 23

FREQUENCY OF MARRIAGE BY PREVIOUS MARITAL STATUS AND AGE OF BRIDE AND
BY PREVIOUS MARTIAL STATUS AND AGE OF GROOM
MONTANA OCCURRENCES, 1995

AGE	BRIDE					GROOM				
	TOTAL	PREVIOUS MARITAL STATUS				TOTAL	PREVIOUS MARITAL STATUS			
		SINGLE	WIDOWED	DIVORCED	NOT STATED		SINGLE	WIDOWED	DIVORCED	NOT STATED
TOTAL	6,818	4,043	236	2,531	8	6,818	4,241	203	2,368	6
UNDER 15	-	-	-	-	-	-	-	-	-	-
15-19	707	703	-	3	1	271	271	-	-	-
20-24	2,089	1,913	1	174	1	1,755	1,692	-	63	-
25-29	1,286	876	5	405	-	1,532	1,279	2	251	-
30-34	891	338	15	537	1	1,034	606	4	423	1
35-39	663	140	21	500	2	690	236	8	442	4
40-44	465	52	23	389	1	541	107	12	422	-
45-49	333	17	28	287	1	387	32	21	334	-
50-54	174	2	28	144	-	233	8	18	207	-
55-59	69	2	18	49	-	128	3	22	103	-
60-64	48	-	26	22	-	98	4	35	59	-
65-69	41	-	29	12	-	65	2	27	36	-
70-74	24	-	18	6	-	33	-	17	16	-
75 AND OVER	27	-	24	3	-	49	1	36	12	-
NOT STATED	1	-	-	-	1	2	-	1	-	1

TABLE 24

FREQUENCY OF FIRST MARRIAGE* BY AGE OF BRIDE AND AGE OF GROOM
MONTANA OCCURRENCES, 1995

AGE OF GROOM	AGE OF BRIDE										
	TOTAL, ALL AGES	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55 AND OVER	NOT STATED
TOTAL, ALL AGES	3,366	667	1,710	686	199	76	25	3	-	-	-
15-19	263	195	63	5	-	-	-	-	-	-	-
20-24	1,531	397	1,001	122	10	1	-	-	-	-	-
25-29	1,027	62	548	361	46	7	3	-	-	-	-
30-34	379	10	86	157	93	26	6	1	-	-	-
35-39	112	2	11	31	38	25	5	-	-	-	-
40-44	38	-	1	8	10	12	6	1	-	-	-
45-49	13	1	-	2	2	5	3	-	-	-	-
50-54	2	-	-	-	-	-	1	1	-	-	-
55 AND OVER	1	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-

* FIRST MARRIAGE FOR BOTH BRIDE AND GROOM

TABLE 25

FREQUENCY OF MARRIAGE BY RACE* OF BRIDE AND RACE* OF GROOM
MONTANA OCCURRENCES, 1995

RACE OF GROOM	RACE OF BRIDE								
	TOTAL	WHITE	BLACK	NATIVE AMERICAN	CHINESE	JAPANESE	FILIPINO	OTHER ASIANS AND PACIFIC ISLANDERS	NOT STATED
TOTAL	6,818	6,459	19	282	3	6	10	33	6
WHITE	6,430	6,264	10	108	1	5	10	30	2
BLACK	48	38	8	1	-	-	-	-	1
NATIVE AMERICAN	309	136	-	172	-	1	-	-	-
CHINESE	2	-	-	-	2	-	-	-	-
JAPANESE	1	1	-	-	-	-	-	-	-
FILIPINO	4	2	-	1	-	-	-	1	-
OTHER ASIANS AND PACIFIC ISLANDERS	21	18	1	-	-	-	-	2	-
OTHER RACES	3	-	-	-	-	-	-	-	3
NOT STATED	-	-	-	-	-	-	-	-	-

* ANY RACIAL CATEGORY MAY INCLUDE HISPANIC. "OTHER" ALSO INCLUDES RACE NOT STATED

TABLE 26

FREQUENCY OF MARITAL TERMINATION BY TYPE AND BY LEGAL GROUNDS
FOR DECREE - MONTANA OCCURRENCES, 1995

TYPES OF MARITAL TERMINATION AND LEGAL GROUNDS	NUMBER
MARITAL TERMINATIONS, TOTAL	4,214
MARITAL DISSOULUTIONS, TOTAL	4,165
IRRECONCILABLE DIFFERENCES	49
INVALID MARRIAGES, TOTAL	49
LACKED CAPACITY TO CONSENT	45
LACKED PHYSICAL CAPACITY	2
UNDER AGE	-
PROHIBITED MARRIAGE	2
NOT STATED	-

TABLE 27

FREQUENCY OF MARITAL TERMINATION BY AGE OF WIFE AND AGE OF HUSBAND
MONTANA OCCURRENCES, 1995

AGE OF HUSBAND	TOTAL ALL AGES	AGE OF WIFE									
		15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55 AND OVER	NOT STATED
TOTAL ALL AGES	4,214	52	486	669	789	805	555	385	211	219	43
15-19	13	7	5	1	-	-	-	-	-	-	-
20-24	326	40	220	52	10	1	-	-	-	-	3
25-29	558	2	185	287	55	16	7	2	1	-	3
30-34	731	2	61	217	302	100	29	13	1	2	4
35-39	765	-	7	67	271	327	68	16	5	-	4
40-44	618	1	3	26	96	218	200	50	13	5	6
45-49	488	-	-	9	30	89	158	155	33	10	4
50-54	292	-	1	5	12	26	50	98	75	21	4
55 AND OVER	389	-	-	1	10	22	41	50	80	178	7
NOT STATED	34	-	4	4	3	6	2	1	3	3	8

TABLE 28

FREQUENCY OF MARITAL TERMINATION BY NUMBER OF MINOR CHILDREN IN THE HOUSEHOLD
AND BY AGE OF WIFE - MONTANA OCCURRENCES, 1995

AGE OF WIFE	TOTAL ALL AGES	NUMBER OF MINOR CHILDREN								
		NONE	ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	NOT STATED
TOTAL ALL AGES	4,214	1,986	889	891	332	96	11	4	3	2
15-19	52	31	17	4	-	-	-	-	-	-
20-24	486	231	172	70	11	2	-	-	-	-
25-29	669	227	168	198	58	16	1	-	1	-
30-34	789	248	173	229	102	33	2	2	-	-
35-39	805	285	146	234	97	32	8	1	1	1
40-44	555	269	119	104	50	11	-	1	-	1
45-49	385	270	64	38	10	2	-	-	1	-
50-54	211	186	17	7	1	-	-	-	-	-
55-59	103	99	3	1	-	-	-	-	-	-
60-64	58	58	-	-	-	-	-	-	-	-
65-69	29	29	-	-	-	-	-	-	-	-
70-74	15	15	-	-	-	-	-	-	-	-
75 AND OVER	14	14	-	-	-	-	-	-	-	-
NOT STATED	43	24	10	6	3	-	-	-	-	-

TABLE 29

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1995

ITEM	MONTANA +		BEAVERHEAD		BIG HORN		BLAINE		BROADWATER		CARBON		CARTER		CASCADE	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	870,280		9,010		12,220		7,030		3,890		9,030		1,460		81,090	
RESIDENCE																
NATURAL INCREASE	3,522	4.1	82	9.3	118	9.8	9	1.3	2	0.5	11	1.2	1	0.7	568	7.0
LIVE BIRTHS, TOTAL	11,136	12.8	149	16.5	226	18.5	87	12.4	48	12.3	98	10.9	15	10.3	1,280	15.8
SEX-MALE	5,655	13.1	79	---	107	---	37	---	25	---	54	---	7	---	655	---
FEMALE	5,481	12.5	70	---	119	---	50	---	23	---	44	---	8	---	625	---
OUT-OF-WEDLOCK	2,945	264.5	32	214.8	116	513.3	41	471.3	17	354.2	20	204.1	2	133.3	294	229.7
DEATHS (EXCLUDING FETALS), TOTAL	7,614	8.7	67	7.4	108	8.8	78	11.1	46	11.8	87	9.6	14	9.6	712	8.8
SEX-MALE	3,951	9.1	33	---	67	---	44	---	29	---	52	---	9	---	371	---
FEMALE	3,663	8.4	34	---	41	---	34	---	17	---	35	---	5	---	341	---
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	79	7.1	1	6.7	-	-	1	11.5	-	-	-	-	1	66.7	7	5.5
NEONATAL (UNDER 28 DAYS)	41	3.7	1	6.7	-	-	1	11.5	-	-	-	-	1	66.7	3	2.3
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	-	-	-	-	-	-	-	-	-	-	-	-	4	3.1
FETAL DEATHS	67	6.0	1	6.7	1	4.4	1	11.5	1	20.8	-	-	-	-	12	9.4
PERINATAL DEATHS	108	9.7	2	13.4	1	4.4	2	23.0	1	20.8	-	-	1	66.7	15	11.7
LEADING CAUSES OF DEATH **																
HEART DISEASE	2,003	230.2	16	177.6	15	122.7	20	284.5	17	437.0	19	210.4	7	479.5	166	204.7
CANCER	1,765	202.8	17	188.7	17	139.1	18	256.0	9	231.4	17	188.3	3	205.5	197	242.9
CEREBROVASCULAR DISEASE	593	68.0	7	77.7	10	81.8	4	56.9	5	128.5	5	55.4	1	68.5	63	76.5
CHRON. OBSTR. PULMONARY DISEASES	481	55.3	5	55.5	9	73.6	5	71.1	2	51.4	8	88.6	1	68.5	46	56.7
ACCIDENTS	374	43.0	3	33.3	14	114.6	5	71.1	2	51.4	7	77.5	-	-	22	27.1
PNEUMONIA AND INFLUENZA	319	36.7	3	33.3	6	49.1	7	99.6	2	51.4	4	44.3	-	-	21	25.9
DIABETES	210	24.1	2	22.2	7	57.3	2	28.4	-	-	5	55.4	-	-	16	19.7
SUICIDE	197	22.6	1	11.1	5	40.9	3	42.7	1	25.7	3	33.2	-	-	15	18.5
ALZHEIMER'S DISEASE	126	14.5	-	-	2	16.4	-	-	-	-	1	11.1	-	-	22	27.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	83	9.5	3	33.3	2	16.4	1	14.2	-	-	3	33.2	-	-	8	9.9
OCCURRENCE																
LIVE BIRTHS, TOTAL	11,049	12.7	112	12.4	252	20.6	1	0.1	9	2.3	42	4.7	-	-	1,591	19.6
DEATHS (EXCLUDING FETAL), TOTAL	7,613	8.7	67	7.4	89	7.3	41	5.8	36	9.3	59	6.5	8	5.5	822	10.1
INFANT (UNDER 1 YEAR)	69	6.2	-	-	-	-	-	-	-	-	-	-	-	-	19	11.9
ACCIDENTAL	414	0.5	10	1.1	11	0.9	5	0.7	4	1.0	6	0.7	-	-	29	0.4
MOTOR VEHICLE	225	0.3	8	0.9	6	0.5	5	0.7	3	0.8	3	0.3	-	-	11	0.1
OTHER ACCIDENTAL	189	0.2	2	0.2	5	0.4	-	-	1	0.3	3	0.3	-	-	18	0.2
MARRIAGES	6,818	7.8	49	5.4	64	5.2	37	5.3	32	8.2	248	27.5	11	7.5	655	8.1
MARITAL TERMINATIONS	4,214	4.8	52	5.8	22	1.8	25	3.6	7	1.8	22	2.4	3	2.1	499	6.2

\+ MONTANA RESIDENCE TOTALS INCLUDE THREE DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.

** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION. SEE "CAUSE OF DEATH" IN THE "TECHNICAL OVERVIEW" FOR THE INTERNATIONAL CLASSIFICATION OF DISEASE (ICD-9) CODES INCLUDED IN EACH CATEGORY.

--- NOT CALCULATED.

TABLE 29 (CONTINUED)

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1995

ITEM	MONTANA +		CHOUTEAU		CUSTER		DANIELS		DAWSON		DEER LODGE		FALLON		FERGUS	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	870,280		5,490		12,190		2,140		9,100		10,150		3,000		12,690	
RESIDENCE																
NATURAL INCREASE	3,522	4.1	3	0.5	(8)	-0.7	(8)	-3.7	29	3.2	(35)	-3.4	2	0.7	(19)	-1.5
LIVE BIRTHS, TOTAL	11,136	12.8	56	10.2	133	10.9	22	10.3	90	9.9	108	10.6	31	10.3	142	11.2
SEX-MALE	5,655	13.1	37	---	72	---	11	---	45	---	51	---	22	---	73	---
FEMALE	5,481	12.5	19	---	61	---	11	---	45	---	57	---	9	---	69	---
OUT-OF-WEDLOCK	2,945	264.5	9	160.7	37	278.2	4	181.8	23	255.6	41	379.6	3	96.8	26	183.1
DEATHS (EXCLUDING FETALS), TOTAL	7,614	8.7	53	9.7	141	11.6	30	14.0	61	6.7	143	14.1	29	9.7	161	12.7
SEX-MALE	3,951	9.1	28	---	68	---	15	---	36	---	76	---	17	---	81	---
FEMALE	3,663	8.4	25	---	73	---	15	---	25	---	67	---	12	---	80	---
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	79	7.1	-	-	-	-	-	-	-	-	1	9.3	-	-	1	7.0
NEONATAL (UNDER 28 DAYS)	41	3.7	-	-	-	-	-	-	-	-	1	9.3	-	-	1	7.0
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FETAL DEATHS	67	6.0	-	-	-	-	-	-	1	11.1	2	18.5	-	-	-	-
PERINATAL DEATHS	108	9.7	-	-	-	-	-	-	1	11.1	3	27.8	-	-	1	7.0
LEADING CAUSES OF DEATH **																
HEART DISEASE	2,003	230.2	16	291.4	38	311.7	5	233.6	18	197.8	49	482.8	11	366.7	48	378.3
CANCER	1,765	202.8	13	236.8	33	270.7	8	373.8	15	164.8	29	285.7	10	333.3	31	244.3
CEREBROVASCULAR DISEASE	593	68.0	4	72.9	8	65.6	3	140.2	6	65.9	6	59.1	3	100.0	21	165.5
CHRON. OBSTR. PULMONARY DISEASES	481	55.3	5	91.1	9	73.8	-	-	-	-	10	98.5	1	33.3	9	70.9
ACCIDENTS	374	43.0	2	36.4	1	8.2	1	46.7	2	22.0	9	88.7	1	33.3	7	55.2
PNEUMONIA AND INFLUENZA	319	36.7	-	-	1	8.2	1	46.7	5	54.9	7	69.0	2	66.7	10	78.8
DIABETES	210	24.1	-	-	5	41.0	-	-	1	11.0	2	19.7	-	-	3	23.6
SUICIDE	197	22.6	1	18.2	7	57.4	-	-	1	11.0	2	19.7	-	-	2	15.8
ALZHEIMER'S DISEASE	126	14.5	1	18.2	4	32.8	2	93.5	1	11.0	2	19.7	-	-	2	15.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	83	9.5	1	18.2	1	8.2	-	-	-	-	2	19.7	-	-	1	7.9
OCCURRENCE																
LIVE BIRTHS, TOTAL	11,049	12.7	3	0.5	246	20.2	5	2.3	91	10.0	49	4.8	15	5.0	157	12.4
DEATHS (EXCLUDING FETAL), TOTAL	7,613	8.7	39	7.1	173	14.2	25	11.7	68	7.5	114	11.2	26	8.7	159	12.5
INFANT (UNDER 1 YEAR)	69	6.2	-	-	2	8.1	-	-	-	-	-	-	-	-	-	-
ACCIDENTAL	414	0.5	3	0.5	4	0.3	1	0.5	3	0.3	10	1.0	1	0.3	9	0.7
MOTOR VEHICLE	225	0.3	3	0.5	3	0.2	1	0.5	2	0.2	5	0.5	1	0.3	2	0.2
OTHER ACCIDENTAL	189	0.2	-	-	1	0.1	-	-	1	0.1	5	0.5	-	-	7	0.6
MARRIAGES	6,818	7.8	33	6.0	85	7.0	13	6.1	56	6.2	79	7.8	14	4.7	94	7.4
MARITAL TERMINATIONS	4,214	4.8	14	2.6	69	5.7	5	2.3	42	4.6	27	2.7	12	4.0	59	4.6

\+ MONTANA RESIDENCE TOTALS INCLUDE THREE DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.
** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION. SEE "CAUSE OF DEATH" IN THE "TECHNICAL OVERVIEW" FOR THE INTERNATIONAL CLASSIFICATION OF DISEASE (ICD-9) CODES INCLUDED IN EACH CATEGORY.
--- NOT CALCULATED.

TABLE 29 (CONTINUED)

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1995

ITEM	MONTANA +		FLATHEAD		GALLATIN		GARFIELD		GLACIER		GOLDEN VALLEY		GRANITE		HILL	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	870,280		69,510		59,410		1,420		12,680		980		2,620		17,670	
RESIDENCE																
NATURAL INCREASE	3,522	4.1	286	4.2	417	7.2	4	2.8	80	6.4	6	6.3	(5)	-1.9	108	6.2
LIVE BIRTHS, TOTAL	11,136	12.8	842	12.1	687	11.6	16	11.3	208	16.4	14	14.3	28	10.7	260	14.7
SEX-MALE	5,655	13.1	433	---	356	---	6	---	102	---	5	---	14	---	114	---
FEMALE	5,481	12.5	409	---	331	---	10	---	106	---	9	---	14	---	146	---
OUT-OF-WEDLOCK	2,945	264.5	204	242.3	118	171.8	2	125.0	133	639.4	1	71.4	3	107.1	100	384.6
DEATHS (EXCLUDING FETALS), TOTAL	7,614	8.7	556	8.0	270	4.5	12	8.5	128	10.1	8	8.2	33	12.6	152	8.6
SEX-MALE	3,951	9.1	289	---	143	---	7	---	65	---	4	---	16	---	80	---
FEMALE	3,663	8.4	267	---	127	---	5	---	63	---	4	---	17	---	72	---
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	79	7.1	2	2.4	7	10.2	-	-	2	9.6	-	-	-	-	1	3.8
NEONATAL (UNDER 28 DAYS)	41	3.7	2	2.4	5	7.3	-	-	2	9.6	-	-	-	-	-	-
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	-	-	2	2.9	-	-	-	-	-	-	-	-	1	3.8
FETAL DEATHS	67	6.0	5	5.9	6	8.7	-	-	-	-	-	-	-	-	1	3.8
PERINATAL DEATHS	108	9.7	7	8.3	11	16.0	-	-	2	9.6	-	-	-	-	1	3.8
LEADING CAUSES OF DEATH **																
HEART DISEASE	2,003	230.2	151	217.2	61	102.7	4	281.7	33	260.3	3	306.1	5	190.8	50	283.0
CANCER	1,765	202.8	124	178.4	62	104.4	3	211.3	30	236.6	4	408.2	15	572.5	33	186.8
CEREBROVASCULAR DISEASE	593	68.0	52	74.8	21	35.3	-	-	8	63.1	-	-	2	76.3	10	56.6
CHRON. OBSTR. PULMONARY DISEASES	481	55.3	41	59.0	18	30.3	1	70.4	8	63.1	-	-	5	190.8	7	39.6
ACCIDENTS	374	43.0	22	31.7	8	13.5	-	-	8	63.1	-	-	1	38.2	14	79.2
PNEUMONIA AND INFLUENZA	319	36.7	13	18.7	9	15.1	-	-	4	31.5	1	102.0	-	-	8	45.3
DIABETES	210	24.1	12	17.3	12	20.2	-	-	7	55.2	-	-	1	38.2	2	11.3
SUICIDE	197	22.6	14	20.1	6	10.1	-	-	1	7.9	-	-	-	-	7	39.6
ALZHEIMER'S DISEASE	126	14.5	9	12.9	4	6.7	-	-	-	-	-	-	1	38.2	2	11.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	83	9.5	4	5.8	2	3.4	-	-	3	23.7	-	-	-	-	1	5.7
OCCURRENCE																
LIVE BIRTHS, TOTAL	11,049	12.7	920	13.2	735	12.4	-	-	183	14.4	-	-	-	-	374	21.2
DEATHS (EXCLUDING FETAL), TOTAL	7,613	8.7	577	8.3	254	4.3	11	7.7	100	7.9	3	3.1	25	9.5	151	8.5
INFANT (UNDER 1 YEAR)	69	6.2	-	-	5	6.8	-	-	1	5.5	-	-	-	-	1	2.7
ACCIDENTAL	414	0.5	26	0.4	9	0.2	2	1.4	5	0.4	1	1.0	3	1.1	10	0.6
MOTOR VEHICLE	225	0.3	14	0.2	6	0.1	2	1.4	1	0.1	1	1.0	2	0.8	6	0.3
OTHER ACCIDENTAL	189	0.2	12	0.2	3	0.1	-	-	4	0.3	-	-	1	0.4	4	0.2
MARRIAGES	6,818	7.8	647	9.3	536	9.0	11	7.7	77	6.1	6	6.1	19	7.3	130	7.4
MARITAL TERMINATIONS	4,214	4.8	444	6.4	258	4.3	1	0.7	57	4.5	1	1.0	12	4.6	74	4.2

\+ MONTANA RESIDENCE TOTALS INCLUDE THREE DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.

** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION. SEE "CAUSE OF DEATH" IN THE "TECHNICAL OVERVIEW" FOR THE INTERNATIONAL CLASSIFICATION OF DISEASE (ICD-9) CODES INCLUDED IN EACH CATEGORY.

--- NOT CALCULATED.

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1995

ITEM	MONTANA +		JUDITH BASIN		LAKE		LEWIS & CLARK		LIBERTY		LINCOLN		MCCONE		MADISON	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	870,280		2,280		24,480		52,790		2,250		18,680		2,120		6,660	
RESIDENCE																
NATURAL INCREASE	3,522	4.1	3	1.3	50	2.1	261	5.1	(1)	-0.4	51	2.8	(2)	-0.9	9	1.4
LIVE BIRTHS, TOTAL	11,136	12.8	23	10.1	292	11.9	669	12.7	21	9.3	209	11.2	19	9.0	75	11.3
SEX-MALE	5,655	13.1	9	---	150	---	331	---	12	---	93	---	8	---	35	---
FEMALE	5,481	12.5	14	---	142	---	338	---	9	---	116	---	11	---	40	---
OUT-OF-WEDLOCK	2,945	264.5	2	87.0	102	349.3	165	246.6	2	95.2	71	339.7	-	-	9	120.0
DEATHS (EXCLUDING FETALS), TOTAL	7,614	8.7	20	8.8	242	9.9	408	7.7	22	9.8	158	8.5	21	9.9	66	9.9
SEX-MALE	3,951	9.1	13	---	117	---	214	---	11	---	88	---	11	---	40	---
FEMALE	3,663	8.4	7	---	125	---	194	---	11	---	70	---	10	---	26	---
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	79	7.1	-	-	3	10.3	4	6.0	-	-	-	-	-	-	-	-
NEONATAL (UNDER 28 DAYS)	41	3.7	-	-	1	3.4	1	1.5	-	-	-	-	-	-	-	-
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	-	-	2	6.8	3	4.5	-	-	-	-	-	-	-	-
FETAL DEATHS	67	6.0	-	-	3	10.3	4	6.0	1	47.6	5	23.9	-	-	-	-
PERINATAL DEATHS	108	9.7	-	-	4	13.7	5	7.5	1	47.6	5	23.9	-	-	-	-
LEADING CAUSES OF DEATH **																
HEART DISEASE	2,003	230.2	5	219.3	67	273.7	114	215.9	6	266.7	50	267.7	8	377.4	12	180.2
CANCER	1,765	202.8	5	219.3	53	216.5	103	195.1	5	222.2	35	187.4	6	283.0	17	255.3
CEREBROVASCULAR DISEASE	593	68.0	2	87.7	13	53.1	25	47.4	2	88.9	16	85.7	1	47.2	5	75.1
CHRON. OBSTR. PULMONARY DISEASES	481	55.3	1	43.9	16	65.4	22	41.7	-	-	14	74.9	1	47.2	2	30.0
ACCIDENTS	374	43.0	-	-	25	102.1	16	30.3	4	177.8	4	21.4	-	-	7	105.1
PNEUMONIA AND INFLUENZA	319	36.7	-	-	5	20.4	20	37.9	-	-	3	16.1	-	-	3	45.0
DIABETES	210	24.1	1	43.9	4	16.3	10	18.9	-	-	3	16.1	3	141.5	2	30.0
SUICIDE	197	22.6	-	-	5	20.4	15	28.4	-	-	5	26.8	-	-	3	45.0
ALZHEIMER'S DISEASE	126	14.5	-	-	4	16.3	4	7.6	1	44.4	4	21.4	-	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	83	9.5	-	-	5	20.4	4	7.6	-	-	5	26.8	-	-	-	-
OCCURRENCE																
LIVE BIRTHS, TOTAL	11,049	12.7	-	-	180	7.4	758	14.4	18	8.0	132	7.1	-	-	16	2.4
DEATHS (EXCLUDING FETAL), TOTAL	7,613	8.7	5	2.2	210	8.6	436	8.3	34	15.1	122	6.5	15	7.1	67	10.1
INFANT (UNDER 1 YEAR)	69	0.1	-	-	2	11.1	3	4.0	-	-	-	-	-	-	-	-
ACCIDENTAL	414	0.5	-	-	18	0.7	17	0.3	4	1.8	4	0.2	-	-	10	1.5
MOTOR VEHICLE	225	0.3	-	-	13	0.5	9	0.2	3	1.3	3	0.2	-	-	6	0.9
OTHER ACCIDENTAL	189	0.2	-	-	5	0.2	8	0.2	1	0.4	1	0.1	-	-	4	0.6
MARRIAGES	6,818	7.8	12	5.3	190	7.8	450	8.5	11	4.9	181	9.7	18	8.5	58	8.7
MARITAL TERMINATIONS	4,214	4.8	5	2.2	172	7.0	316	6.0	2	0.9	123	6.6	4	1.9	21	3.2

\+ MONTANA RESIDENCE TOTALS INCLUDE THREE DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE

** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION. SEE "CAUSE OF DEATH" IN THE "TECHNICAL OVERVIEW" FOR THE INTERNATIONAL CLASSIFICATION OF DISEASE (ICD-9) CODES INCLUDED IN EACH CATEGORY.

--- NOT CALCULATED.

TABLE 29 (CONTINUED)

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1995

ITEM	MONTANA +		FLATHEAD		GALLATIN		GARFIELD		GLACIER		GOLDEN VALLEY		GRANITE		HILL	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	870,280		69,510		59,410		1,420		12,680		980		2,620		17,670	
RESIDENCE																
NATURAL INCREASE	3,522	4.1	286	4.2	417	7.2	4	2.8	80	6.4	6	6.3	(5)	-1.9	108	6.2
LIVE BIRTHS, TOTAL	11,136	12.8	842	12.1	687	11.6	16	11.3	208	16.4	14	14.3	28	10.7	260	14.7
SEX-MALE	5,655	13.1	433	---	356	---	6	---	102	---	5	---	14	---	114	---
FEMALE	5,481	12.5	409	---	331	---	10	---	106	---	9	---	14	---	146	---
OUT-OF-WEDLOCK	2,945	264.5	204	242.3	118	171.8	2	125.0	133	639.4	1	71.4	3	107.1	100	384.6
DEATHS (EXCLUDING FETALS), TOTAL	7,614	8.7	556	8.0	270	4.5	12	8.5	128	10.1	8	8.2	33	12.6	152	8.6
SEX-MALE	3,951	9.1	289	---	143	---	7	---	65	---	4	---	16	---	80	---
FEMALE	3,663	8.4	267	---	127	---	5	---	63	---	4	---	17	---	72	---
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	79	7.1	2	2.4	7	10.2	-	-	2	9.6	-	-	-	-	1	3.8
NEONATAL (UNDER 28 DAYS)	41	3.7	2	2.4	5	7.3	-	-	2	9.6	-	-	-	-	-	-
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	-	-	2	2.9	-	-	-	-	-	-	-	-	1	3.8
FETAL DEATHS	67	6.0	5	5.9	6	8.7	-	-	-	-	-	-	-	-	1	3.8
PERINATAL DEATHS	108	9.7	7	8.3	11	16.0	-	-	2	9.6	-	-	-	-	1	3.8
LEADING CAUSES OF DEATH **																
HEART DISEASE	2,003	230.2	151	217.2	61	102.7	4	281.7	33	260.3	3	306.1	5	190.8	50	283.0
CANCER	1,765	202.8	124	178.4	62	104.4	3	211.3	30	236.6	4	408.2	15	572.5	33	186.8
CEREBROVASCULAR DISEASE	593	68.0	52	74.8	21	35.3	-	-	8	63.1	-	-	2	76.3	10	56.6
CHRON. OBSTR. PULMONARY DISEASES	481	55.3	41	59.0	18	30.3	1	70.4	8	63.1	-	-	5	190.8	7	39.6
ACCIDENTS	374	43.0	22	31.7	8	13.5	-	-	8	63.1	-	-	1	38.2	14	79.2
PNEUMONIA AND INFLUENZA	319	36.7	13	18.7	9	15.1	-	-	4	31.5	1	102.0	-	-	8	45.3
DIABETES	210	24.1	12	17.3	12	20.2	-	-	7	55.2	-	-	1	38.2	2	11.3
SUICIDE	197	22.6	14	20.1	6	10.1	-	-	1	7.9	-	-	-	-	7	39.6
ALZHEIMER'S DISEASE	126	14.5	9	12.9	4	6.7	-	-	-	-	-	-	1	38.2	2	11.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	83	9.5	4	5.8	2	3.4	-	-	3	23.7	-	-	-	-	1	5.7
OCCURRENCE																
LIVE BIRTHS, TOTAL	11,049	12.7	920	13.2	735	12.4	-	-	183	14.4	-	-	-	-	374	21.2
DEATHS (EXCLUDING FETAL), TOTAL	7,613	8.7	577	8.3	254	4.3	11	7.7	100	7.9	3	3.1	25	9.5	151	8.5
INFANT (UNDER 1 YEAR)	69	6.2	-	-	5	6.8	-	-	1	5.5	-	-	-	-	1	2.7
ACCIDENTAL	414	0.5	26	0.4	9	0.2	2	1.4	5	0.4	1	1.0	3	1.1	10	0.6
MOTOR VEHICLE	225	0.3	14	0.2	6	0.1	2	1.4	1	0.1	1	1.0	2	0.8	6	0.3
OTHER ACCIDENTAL	189	0.2	12	0.2	3	0.1	-	-	4	0.3	-	-	1	0.4	4	0.2
MARRIAGES	6,818	7.8	647	9.3	536	9.0	11	7.7	77	6.1	6	6.1	19	7.3	130	7.4
MARITAL TERMINATIONS	4,214	4.8	444	6.4	258	4.3	1	0.7	57	4.5	1	1.0	12	4.6	74	4.2

\+ MONTANA RESIDENCE TOTALS INCLUDE THREE DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.
** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION. SEE "CAUSE OF DEATH" IN THE "TECHNICAL OVERVIEW" FOR THE INTERNATIONAL CLASSIFICATION OF DISEASE (ICD-9) CODES INCLUDED IN EACH CATEGORY.
--- NOT CALCULATED.

TABLE 29 (CONTINUED)

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1995

ITEM	MONTANA +		JEFFERSON		JUDITH BASIN		LAKE		LEWIS & CLARK		LIBERTY		LINCOLN		MCCONE	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	870,280		9,230		2,280		24,480		52,790		2,250		18,680		6,660	
RESIDENCE																
NATURAL INCREASE	3,522	4.1	29	3.2	3	1.3	50	2.1	261	5.1	(1)	-0.4	51	2.8	(2)	-0.9
LIVE BIRTHS, TOTAL	11,136	12.8	92	10.0	23	10.1	292	11.9	669	12.7	21	9.3	209	11.2	19	2.9
SEX-MALE	5,655	13.1	42	---	9	---	150	---	331	---	12	---	93	---	8	---
FEMALE	5,481	12.5	50	---	14	---	142	---	338	---	9	---	116	---	11	---
OUT-OF-WEDLOCK	2,945	264.5	16	173.9	2	87.0	102	349.3	165	246.6	2	95.2	71	339.7	-	-
DEATHS (EXCLUDING FETALS), TOTAL	7,614	8.7	63	6.8	20	8.8	242	9.9	408	7.7	22	9.8	158	8.5	21	3.2
SEX-MALE	3,951	9.1	39	---	13	---	117	---	214	---	11	---	88	---	11	---
FEMALE	3,663	8.4	24	---	7	---	125	---	194	---	11	---	70	---	10	---
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	79	7.1	-	-	-	-	3	10.3	4	6.0	-	-	-	-	-	-
NEONATAL (UNDER 28 DAYS)	41	3.7	-	-	-	-	1	3.4	1	1.5	-	-	-	-	-	-
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	-	-	-	-	2	6.8	3	4.5	-	-	-	-	-	-
FETAL DEATHS	67	6.0	1	10.9	-	-	3	10.3	4	6.0	1	47.6	5	23.9	-	-
PERINATAL DEATHS	108	9.7	1	10.9	-	-	4	13.7	5	7.5	1	47.6	5	23.9	-	-
LEADING CAUSES OF DEATH **																
HEART DISEASE	2,003	230.2	9	97.5	5	219.3	67	273.7	114	215.9	6	266.7	50	267.7	8	120.1
CANCER	1,765	202.8	11	119.2	5	219.3	53	216.5	103	195.1	5	222.2	35	187.4	6	90.1
CEREBROVASCULAR DISEASE	593	68.0	4	43.3	2	87.7	13	53.1	25	47.4	2	88.9	16	85.7	1	15.0
CHRON OBSTR. PULMONARY DISEASES	481	55.3	7	75.8	1	43.9	16	65.4	22	41.7	-	-	14	74.9	1	15.0
ACCIDENTS	374	43.0	8	86.7	-	-	25	102.1	16	30.3	4	177.8	4	21.4	-	-
PNEUMONIA AND INFLUENZA	319	36.7	3	32.5	-	-	5	20.4	20	37.9	-	-	3	16.1	-	-
DIABETES	210	24.1	-	-	1	43.9	4	16.3	10	18.9	-	-	3	16.1	3	45.0
SUICIDE	197	22.6	6	65.0	-	-	5	20.4	15	28.4	-	-	5	26.8	-	-
ALZHEIMER'S DISEASE	126	14.5	-	-	-	-	4	16.3	4	7.6	1	44.4	4	21.4	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	83	9.5	2	21.7	-	-	5	20.4	4	7.6	-	-	5	26.8	-	-
OCCURRENCE																
LIVE BIRTHS, TOTAL	11,049	12.7	1	0.1	-	-	180	7.4	758	14.4	18	8.0	132	7.1	-	-
DEATHS (EXCLUDING FETAL), TOTAL	7,613	8.7	48	5.2	5	2.2	210	8.6	436	8.3	34	15.1	122	6.5	15	2.3
INFANT (UNDER 1 YEAR)	69	6.2	-	-	-	-	2	11.1	3	4.0	-	-	-	-	-	-
ACCIDENTAL	414	0.5	7	0.8	-	-	18	0.7	17	0.3	4	1.8	4	0.2	-	-
MOTOR VEHICLE	225	0.3	4	0.4	-	-	13	0.5	9	0.2	3	1.3	3	0.2	-	-
OTHER ACCIDENTAL	189	0.2	3	0.3	-	-	5	0.2	8	0.2	1	0.4	1	0.1	-	-
MARRIAGES	6,818	7.8	51	5.5	12	5.3	190	7.8	450	8.5	11	4.9	181	9.7	18	2.7
MARITAL TERMINATIONS	4,214	4.8	26	2.8	5	2.2	172	7.0	316	6.0	2	0.9	123	6.6	4	0.6

\+ MONTANA RESIDENCE TOTALS INCLUDE THREE DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.
** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION. SEE "CAUSE OF DEATH" IN THE "TECHNICAL OVERVIEW" FOR THE INTERNATIONAL CLASSIFICATION OF DISEASE (ICD-9) CODES INCLUDED IN EACH CATEGORY.
--- NOT CALCULATED.

TABLE 29 (CONTINUED)

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1995

ITEM	MONTANA +		MADISON		MEAGHER		MINERAL		MISSOULA		MUSSELSHELL		PARK		PETROLEUM	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	870,280		2,120		1,830		3,630		87,130		4,490		15,860		530	
RESIDENCE																
NATURAL INCREASE	3,522	4.1	9	1.4	1	0.5	5	1.4	514	6.0	(2)	-0.5	36	2.3	-	-
LIVE BIRTHS, TOTAL	11,136	12.8	75	35.4	22	12.0	37	10.2	1,110	12.7	59	13.1	198	12.5	4	7.5
SEX-MALE	5,655	13.1	35	---	14	---	23	---	581	---	28	---	90	---	1	---
FEMALE	5,481	12.5	40	---	8	---	14	---	529	---	31	---	108	---	3	---
OUT-OF-WEDLOCK	2,945	264.5	9	120.0	3	136.4	10	270.3	260	234.2	14	237.3	38	191.9	1	250.0
DEATHS (EXCLUDING FETALS), TOTAL	7,614	8.7	66	31.1	21	11.5	32	8.8	596	6.8	61	13.6	162	10.2	4	7.5
SEX-MALE	3,951	9.1	40	---	15	---	20	---	297	---	32	---	82	---	3	---
FEMALE	3,663	8.4	26	---	6	---	12	---	299	---	29	---	80	---	1	---
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	79	7.1	-	-	-	-	-	-	8	7.2	1	16.9	1	5.1	-	-
NEONATAL (UNDER 28 DAYS)	41	3.7	-	-	-	-	-	-	6	5.4	-	-	-	-	-	-
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	-	-	-	-	-	-	2	1.8	1	16.9	1	5.1	-	-
FETAL DEATHS	67	6.0	-	-	-	-	-	-	8	7.2	-	-	1	5.1	-	-
PERINATAL DEATHS	108	9.7	-	-	-	-	-	-	14	12.6	-	-	1	5.1	-	-
LEADING CAUSES OF DEATH **																
HEART DISEASE	2,003	230.2	12	566.0	8	437.2	9	247.9	143	164.1	26	579.1	49	309.0	2	377.4
CANCER	1,765	202.8	17	801.9	4	218.6	3	82.6	129	148.1	15	334.1	33	208.1	-	-
CEREBROVASCULAR DISEASE	593	68.0	5	235.8	1	54.6	1	27.5	38	43.6	2	44.5	12	75.7	-	-
CHRON. OBSTR. PULMONARY DISEASES	481	55.3	2	94.3	2	109.3	2	55.1	42	48.2	4	89.1	10	63.1	-	-
ACCIDENTS	374	43.0	7	330.2	-	-	3	82.6	41	47.1	-	-	7	44.1	-	-
PNEUMONIA AND INFLUENZA	319	36.7	3	141.5	1	54.6	1	27.5	40	45.9	3	66.8	7	44.1	-	-
DIABETES	210	24.1	2	94.3	1	54.6	2	55.1	18	20.7	3	66.8	2	12.6	-	-
SUICIDE	197	22.6	3	141.5	-	-	1	27.5	19	21.8	-	-	2	12.6	1	188.7
ALZHEIMER'S DISEASE	126	14.5	-	-	-	-	-	-	8	9.2	2	44.5	6	37.8	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	83	9.5	-	-	-	-	-	-	4	4.6	2	44.5	1	6.3	-	-
OCCURRENCE																
LIVE BIRTHS, TOTAL	11,049	12.7	16	7.5	-	-	4	1.1	1,514	17.4	2	0.4	214	13.5	-	-
DEATHS (EXCLUDING FETAL), TOTAL	7,613	8.7	67	31.6	17	9.3	26	7.2	754	8.7	48	10.7	161	10.2	2	3.8
INFANT (UNDER 1 YEAR)	69	6.2	-	-	-	-	-	-	10	6.6	-	-	2	9.3	-	-
ACCIDENTAL	414	0.5	10	4.7	1	0.5	2	0.6	49	0.6	-	-	8	0.5	-	-
MOTOR VEHICLE	225	0.3	6	2.8	-	-	2	0.6	22	0.3	-	-	1	0.1	-	-
OTHER ACCIDENTAL	189	0.2	4	1.9	1	0.5	-	-	27	0.3	-	-	7	0.4	-	-
MARRIAGES	6,818	7.8	58	27.4	27	14.8	33	9.1	667	7.7	36	8.0	140	8.8	2	3.8
MARITAL TERMINATIONS	4,214	4.8	21	9.9	8	4.4	29	8.0	419	4.8	20	4.5	93	5.9	3	5.7

\+ MONTANA RESIDENCE TOTALS INCLUDE THREE DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.
** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION. SEE "CAUSE OF DEATH" IN THE "TECHNICAL OVERVIEW" FOR THE INTERNATIONAL CLASSIFICATION OF DISEASE (ICD-9) CODES INCLUDED IN EACH CATEGORY.
--- NOT CALCULATED.

TABLE 29 (CONTINUED)

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1995

ITEM	MONTANA +		PHILLIPS		PONDERA		POWDER RIVER		POWELL		PRAIRIE		RAVALLI		RICHLAND	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	870,280		5,150		6,270		2,010		6,860		1,340		32,230		10,350	
RESIDENCE																
NATURAL INCREASE	3,522	4.1	14	2.8	27	4.4	11	5.4	(2)	-0.3	1	0.7	57	1.9	13	1.3
LIVE BIRTHS, TOTAL	11,136	12.8	66	12.8	94	15.0	26	12.9	82	12.0	9	6.7	359	11.1	108	10.4
SEX-MALE	5,655	13.1	41	---	40	---	15	---	38	---	6	---	188	---	63	---
FEMALE	5,481	12.5	25	---	54	---	11	---	44	---	3	---	171	---	45	---
OUT-OF-WEDLOCK	2,945	264.5	14	212.1	18	191.5	3	115.4	17	207.3	-	-	72	200.6	24	222.2
DEATHS (EXCLUDING FETALS), TOTAL	7,614	8.7	52	10.1	67	10.7	15	7.5	84	12.2	8	6.0	302	9.4	95	9.2
SEX-MALE	3,951	9.1	25	---	29	---	9	---	40	---	4	---	158	---	44	---
FEMALE	3,663	8.4	27	---	38	---	6	---	44	---	4	---	144	---	51	---
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	79	7.1	-	-	2	21.3	-	-	-	-	-	-	7	19.5	1	9.3
NEONATAL (UNDER 28 DAYS)	41	3.7	-	-	1	10.6	-	-	-	-	-	-	4	11.1	-	-
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	-	-	1	10.6	-	-	-	-	-	-	3	8.4	1	9.3
FETAL DEATHS	67	6.0	-	-	-	-	-	-	-	-	-	-	6	16.7	2	18.5
PERINATAL DEATHS	108	9.7	-	-	1	10.6	-	-	-	-	-	-	10	27.9	2	18.5
LEADING CAUSES OF DEATH **																
HEART DISEASE	2,003	230.2	15	291.3	11	175.4	4	199.0	23	335.3	3	223.9	73	226.5	37	357.5
CANCER	1,765	202.8	17	330.1	14	223.3	3	149.3	14	204.1	2	149.3	62	192.4	25	241.5
CEREBROVASCULAR DISEASE	593	68.0	-	-	8	127.6	-	-	3	43.7	1	74.6	19	59.0	8	77.3
CHRON. OBSTR. PULMONARY DISEASES	481	55.3	1	19.4	5	79.7	3	149.3	5	72.9	-	-	14	43.4	5	48.3
ACCIDENTS	374	43.0	2	38.8	4	63.8	-	-	2	29.2	-	-	10	31.0	-	-
PNEUMONIA AND INFLUENZA	319	36.7	2	38.8	9	143.5	1	49.8	5	72.9	-	-	8	24.8	3	29.0
DIABETES	210	24.1	1	19.4	2	31.9	1	49.8	6	87.5	-	-	8	24.8	4	38.6
SUICIDE	197	22.6	1	19.4	1	15.9	-	-	3	43.7	-	-	10	31.0	-	-
ALZHEIMER'S DISEASE	126	14.5	1	19.4	-	-	-	-	-	-	1	74.6	6	18.6	3	29.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	83	9.5	1	19.4	-	-	-	-	3	43.7	-	-	4	12.4	-	-
OCCURRENCE																
LIVE BIRTHS, TOTAL	11,049	12.7	3	0.6	16	2.6	1	0.5	33	4.8	-	-	226	7.0	143	13.8
DEATHS (EXCLUDING FETAL), TOTAL	7,613	8.7	45	8.7	56	8.9	10	5.0	67	9.8	5	3.7	249	7.7	84	8.1
INFANT (UNDER 1 YEAR)	69	6.2	-	-	1	62.5	-	-	-	-	-	-	2	8.8	-	-
ACCIDENTAL	414	0.5	3	0.6	4	0.6	-	-	5	0.7	-	-	7	0.2	1	0.1
MOTOR VEHICLE	225	0.3	2	0.4	2	0.3	-	-	3	0.4	-	-	6	0.2	-	-
OTHER ACCIDENTAL	189	0.2	1	0.2	2	0.3	-	-	2	0.3	-	-	1	-	1	0.1
MARRIAGES	6,818	7.8	29	5.6	50	8.0	8	4.0	37	5.4	10	7.5	201	6.2	106	10.2
MARITAL TERMINATIONS	4,214	4.8	15	2.9	18	2.9	3	1.5	20	2.9	1	0.7	181	5.6	39	3.8

+ MONTANA RESIDENCE TOTALS INCLUDE THREE DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.
** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION. SEE "CAUSE OF DEATH" IN THE "TECHNICAL OVERVIEW" FOR THE INTERNATIONAL CLASSIFICATION OF DISEASE (ICD-9) CODES INCLUDED IN EACH CATEGORY.
--- NOT CALCULATED.

TABLE 29 (CONTINUED)

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1995

ITEM	MONTANA +		ROOSEVELT		ROSEBUD		SANDERS		SHERIDAN		SILVER BOW		STILLWATER		SWEET GRASS	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	870,280		11,240		10,880		10,090		4,430		34,800		7,470		3,370	
RESIDENCE																
NATURAL INCREASE	3,522	4.1	98	8.8	118	10.9	16	1.6	(3)	-0.7	(59)	-1.7	9	1.2	-	-
LIVE BIRTHS, TOTAL	11,136	12.8	203	18.1	188	17.3	112	11.1	44	9.9	412	11.8	83	11.1	33	9.8
SEX-MALE	5,655	13.1	103	---	105	---	64	---	28	---	216	---	33	---	23	---
FEMALE	5,481	12.5	100	---	83	---	48	---	16	---	196	---	50	---	10	---
OUT-OF-WEDLOCK	2,945	264.5	126	620.7	85	452.1	34	303.6	7	159.1	151	366.5	10	120.5	4	121.2
DEATHS (EXCLUDING FETALS), TOTAL	7,614	8.7	105	9.3	70	6.4	96	9.5	47	10.6	471	13.5	74	9.9	33	9.8
SEX-MALE	3,951	9.1	60	---	42	---	50	---	20	---	233	---	40	---	18	---
FEMALE	3,663	8.4	45	---	28	---	46	---	27	---	238	---	34	---	15	---
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	79	7.1	3	14.8	4	21.3	-	-	-	-	1	2.4	-	-	1	30.3
NEONATAL (UNDER 28 DAYS)	41	3.7	1	4.9	2	10.6	-	-	-	-	-	-	-	-	-	-
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	2	9.9	2	10.6	-	-	-	-	1	2.4	-	-	1	30.3
FETAL DEATHS	67	6.0	-	-	-	-	-	-	-	-	1	2.4	-	-	-	-
PERINATAL DEATHS	108	9.7	1	4.9	2	10.6	-	-	-	-	1	2.4	-	-	-	-
LEADING CAUSES OF DEATH **																
HEART DISEASE	2,003	230.2	35	311.4	16	147.1	24	237.9	13	293.5	136	390.8	21	281.1	13	385.8
CANCER	1,765	202.8	22	195.7	15	137.9	26	257.7	10	225.7	101	290.2	19	254.4	6	178.0
CEREBROVASCULAR DISEASE	593	68.0	3	26.7	2	18.4	10	99.1	5	112.9	43	123.6	10	133.9	3	89.0
CHRON. OBSTR. PULMONARY DISEASES	481	55.3	1	8.9	4	36.8	8	79.3	1	22.6	30	86.2	4	53.5	1	29.7
ACCIDENTS	374	43.0	16	142.3	5	46.0	8	79.3	-	-	23	66.1	3	40.2	-	-
PNEUMONIA AND INFLUENZA	319	36.7	1	8.9	7	64.3	1	9.9	2	45.1	14	40.2	3	40.2	3	89.0
DIABETES	210	24.1	2	17.8	4	36.8	3	29.7	2	45.1	15	43.1	-	-	1	29.7
SUICIDE	197	22.6	1	8.9	3	27.6	3	29.7	1	22.6	12	34.5	1	13.4	-	-
ALZHEIMER'S DISEASE	126	14.5	2	17.8	-	-	-	-	1	22.6	12	34.5	1	13.4	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	83	9.5	2	17.8	1	9.2	3	29.7	-	-	2	5.7	1	13.4	-	-
OCCURRENCE																
LIVE BIRTHS, TOTAL	11,049	12.7	156	13.9	3	0.3	3	0.3	51	11.5	551	15.8	41	5.5	-	-
DEATHS (EXCLUDING FETAL), TOTAL	7,613	8.7	79	7.0	53	4.9	69	6.8	40	9.0	461	13.2	70	9.4	22	6.5
INFANT (UNDER 1 YEAR)	69	6.2	-	-	1	333.3	-	-	-	-	1	1.8	1	24.4	-	-
ACCIDENTAL	414	0.5	10	0.9	5	0.5	9	0.9	-	-	21	0.6	5	0.7	-	-
MOTOR VEHICLE	225	0.3	6	0.5	3	0.3	6	0.6	-	-	10	0.3	4	0.5	-	-
OTHER ACCIDENTAL	189	0.2	4	0.4	2	0.2	3	0.3	-	-	11	0.3	1	0.1	-	-
MARRIAGES	6,818	7.8	88	7.8	43	4.0	71	7.0	36	8.1	258	7.4	63	8.4	35	10.4
MARITAL TERMINATIONS	4,214	4.8	24	2.1	28	2.6	48	4.8	15	3.4	61	1.8	23	3.1	12	3.6

\+ MONTANA RESIDENCE TOTALS INCLUDE THREE DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.
** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION. SEE "CAUSE OF DEATH" IN THE "TECHNICAL OVERVIEW" FOR THE INTERNATIONAL CLASSIFICATION OF DISEASE (ICD-9) CODES INCLUDED IN EACH CATEGORY.
--- NOT CALCULATED.

TABLE 29 (CONCLUDED)

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1995

ITEM	MONTANA +		TETON		TOOLE		TREASURE		VALLEY		WHEATLAND		WIBAUX		YELLOWSTONE	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	870,280		6,370		5,100		840		8,460		2,430		1,170		124,660	
RESIDENCE																
NATURAL INCREASE	3,522	4.1	10	1.6	(1)	-0.2	(3)	-3.4	9	1.1	8	3.4	(3)	-2.6	600	4.9
LIVE BIRTHS, TOTAL	11,136	12.8	84	13.2	60	11.8	9	10.7	99	11.7	29	11.9	15	12.8	1,651	13.2
SEX-MALE	5,655	13.1	46	---	31	---	2	---	46	---	19	---	3	---	823	---
FEMALE	5,481	12.5	38	---	29	---	7	---	53	---	10	---	12	---	828	---
OUT-OF-WEDLOCK	2,945	264.5	13	154.8	13	216.7	1	111.1	31	313.1	9	310.3	3	200.0	391	236.8
DEATHS (EXCLUDING FETALS), TOTAL	7,614	8.7	74	11.6	61	12.0	12	14.3	90	10.6	21	8.6	18	15.4	1,051	8.4
SEX-MALE	3,951	9.1	42	---	33	---	7	---	46	---	9	---	8	---	519	---
FEMALE	3,663	8.4	32	---	28	---	5	---	44	---	12	---	10	---	532	---
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	79	7.1	-	-	-	-	-	-	-	-	-	-	-	-	18	10.9
NEONATAL (UNDER 28 DAYS)	41	3.7	-	-	-	-	-	-	-	-	-	-	-	-	8	4.8
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	-	-	1	16.7	-	-	-	-	-	-	-	-	10	6.1
FETAL DEATHS	67	6.0	-	-	-	-	-	-	1	10.1	-	-	-	-	3	1.8
PERINATAL DEATHS	108	9.7	-	-	-	-	-	-	1	10.1	-	-	-	-	11	6.7
LEADING CAUSES OF DEATH **																
HEART DISEASE	2,003	230.2	24	376.8	17	333.3	5	595.2	14	165.5	9	370.4	7	598.3	243	194.9
CANCER	1,765	202.8	14	219.8	12	235.3	1	119.0	14	165.5	5	205.8	3	256.4	273	219.0
CEREBROVASCULAR DISEASE	593	68.0	6	94.2	8	156.9	1	119.0	5	59.1	-	-	-	-	97	77.8
CHRON. OBSTR. PULMONARY DISEASES	481	55.3	5	78.5	2	39.2	-	-	9	106.4	1	41.2	-	-	69	55.4
ACCIDENTS	374	43.0	1	15.7	5	98.0	1	119.0	5	59.1	2	82.3	1	85.5	41	32.9
PNEUMONIA AND INFLUENZA	319	36.7	8	125.6	2	39.2	2	238.1	16	189.1	-	-	1	85.5	41	32.9
DIABETES	210	24.1	2	31.4	2	39.2	2	238.1	2	23.6	-	-	2	170.9	25	20.1
SUICIDE	197	22.6	1	15.7	1	19.6	-	-	4	47.3	-	-	1	85.5	28	22.5
ALZHEIMER'S DISEASE	126	14.5	2	31.4	-	-	-	-	-	-	-	-	-	-	15	12.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	83	9.5	-	-	1	19.6	-	-	1	11.8	-	-	-	-	9	7.2
OCCURRENCE																
LIVE BIRTHS, TOTAL	11,049	12.7	1	0.2	90	17.6	-	-	106	12.5	-	-	1	0.9	2,000	16.0
DEATHS (EXCLUDING FETAL), TOTAL	7,613	8.7	61	9.6	51	10.0	2	2.4	79	9.3	24	9.9	15	12.8	1,279	10.3
INFANT (UNDER 1 YEAR)	69	6.2	-	-	-	-	-	-	-	-	-	-	-	-	18	9.0
ACCIDENTAL	414	0.5	2	0.3	6	1.2	1	1.2	8	0.9	4	1.6	1	0.9	50	0.4
MOTOR VEHICLE	225	0.3	2	0.3	1	0.2	-	-	5	0.6	4	1.6	-	-	23	0.2
OTHER ACCIDENTAL	189	0.2	-	-	5	1.0	1	1.2	3	0.4	-	-	1	0.9	27	0.2
MARRIAGES	6,818	7.8	61	9.6	24	4.7	3	3.6	53	6.3	25	10.3	10	8.5	833	6.7
MARITAL TERMINATIONS	4,214	4.8	20	3.1	17	3.3	1	1.2	24	2.8	11	4.5	3	2.6	704	5.6

\+ MONTANA RESIDENCE TOTALS INCLUDE THREE DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.

** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION. SEE "CAUSE OF DEATH" IN THE "TECHNICAL OVERVIEW" FOR THE INTERNATIONAL CLASSIFICATION OF DISEASE (ICD-9) CODES INCLUDED IN EACH CATEGORY.

--- NOT CALCULATED.

TABLE 30

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1995

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N.S.+
TOTAL											
LIVE BIRTHS											
NUMBER	11,136	12	469	929	2,950	3,087	2,395	1,099	185	10	-
PERCENT	100.0	0.1	4.2	8.3	26.5	27.7	21.5	9.9	1.7	0.1	-
FETAL DEATHS											
NUMBER	67	-	3	8	7	17	21	7	3	-	1
PERCENT	100.0	-	4.5	11.9	10.4	25.4	31.3	10.4	4.5	-	1.5
INDUCED ABORTIONS											
NUMBER	2,223	14	248	316	674	391	291	222	61	6	-
PERCENT	100.0	0.6	11.2	14.2	30.3	17.6	13.1	10.0	2.7	0.3	-
BEAVERHEAD											
LIVE BIRTHS											
NUMBER	149	-	7	8	38	38	36	21	1	-	-
PERCENT	100.0	-	4.7	5.4	25.5	25.5	24.2	14.1	0.7	-	-
FETAL DEATHS											
NUMBER	1	-	1	-	-	-	-	-	-	-	-
PERCENT	100.0	-	100.0	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	25	-	5	4	8	5	2	-	1	-	-
PERCENT	100.0	-	20.0	16.0	32.0	20.0	8.0	-	4.0	-	-
BIG HORN											
LIVE BIRTHS											
NUMBER	226	1	20	29	67	52	33	19	3	2	-
PERCENT	100.0	0.4	8.8	12.8	29.6	23.0	14.6	8.4	1.3	0.9	-
FETAL DEATHS											
NUMBER	1	-	1	-	-	-	-	-	-	-	-
PERCENT	100.0	-	100.0	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	22	-	1	4	5	2	5	3	2	-	-
PERCENT	100.0	-	4.5	18.2	22.7	9.1	22.7	13.6	9.1	-	-
BLAINE											
LIVE BIRTHS											
NUMBER	87	-	6	10	23	16	24	8	-	-	-
PERCENT	100.0	-	6.9	11.5	26.4	18.4	27.6	9.2	-	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	-	-	1	-	-	-	-
PERCENT	100.0	-	-	-	-	-	100.0	-	-	-	-
INDUCED ABORTIONS											
NUMBER	9	-	3	2	2	1	1	-	-	-	-
PERCENT	100.0	-	33.3	22.2	22.2	11.1	11.1	-	-	-	-
BROADWATER											
LIVE BIRTHS											
NUMBER	48	-	1	5	15	10	12	4	1	-	-
PERCENT	100.0	-	2.1	10.4	31.3	20.8	25.0	8.3	2.1	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	-	-	-	1	-	-	-
PERCENT	100.0	-	-	-	-	-	-	100.0	-	-	-
INDUCED ABORTIONS											
NUMBER	5	-	-	-	3	-	1	1	-	-	-
PERCENT	100.0	-	-	-	60.0	-	20.0	20.0	-	-	-
CARBON											
LIVE BIRTHS											
NUMBER	98	-	4	6	26	21	24	15	1	1	-
PERCENT	100.0	-	4.1	6.1	26.5	21.4	24.5	15.3	1.0	1.0	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	26	-	2	5	6	2	5	4	1	1	-
PERCENT	100.0	-	7.7	19.2	23.1	7.7	19.2	15.4	3.8	3.8	-
CARTER											
LIVE BIRTHS											
NUMBER	15	-	1	-	5	4	2	3	-	-	-
PERCENT	100.0	-	6.7	-	33.3	26.7	13.3	20.0	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS)

\+ NOT STATED

\- FREQUENCY IS ZERO

TABLE 30 (CONTINUED)

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1995

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N S +
CASCADE											
LIVE BIRTHS											
NUMBER	1,280	2	51	108	405	343	257	101	13	-	-
PERCENT	100 0	0 2	4 0	8 4	31 6	26 8	20 1	7 9	1 0	-	-
FETAL DEATHS											
NUMBER	12	-	-	2	3	2	1	2	1	-	1
PERCENT	100 0	-	-	16 7	25 0	16 7	8 3	16 7	8 3	-	8 3
INDUCED ABORTIONS											
NUMBER	169	1	24	29	39	29	27	15	5	-	-
PERCENT	100.0	0 6	14 2	17 2	23.1	17 2	16 0	8 9	3 0	-	-
CHOUTEAU											
LIVE BIRTHS											
NUMBER	56	-	2	4	9	22	14	4	1	-	-
PERCENT	100.0	-	3 6	7 1	16.1	39 3	25 0	7 1	1 8	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	6	-	-	1	2	2	-	1	-	-	-
PERCENT	100 0	-	-	16 7	33 3	33 3	-	16 7	-	-	-
CUSTER											
LIVE BIRTHS											
NUMBER	133	-	7	16	43	35	22	9	1	-	-
PERCENT	100.0	-	5 3	12 0	32 3	26 3	16 5	6 8	0 8	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	25	-	5	4	7	6	2	1	-	-	-
PERCENT	100 0	-	20 0	16 0	28 0	24 0	8 0	4 0	-	-	-
DANIELS											
LIVE BIRTHS											
NUMBER	22	-	-	3	6	3	6	4	-	-	-
PERCENT	100.0	-	-	13 6	27.3	13 6	27 3	18 2	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	1	-	1	-	-	-	-	-	-	-	-
PERCENT	100.0	-	100.0	-	-	-	-	-	-	-	-
DAWSON											
LIVE BIRTHS											
NUMBER	90	-	2	7	30	25	21	5	-	-	-
PERCENT	100.0	-	2 2	7 8	33 3	27 8	23 3	5 6	-	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	-	-	1	-	-	-	-
PERCENT	100 0	-	-	-	-	-	100 0	-	-	-	-
INDUCED ABORTIONS											
NUMBER	6	-	-	-	2	3	-	-	1	-	-
PERCENT	100.0	-	-	-	33 3	50 0	-	-	16 7	-	-
DEER LODGE											
LIVE BIRTHS											
NUMBER	108	-	4	16	30	34	17	5	2	-	-
PERCENT	100.0	-	3.7	14 8	27 8	31 5	15 7	4 6	1 9	-	-
FETAL DEATHS											
NUMBER	2	-	-	-	-	1	-	-	1	-	-
PERCENT	100 0	-	-	-	-	50 0	-	-	50 0	-	-
INDUCED ABORTIONS											
NUMBER	19	-	3	4	6	3	-	2	1	-	-
PERCENT	100 0	-	15 8	21 1	31 6	15 8	-	10 5	5 3	-	-
FALLON											
LIVE BIRTHS											
NUMBER	31	-	-	1	7	9	10	4	-	-	-
PERCENT	100.0	-	-	3 2	22 6	29 0	32 3	12 9	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	4	-	2	-	2	-	-	-	-	-	-
PERCENT	100.0	-	50.0	-	50.0	-	-	-	-	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS)

\+ NOT STATED

\- FREQUENCY IS ZERO

TABLE 30 (CONTINUED)

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1995

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N.S.+
FERGUS											
LIVE BIRTHS											
NUMBER	142	-	4	6	48	34	32	13	5	-	-
PERCENT	100.0	-	2.8	4.2	33.8	23.9	22.5	9.2	3.5	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	16	-	2	-	8	2	1	2	1	-	-
PERCENT	100.0	-	12.5	-	50.0	12.5	6.3	12.5	6.3	-	-
FLATHEAD											
LIVE BIRTHS											
NUMBER	842	1	28	87	225	222	162	102	15	-	-
PERCENT	100.0	0.1	3.3	10.3	26.7	26.4	19.2	12.1	1.8	-	-
FETAL DEATHS											
NUMBER	5	-	-	1	-	-	3	1	-	-	-
PERCENT	100.0	-	-	20.0	-	-	60.0	20.0	-	-	-
INDUCED ABORTIONS											
NUMBER	234	2	26	33	62	37	37	27	9	1	-
PERCENT	100.0	0.9	11.1	14.1	26.5	15.8	15.8	11.5	3.8	0.4	-
GALLATIN											
LIVE BIRTHS											
NUMBER	687	-	15	39	161	202	171	87	12	-	-
PERCENT	100.0	-	2.2	5.7	23.4	29.4	24.9	12.7	1.7	-	-
FETAL DEATHS											
NUMBER	6	-	-	-	1	-	5	-	-	-	-
PERCENT	100.0	-	-	-	16.7	-	83.3	-	-	-	-
INDUCED ABORTIONS											
NUMBER	282	1	7	34	112	51	38	30	9	-	-
PERCENT	100.0	0.4	2.5	12.1	39.7	18.1	13.5	10.6	3.2	-	-
GARFIELD											
LIVE BIRTHS											
NUMBER	16	-	-	-	5	2	7	2	-	-	-
PERCENT	100.0	-	-	-	31.3	12.5	43.8	12.5	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	1	-	-	-	-	-	-	1	-	-	-
PERCENT	100.0	-	-	-	-	-	-	100.0	-	-	-
GLACIER											
LIVE BIRTHS											
NUMBER	208	1	26	27	66	43	35	9	1	-	-
PERCENT	100.0	0.5	12.5	13.0	31.7	20.7	16.8	4.3	0.5	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	25	-	2	4	10	-	4	4	1	-	-
PERCENT	100.0	-	8.0	16.0	40.0	-	16.0	16.0	4.0	-	-
GOLDEN VALLEY											
LIVE BIRTHS											
NUMBER	14	-	-	-	2	8	3	1	-	-	-
PERCENT	100.0	-	-	-	14.3	57.1	21.4	7.1	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
GRANITE											
LIVE BIRTHS											
NUMBER	28	-	2	-	6	9	8	3	-	-	-
PERCENT	100.0	-	7.1	-	21.4	32.1	28.6	10.7	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	4	-	2	-	-	2	-	-	-	-	-
PERCENT	100.0	-	50.0	-	-	50.0	-	-	-	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA. THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS)

\+ NOT STATED.

\- FREQUENCY IS ZERO

TABLE 30 (CONTINUED)

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1995

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N S +
HILL											
LIVE BIRTHS											
NUMBER	260	1	22	26	68	66	48	24	5	-	-
PERCENT	100 0	0 4	8 5	10.0	26 2	25 4	18.5	9 2	1 9	-	-
FETAL DEATHS											
NUMBER	1	-	-	1	-	-	-	-	-	-	-
PERCENT	100 0	-	-	100 0	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	32	1	5	10	8	6	1	-	1	-	-
PERCENT	100 0	3 1	15 6	31 3	25 0	18 8	3 1	-	3 1	-	-
JEFFERSON											
LIVE BIRTHS											
NUMBER	92	-	3	6	21	28	26	8	-	-	-
PERCENT	100 0	-	3 3	6 5	22 8	30 4	28 3	8 7	-	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	-	-	-	1	-	-	-
PERCENT	100 0	-	-	-	-	-	-	100 0	-	-	-
INDUCED ABORTIONS											
NUMBER	5	-	-	1	2	1	1	-	-	-	-
PERCENT	100 0	-	-	20 0	40 0	20 0	20 0	-	-	-	-
JUDITH BASIN											
LIVE BIRTHS											
NUMBER	23	-	-	-	6	5	10	2	-	-	-
PERCENT	100 0	-	-	-	26 1	21 7	43.5	8 7	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
LAKE											
LIVE BIRTHS											
NUMBER	292	2	15	35	77	81	53	27	2	-	-
PERCENT	100 0	0 7	5.1	12 0	26 4	27.7	18 2	9 2	0.7	-	-
FETAL DEATHS											
NUMBER	3	-	-	1	-	1	1	-	-	-	-
PERCENT	100.0	-	-	33.3	-	33 3	33 3	-	-	-	-
INDUCED ABORTIONS											
NUMBER	45	-	2	5	17	6	9	5	1	-	-
PERCENT	100 0	-	4 4	11 1	37 8	13 3	20 0	11.1	2 2	-	-
LEWIS & CLARK											
LIVE BIRTHS											
NUMBER	669	-	27	56	159	185	155	73	13	1	-
PERCENT	100 0	-	4 0	8 4	23 8	27 7	23 2	10 9	1 9	0 1	-
FETAL DEATHS											
NUMBER	4	-	1	1	-	2	-	-	-	-	-
PERCENT	100 0	-	25 0	25 0	-	50 0	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	161	1	21	23	40	29	24	16	6	1	-
PERCENT	100 0	0 6	13 0	14 3	24 8	18 0	14 9	9 9	3 7	0 6	-
LIBERTY											
LIVE BIRTHS											
NUMBER	21	-	2	-	3	9	5	2	-	-	-
PERCENT	100 0	-	9 5	-	14 3	42 9	23 8	9 5	-	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	-	1	-	-	-	-	-
PERCENT	100 0	-	-	-	-	100 0	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	3	-	2	-	1	-	-	-	-	-	-
PERCENT	100 0	-	66 7	-	33 3	-	-	-	-	-	-
LINCOLN											
LIVE BIRTHS											
NUMBER	209	-	13	20	62	51	38	18	5	2	-
PERCENT	100 0	-	6 2	9 6	29 7	24 4	18 2	8 6	2 4	1 0	-
FETAL DEATHS											
NUMBER	5	-	-	2	2	1	-	-	-	-	-
PERCENT	100 0	-	-	40 0	40 0	20 0	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	33	1	6	1	9	5	5	4	2	-	-
PERCENT	100 0	3 0	18 2	3 0	27 3	15 2	15 2	12 1	6 1	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS)

\+ NOT STATED.

\- FREQUENCY IS ZERO

TABLE 30 (CONTINUED)

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1995

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N.S.+
MCCONE											
LIVE BIRTHS											
NUMBER	19	-	-	-	10	1	5	3	-	-	-
PERCENT	100.0	-	-	-	52.6	5.3	26.3	15.8	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	4	-	-	1	1	1	1	-	-	-	-
PERCENT	100.0	-	-	25.0	25.0	25.0	25.0	-	-	-	-
MADISON											
LIVE BIRTHS											
NUMBER	75	-	-	3	23	18	18	11	2	-	-
PERCENT	100.0	-	-	4.0	30.7	24.0	24.0	14.7	2.7	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	15	-	1	-	6	4	1	3	-	-	-
PERCENT	100.0	-	6.7	-	40.0	26.7	6.7	20.0	-	-	-
MEAGHER											
LIVE BIRTHS											
NUMBER	22	-	3	-	3	9	4	3	-	-	-
PERCENT	100.0	-	13.6	-	13.6	40.9	18.2	13.6	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	10	-	1	-	3	3	1	2	-	-	-
PERCENT	100.0	-	10.0	-	30.0	30.0	10.0	20.0	-	-	-
MINERAL											
LIVE BIRTHS											
NUMBER	37	-	1	6	15	11	3	1	-	-	-
PERCENT	100.0	-	2.7	16.2	40.5	29.7	8.1	2.7	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	6	-	2	1	1	-	1	1	-	-	-
PERCENT	100.0	-	33.3	16.7	16.7	-	16.7	16.7	-	-	-
MISSOULA											
LIVE BIRTHS											
NUMBER	1,110	-	29	67	267	336	278	108	24	1	-
PERCENT	100.0	-	2.6	6.0	24.1	30.3	25.0	9.7	2.2	0.1	-
FETAL DEATHS											
NUMBER	8	-	-	-	1	2	3	2	-	-	-
PERCENT	100.0	-	-	-	12.5	25.0	37.5	25.0	-	-	-
INDUCED ABORTIONS											
NUMBER	323	3	29	53	121	62	23	24	6	2	-
PERCENT	100.0	0.9	9.0	16.4	37.5	19.2	7.1	7.4	1.9	0.6	-
MUSSELSHELL											
LIVE BIRTHS											
NUMBER	59	-	1	5	20	15	14	3	1	-	-
PERCENT	100.0	-	1.7	8.5	33.9	25.4	23.7	5.1	1.7	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	5	-	1	1	-	-	3	-	-	-	-
PERCENT	100.0	-	20.0	20.0	-	-	60.0	-	-	-	-
PARK											
LIVE BIRTHS											
NUMBER	198	-	4	8	28	53	56	37	12	-	-
PERCENT	100.0	-	2.0	4.0	14.1	26.8	28.3	18.7	6.1	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	-	-	1	-	-	-	-
PERCENT	100.0	-	-	-	-	-	100.0	-	-	-	-
INDUCED ABORTIONS											
NUMBER	36	-	6	3	9	6	5	6	1	-	-
PERCENT	100.0	-	16.7	8.3	25.0	16.7	13.9	16.7	2.8	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS)

\+ NOT STATED

\- FREQUENCY IS ZERO

TABLE 30 (CONTINUED)

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1995

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N S +
PETROLEUM											
LIVE BIRTHS											
NUMBER	4	-	-	1	-	2	-	-	1	-	-
PERCENT	100 0	-	-	25 0	-	50 0	-	-	25 0	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	1	-	1	-	-	-	-	-	-	-	-
PERCENT	100 0	-	100 0	-	-	-	-	-	-	-	-
PHILLIPS											
LIVE BIRTHS											
NUMBER	66	-	2	5	13	26	8	11	1	-	-
PERCENT	100 0	-	3 0	7 6	19 7	39 4	12 1	16 7	1 5	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	10	-	2	1	1	1	3	2	-	-	-
PERCENT	100 0	-	20 0	10 0	10 0	10 0	30 0	20 0	-	-	-
PONDERA											
LIVE BIRTHS											
NUMBER	94	1	3	9	16	28	23	14	-	-	-
PERCENT	100 0	1 1	3 2	9 6	17 0	29 8	24 5	14 9	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	2	-	-	-	-	1	1	-	-	-	-
PERCENT	100 0	-	-	-	-	50 0	50 0	-	-	-	-
POWDER RIVER											
LIVE BIRTHS											
NUMBER	26	-	-	3	4	9	5	5	-	-	-
PERCENT	100 0	-	-	11 5	15 4	34 6	19 2	19 2	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	4	-	1	-	2	1	-	-	-	-	-
PERCENT	100 0	-	25 0	-	50 0	25 0	-	-	-	-	-
POWELL											
LIVE BIRTHS											
NUMBER	82	-	4	6	20	21	22	7	2	-	-
PERCENT	100 0	-	4 9	7 3	24 4	25 6	26 8	8 5	2 4	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	13	-	1	5	3	-	2	2	-	-	-
PERCENT	100 0	-	7 7	38 5	23 1	-	15 4	15 4	-	-	-
PRAIRIE											
LIVE BIRTHS											
NUMBER	9	-	-	-	3	3	1	2	-	-	-
PERCENT	100 0	-	-	-	33 3	33 3	11 1	22 2	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	2	-	-	1	-	1	-	-	-	-	-
PERCENT	100 0	-	-	50 0	-	50 0	-	-	-	-	-
RAVALLI											
LIVE BIRTHS											
NUMBER	359	-	13	18	103	106	66	41	12	-	-
PERCENT	100 0	-	3 6	5 0	28 7	29 5	18 4	11 4	3 3	-	-
FETAL DEATHS											
NUMBER	6	-	-	-	-	2	4	-	-	-	-
PERCENT	100 0	-	-	-	-	33 3	66 7	-	-	-	-
INDUCED ABORTIONS											
NUMBER	50	-	11	3	14	7	9	6	-	-	-
PERCENT	100 0	-	22 0	6 0	28 0	14 0	18 0	12 0	-	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS)

\+ NOT STATED

\- FREQUENCY IS ZERO

TABLE 30 (CONTINUED)

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1995

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N.S.+
RICHLAND											
LIVE BIRTHS											
NUMBER	108	-	1	10	28	28	24	17	-	-	-
PERCENT	100.0	-	0.9	9.3	25.9	25.9	22.2	15.7	-	-	-
FETAL DEATHS											
NUMBER	2	-	-	-	-	2	-	-	-	-	-
PERCENT	100.0	-	-	-	-	100.0	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	10	-	2	1	1	2	-	3	1	-	-
PERCENT	100.0	-	20.0	10.0	10.0	20.0	-	30.0	10.0	-	-
ROOSEVELT											
LIVE BIRTHS											
NUMBER	203	-	19	28	62	49	31	12	2	-	-
PERCENT	100.0	-	9.4	13.8	30.5	24.1	15.3	5.9	1.0	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	17	1	3	-	5	3	4	1	-	-	-
PERCENT	100.0	5.9	17.6	-	29.4	17.6	23.5	5.9	-	-	-
ROSEBUD											
LIVE BIRTHS											
NUMBER	188	-	12	23	57	41	33	16	5	1	-
PERCENT	100.0	-	6.4	12.2	30.3	21.8	17.6	8.5	2.7	0.5	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	13	-	3	-	2	5	1	2	-	-	-
PERCENT	100.0	-	23.1	-	15.4	38.5	7.7	15.4	-	-	-
SANDERS											
LIVE BIRTHS											
NUMBER	112	-	13	13	35	28	14	7	2	-	-
PERCENT	100.0	-	11.6	11.6	31.3	25.0	12.5	6.3	1.8	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	17	-	4	4	7	-	2	-	-	-	-
PERCENT	100.0	-	23.5	23.5	41.2	-	11.8	-	-	-	-
SHERIDAN											
LIVE BIRTHS											
NUMBER	44	-	2	2	12	12	8	5	3	-	-
PERCENT	100.0	-	4.5	4.5	27.3	27.3	18.2	11.4	6.8	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	6	-	-	-	2	1	2	1	-	-	-
PERCENT	100.0	-	-	-	33.3	16.7	33.3	16.7	-	-	-
SILVER BOW											
LIVE BIRTHS											
NUMBER	412	-	22	61	97	116	75	37	3	1	-
PERCENT	100.0	-	5.3	14.8	23.5	28.2	18.2	9.0	0.7	0.2	-
FETAL DEATHS											
NUMBER	1	-	-	-	-	1	-	-	-	-	-
PERCENT	100.0	-	-	-	-	100.0	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	101	1	10	21	31	18	9	9	2	-	-
PERCENT	100.0	1.0	9.9	20.8	30.7	17.8	8.9	8.9	2.0	-	-
STILLWATER											
LIVE BIRTHS											
NUMBER	83	-	3	4	16	28	17	15	-	-	-
PERCENT	100.0	-	3.6	4.8	19.3	33.7	20.5	18.1	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	14	-	2	-	6	3	1	2	-	-	-
PERCENT	100.0	-	14.3	-	42.9	21.4	7.1	14.3	-	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA. THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS).

\+ NOT STATED.

\- FREQUENCY IS ZERO

TABLE 30 (CONTINUED)

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1995

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N S +
SWEET GRASS											
LIVE BIRTHS											
NUMBER	33	-	2	2	10	7	8	2	2	-	-
PERCENT	100 0	-	6 1	6 1	30 3	21 2	24 2	6 1	6 1	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	6	1	-	2	1	1	1	-	-	-	-
PERCENT	100 0	16 7	-	33 3	16 7	16 7	16 7	-	-	-	-
TETON											
LIVE BIRTHS											
NUMBER	84	1	3	6	23	22	20	8	1	-	-
PERCENT	100 0	1 2	3 6	7 1	27 4	26 2	23 8	9 5	1 2	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	3	-	1	-	1	1	-	-	-	-	-
PERCENT	100 0	-	33 3	-	33 3	33 3	-	-	-	-	-
TOOLE											
LIVE BIRTHS											
NUMBER	60	-	2	4	13	20	10	11	-	-	-
PERCENT	100 0	-	3 3	6 7	21 7	33 3	16 7	18 3	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	7	-	2	2	1	-	2	-	-	-	-
PERCENT	100 0	-	28 6	28 6	14 3	-	28 6	-	-	-	-
TREASURE											
LIVE BIRTHS											
NUMBER	9	-	-	1	1	4	1	2	-	-	-
PERCENT	100 0	-	-	11 1	11 1	44 4	11 1	22 2	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	4	-	1	-	-	-	-	3	-	-	-
PERCENT	100 0	-	25 0	-	-	-	-	75 0	-	-	-
VALLEY											
LIVE BIRTHS											
NUMBER	99	-	4	7	28	28	25	6	1	-	-
PERCENT	100 0	-	4 0	7 1	28 3	28 3	25 3	6 1	1 0	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	-	-	1	-	-	-	-
PERCENT	100 0	-	-	-	-	-	100 0	-	-	-	-
INDUCED ABORTIONS											
NUMBER	8	-	3	-	3	2	-	-	-	-	-
PERCENT	100 0	-	37 5	-	37 5	25 0	-	-	-	-	-
WHEATLAND											
LIVE BIRTHS											
NUMBER	29	-	1	5	4	12	2	5	-	-	-
PERCENT	100 0	-	3 4	17 2	13 8	41 4	6 9	17 2	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	4	-	-	1	1	1	-	-	1	-	-
PERCENT	100 0	-	-	25 0	25 0	25 0	-	-	25 0	-	-
WIBAUX											
LIVE BIRTHS											
NUMBER	15	-	-	1	5	4	4	1	-	-	-
PERCENT	100 0	-	-	6 7	33 3	26 7	26 7	6 7	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	1	-	-	-	-	-	-	-	1	-	-
PERCENT	100 0	-	-	-	-	-	-	-	100 0	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA. THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS)

\+ NOT STATED.

\- FREQUENCY IS ZERO

TABLE 30 (CONCLUDED)

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1995

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N.S.+
YELLOWSTONE											
LIVE BIRTHS											
NUMBER	1,651	2	63	116	421	493	389	136	30	1	-
PERCENT	100.0	0.1	3.8	7.0	25.5	29.9	23.6	8.2	1.8	0.1	-
FETAL DEATHS											
NUMBER	3	-	-	-	-	2	-	-	1	-	-
PERCENT	100.0	-	-	-	-	66.7	-	-	33.3	-	-
INDUCED ABORTIONS											
NUMBER	330	1	36	46	91	65	49	34	7	1	-
PERCENT	100.0	0.3	10.9	13.9	27.6	19.7	14.8	10.3	2.1	0.3	-
YELLOWSTONE PARK											
LIVE BIRTHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
COUNTY NOT STATED											
LIVE BIRTHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	43	-	4	6	10	10	7	5	1	-	-
PERCENT	100.0	-	9.3	14.0	23.3	23.3	16.3	11.6	2.3	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA. THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS).

\+ NOT STATED

\- FREQUENCY IS ZERO.

TABLE 31A

REPORTABLE DISEASE SUMMARY BY COUNTY*
COMMON REPORTS AND REPORTS OF INTEREST, 1995

Reporting County*	CAMPYLOBACTER	DIPHTHERIA	PATHOGENIC E. COLI	GIARDIA	HAEMFLU B	HEPATITIS A	HEPATITIS B	HEP NANB	LEGIONELLA	MEASLES	MENING	PERTUSSIS	RMSF	SALMONELLA	SHIGELLA	TB
Beaverhead	1	-	-	-	-	6	-	-	-	-	-	-	-	1	-	-
Big Horn	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2
Blaine	4	-	-	1	-	2	-	-	-	-	-	-	-	7	86	-
Broadwater	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Carbon	1	-	-	3	-	1	-	-	-	-	-	-	-	1	1	1
Carter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cascade	9	-	3	8	-	18	1	1	1	-	-	-	-	12	39	4
Choteau	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Daniels	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dawson	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Deer Lodge	3	-	-	1	-	2	-	-	1	-	-	-	-	1	-	-
Fallon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Fergus	-	-	-	-	1	2	-	-	-	-	-	-	-	5	-	-
Flathead	7	-	3	17	-	7	-	-	-	-	-	4	-	9	-	1
Gallatin	15	-	1	24	-	1	2	2	-	-	-	-	-	4	-	-
Garfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glacier	-	-	-	-	-	1	-	1	1	-	-	-	-	-	3	1
Golden Valley	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Granite	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hill	1	-	-	1	-	-	-	1	-	-	-	-	-	7	61	3
Jefferson	2	-	-	2	-	3	1	-	-	-	-	-	-	-	-	-
Judith Basin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lake	3	-	-	1	-	2	-	-	-	-	-	-	-	3	3	1
Lewis & Clark	4	-	5	7	-	3	2	3	-	-	-	-	-	10	4	-
Liberty	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Lincoln	2	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-
McCone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Madison	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Meagher	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mineral	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-
Missoula	19	-	35	16	-	10	4	-	1	-	1	2	3	8	3	2
Musselshell	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Park	-	-	-	1	-	4	-	1	-	-	-	-	-	3	-	-
Petroleum	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Phillips	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-
Pondera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Powder River	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Powell	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
Prarie	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ravalli	1	-	7	1	-	3	3	-	-	-	-	-	-	1	2	-
Richland	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Roosevelt	5	-	-	1	-	-	1	2	-	-	-	-	1	-	66	-
Rosebud	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2
Sanders	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
Shendan	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Silver Bow	3	-	-	-	-	94	3	-	-	-	-	-	-	3	2	2
Stillwater	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Sweet Grass	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Teton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Toole	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Treasure	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Valley	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Wheatland	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Wibaux	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yellowstone	10	-	5	29	-	5	5	7	-	-	1	-	-	20	7	2
1995	99	-	60	122	1	173	24	18	4	-	4	9	5	103	286	21
1994	75	-	52	137	1	25	21	13	16	-	6	12	4	144	4	25
1993	75	-	37	127	5	77	28	3	7	-	13	11	2	106	56	22

* "Reporting county" reflects county of residence whenever possible.

TABLE 31B

REPORTABLE DISEASE SUMMARY BY COUNTY*
OTHER REPORTS OF INTERST, 1995

Reporting County*	AMEBIASIS	ASEPTIC MEN	BAC MEN OTR	BRUCELLOSIS	COCCIDIO	COL TICK FR	CRYPTOSPOR	CYTOMEGALO	ENCEPH OTR	KAWASAKI	LISTERIOSIS	MALARIA	MUMPS	TULAREMIA	YERSINIOSIS
Beaverhead	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Big Horn	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Broadwater	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Cascade	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Flathead	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2
Gallatin	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Hill	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lewis & Clark	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-
Madison	-	-	-	-	-	1	-	-	-	-		-	-	-	-
Missoula	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Ravalli	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Roosevelt	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sanders	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Silver Bow	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Sweet Grass	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Yellowstone	-	5	-	1	1	-	5	-	2	-	1	1		2	
1995	3	10	4	1	2	1	9	1	2	1	1	3	1	3	2
1994	-	8	4	-	3	6	15	2	-	1	-	-	-	3	3
1993	-	1	4	-	1	8	4	1	1	1	1	2	-	5	3

* "Reporting county" reflects county of residence whenever possible.
+ Only a statewide total is shown for AIDS.

TABLE 31C

DISEASE SUMMARY BY COUNTY
SEXUALLY TRANSMITTED DISEASES, MONTANA 1995

Reporting County*	AIDS+	CHLAMYDIA	GONORRHEA	SYPHILIS
Beaverhead	**	14	-	-
Big Horn	**	43	1	4
Blaine	**	16	-	-
Broadwater	**	3	-	-
Carbon	**	3	-	-
Carter	**	-	-	-
Cascade	**	188	7	-
Choteau	**	-	-	-
Custer	**	20	-	-
Daniels	**	-	-	-
Dawson	**	9	-	-
Deer Lodge	**	9	-	-
Fallon	**	2	-	-
Fergus	**	4	-	-
Flathead	**	71	1	-
Gallatin	**	71	1	-
Garfield	**	-	-	-
Glacier	**	69	-	-
Golden Valley	**	-	-	-
Granite	**	-	-	-
Hill	**	54	2	-
Jefferson	**	-	-	-
Judith Basin	**	-	-	-
Lake	**	38	1	1
Lewis & Clark	**	70	1	-
Liberty	**	-	-	-
Lincoln	**	17	-	-
McCone	**	1	-	-
Madison	**	1	-	-
Meagher	**	1	-	-
Mineral	**	2	-	-
Missoula	**	97	3	1
Musselshell	**	-	-	-
Park	**	11	1	-
Petroleum	**	-	-	-
Phillips	**	1	-	-
Pondera	**	3	-	-
Powder River	**	1	-	-
Powell	**	7	-	-
Prarie	**	3	-	-
Ravalli	**	23	2	-
Richland	**	14	-	-
Roosevelt	**	34	-	-
Rosebud	**	25	4	3
Sanders	**	7	-	-
Sheridan	**	2	-	-
Silver Bow	**	53	1	-
Stillwater	**	2	-	-
Sweet Grass	**	-	-	-
Teton	**	2	-	-
Toole	**	2	-	-
Treasure	**	-	-	-
Valley	**	5	-	-
Wheatland	**	3	-	-
Wibaux	**	1	-	-
Yellowstone	**	218	44	4
Other/Out of State	**	-	-	-
1995	37	1,220	69	13
1994	44	1,433	87	9
1993	59	1,609	84	3

* "Reporting county" reflects county of residence whenever possible
+ Only a statewide total is shown for AIDS.

TABLE 32
REPORTED NEOPLASMS* BY ANATOMICAL SITE AND SEX
MONTANA RESIDENTS, 1995 DIAGNOSES

PRIMARY CANCER SITES	MALE	FEMALE	TOTAL
TOTAL, ALL SITES	1,562	1,563	3,125
Buccal Cavity and Pharynx	44	39	83
Lip	16	4	20
Tongue	5	8	13
Major Salivary gland	-	5	5
Floor of Mouth	6	9	15
Gum & Other Mouth	6	6	12
Nasopharynx	1	1	2
Tonsil	5	2	7
Oropharynx	3	1	4
Hypopharynx	2	2	4
Pharynx	-	1	1
Digestive System	282	255	537
Esophagus	18	6	24
Stomach	32	7	39
Small Intestine	2	3	5
Colon	122	147	269
Rectum & Rectosigmoid	61	33	94
Anus & Anocanal	4	3	7
Liver	10	3	13
Gallbladder	1	6	7
Other Biliary	3	8	11
Pancreas	27	33	60
Retroperitoneum	1	1	2
Peritoneum	1	5	6
Other Digestive Organs	-	-	-
Respiratory System	289	187	476
Nasal Cavity & Sinuses	1	2	3
Larynx	22	6	28
Lung & Bronchus	256	175	431
Trachea & Pleura	10	4	14
Bones & Joints	1	2	3
Soft Tissue	10	4	14
Skin	82	53	135
Melanoma	24	22	46
Other Skin Cancers	58	31	89
Breast	3	537	540
Eye	2	1	3

PRIMARY CANCER SITES	MALE	FEMALE	TOTAL
Female Genital System	---	227	227
Cervix	---	16	16
Cervix In-situ	---	52	52
Uterus	---	96	96
Ovary	---	47	47
Vagina	---	4	4
Vulva	---	9	9
Other Female Genital Organs	---	3	3
Male Genital System	526	---	526
Prostate	502	---	502
Testis	16	---	16
Penis	7	---	7
Other Male Genital Organs	1	---	1
Urinary System	135	59	194
Bladder	94	38	132
Kidney & Renal Pelvis	36	20	56
Ureter	4	1	5
Other Urinary Organs	1	-	1
Brain & Other Nervous System	30	39	69
Brain	26	18	44
Benign Brain	3	14	17
Other Nervous System	-	2	2
Benign Other N.S.	1	5	6
Endocrine System	16	35	51
Thyroid Gland	13	29	42
Other Endocrine	-	-	-
Benign Endocrine	3	6	9
Lymphomas**	49	51	100
Hodgkin's Disease	7	6	13
Non-Hodgkin's Lymphomas	42	45	87
Multiple Myeloma	16	9	25
Leukemias	38	27	65
Acute Lymphocytic	5	4	9
Chronic Granulocytic	12	3	15
Acute Myeloid	9	8	17
Chronic Myeloid	2	3	5
Other Leukemia	10	9	19
Unknown and Ill-defined Sites	39	38	77

*Cases reported as of 10/10/96. Includes benign cases.

**Non-Hodgkins Lymphoma (NHL) and Hodgkins Disease are not included in the anatomical site (e.g., lymphoma of the stomach is counted as a lymphoma, not stomach cancer).

TABLE 33
MOST FREQUENTLY REPORTED NEOPLASMS* BY SITE, SEX, AND AGE
MONTANA RESIDENTS, 1995 DIAGNOSES

AGE AT DIAGNOSIS	PRIMARY CANCER SITES																					
	PROSTATE		BREAST		LUNG		COLON		RECTUM & RECTOSIG		BLADDER		UTERUS		NHL & HODGKINS**		OVARY		PANCREAS		OTHERS		ALL SITES	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
0-4	-	---	-	-	-	-	-	-	-	-	-	-	---	-	-	-	---	-	-	-	5	4	5	4
5-9	-	---	-	-	-	-	-	-	-	-	-	-	---	-	-	-	---	-	-	-	3	2	3	2
10-14	-	---	-	-	-	-	-	-	-	-	-	-	---	-	1	1	---	-	-	-	1	2	2	3
15-19	-	---	-	1	-	-	-	-	-	-	-	-	---	-	1	2	---	-	-	-	3	3	4	6
20-24	-	---	-	-	-	-	-	-	-	-	-	-	---	-	-	-	---	-	-	-	6	8	6	8
25-29	-	---	-	2	-	-	-	-	-	-	-	-	---	-	2	1	---	-	-	-	6	22	8	25
30-34	-	---	-	7	-	-	-	-	-	-	-	-	---	-	1	-	---	2	-	-	4	19	5	28
35-39	-	---	-	17	2	1	-	2	-	1	2	-	---	1	1	3	---	1	-	1	18	29	23	56
40-44	2	---	-	45	3	-	3	3	2	-	1	-	---	3	3	1	---	5	-	1	13	17	27	75
45-49	7	---	-	62	5	3	2	5	1	4	2	2	---	2	6	-	---	5	2	2	23	29	48	114
50-54	22	---	-	47	15	10	5	7	5	2	4	-	---	9	1	4	---	3	-	1	29	27	81	110
55-59	55	---	-	51	14	21	8	9	7	1	6	1	---	12	7	4	---	6	1	1	41	16	139	122
60-64	68	---	-	57	33	24	14	15	10	3	11	5	---	11	5	5	---	7	3	7	61	30	205	164
65-69	116	---	-	67	49	39	20	15	8	7	14	5	---	18	5	8	---	2	3	4	46	44	261	209
70-74	94	---	-	62	53	28	22	21	11	3	20	7	---	15	4	7	---	5	5	1	66	41	275	190
75-79	71	---	2	56	39	27	19	31	8	6	15	12	---	11	4	7	---	5	7	8	59	44	224	207
80-84	42	---	1	43	29	18	15	21	4	1	13	3	---	7	4	5	---	2	3	5	35	46	146	151
85+	25	---	-	20	14	4	14	17	5	5	6	3	---	5	4	3	---	4	3	2	29	26	100	89
TOTAL	502	---	3	537	256	175	122	146	61	33	94	38	---	94	49	51	---	47	27	33	448	409	1,562	1,563

* Cases reported as of 10/10/96. Includes benign cases.

** Non-Hodgkins Lymphoma (NHL) and Hodgkins Disease are not included in the anatomical site (e.g., lymphoma of the stomach is counted as a lymphoma, not stomach cancer).

TABLE 34
MOST FREQUENTLY REPORTED NEOPLASMS* BY SITE, SEX AND COUNTY OF RESIDENCE
MONTANA RESIDENTS, 1995 DIAGNOSES

COUNTY OF RESIDENCE	PRIMARY CANCER SITES																							
	PROSTATE		BREAST		LUNG		COLON		RECTUM & RECTOSIG		BLADDER		UTERUS		NHL & HODGKINS**		OVARY		PANCREAS		OTHERS		ALL SITES	
	M	F	M	F	M	F	M	F	M	F	F	M	M	F	M	F	M	F	M	F	M	F	M	F
Beaverhead	3	---	-	3	1	3	2	1	1	-	-	-	---	2	-	-	---	-	-	-	7	5	14	14
Big Horn	1	---	-	3	1	3	1	2	-	1	1	-	---	1	-	-	---	-	-	1	5	5	9	16
Blaine	7	---	-	4	2	1	2	3	2	-	-	-	---	-	-	-	---	2	-	1	3	5	16	16
Broadwater	4	---	-	2	2	1	1	1	1	-	-	-	---	1	-	-	---	-	-	-	2	-	10	5
Carbon	2	---	-	4	5	1	1	2	1	-	2	1	---	1	-	1	---	1	-	-	5	7	16	18
Carter	2	---	-	-	-	-	-	-	-	-	2	-	---	-	-	-	---	-	-	-	-	-	4	-
Cascade	73	---	1	92	23	23	13	11	13	4	8	4	---	8	2	7	---	8	4	2	65	59	202	218
Chouteau	7	---	-	7	4	3	1	1	-	-	1	1	---	1	1	2	---	-	-	1	4	3	18	19
Custer	4	---	-	12	7	4	2	1	-	-	1	-	---	-	-	1	---	1	1	1	5	5	20	25
Daniels	3	---	-	1	2	2	1	-	-	-	-	-	---	-	-	-	---	-	-	-	-	2	6	5
Dawson	8	---	-	7	2	2	2	2	1	1	2	-	---	1	-	1	---	-	1	-	9	5	25	19
Deer Lodge	7	---	-	8	2	3	4	3	2	-	2	-	---	-	-	1	---	-	-	-	3	8	20	23
Fallon	1	---	-	4	-	1	-	1	2	-	-	-	---	-	-	-	---	-	-	-	1	1	4	7
Fergus	18	---	-	12	9	5	8	3	2	1	1	2	---	-	1	2	---	-	-	1	18	20	57	46
Flathead	21	---	-	25	21	11	9	11	2	3	2	1	---	10	3	2	---	1	1	-	23	11	82	75
Gallatin	21	---	-	40	8	8	6	7	1	2	4	1	---	4	7	1	---	4	1	2	25	25	73	94
Garfield	2	---	-	-	-	-	-	1	-	-	-	-	---	-	1	-	---	-	-	-	-	-	3	1
Glacier	7	---	-	8	3	5	-	3	-	-	-	-	---	-	1	-	---	-	-	1	6	2	17	19
Golden Valley	1	---	-	-	1	-	1	-	-	-	-	-	---	1	-	-	---	1	-	-	1	-	4	2
Granite	2	---	-	-	1	1	-	1	1	-	-	-	---	1	-	-	---	-	-	1	1	2	5	6
Hill	11	---	-	10	9	6	6	8	-	2	2	-	---	8	-	1	---	-	1	3	11	7	40	45
Jefferson	5	---	-	3	2	-	-	-	-	-	3	-	---	1	1	-	---	-	1	-	3	3	15	7
Judith Basin	2	---	-	1	1	-	1	-	-	1	-	-	---	-	-	-	---	-	-	-	1	1	5	3
Lake	26	---	-	9	9	5	4	6	-	3	3	-	---	7	1	2	---	2	-	2	12	18	55	54
Lewis & Clark	19	---	-	30	13	13	7	8	5	3	12	5	---	3	3	1	---	5	-	2	21	23	80	93
Liberty	3	---	-	4	1	-	1	1	-	-	-	-	---	-	1	-	---	-	-	-	2	-	8	5
Lincoln	7	---	1	13	6	5	2	6	-	-	3	2	---	1	1	3	---	1	1	1	14	14	35	46
Madison	4	---	-	1	4	-	1	-	-	-	-	-	---	-	-	-	---	-	-	-	2	3	11	4
McCone	4	---	-	1	-	-	-	4	-	-	-	-	---	-	-	-	---	-	-	-	1	-	5	5
Meagher	2	---	-	-	1	1	1	1	-	-	-	-	---	1	-	-	---	-	-	1	1	3	5	7
Mineral	3	---	-	1	2	-	-	2	-	-	-	-	---	1	-	1	---	-	-	-	-	2	5	7
Missoula	32	---	-	56	26	10	8	4	4	1	9	4	---	13	2	10	---	6	2	1	41	44	124	149
Musselshell	4	---	-	7	2	1	1	1	-	-	-	1	---	-	-	-	---	-	-	-	2	4	9	14
Park	5	---	1	6	11	4	2	3	1	1	-	1	---	2	2	1	---	-	-	1	12	6	34	25
Petroleum	1	---	-	1	1	-	-	-	-	-	1	-	---	-	1	-	---	-	-	-	-	1	4	2
Phillips	6	---	-	4	1	1	-	1	-	-	-	-	---	1	-	-	---	-	-	1	6	7	13	15
Pondera	10	---	-	7	1	1	1	1	1	-	1	-	---	3	-	-	---	-	-	1	4	7	18	20
Powder River	-	---	-	2	-	-	-	1	-	-	-	-	---	-	-	-	---	-	-	-	1	-	1	3
Powell	4	---	-	5	2	1	-	-	1	-	1	-	---	2	-	-	---	-	1	-	4	3	13	11
Prairie	2	---	-	1	-	-	-	1	-	-	-	-	---	-	-	1	---	-	-	-	1	-	3	3
Ravalli	25	---	-	15	9	14	4	10	-	2	5	2	---	6	5	3	---	-	3	-	15	18	66	70
Richland	4	---	-	7	5	2	1	4	1	-	2	-	---	1	1	-	---	-	-	1	5	5	19	20
Roosevelt	8	---	-	8	4	4	-	1	1	-	1	-	---	-	1	-	---	1	-	-	5	3	20	17
Rosebud	5	---	-	4	1	-	1	1	3	-	-	-	---	-	-	1	---	1	-	-	8	4	18	11
Sanders	8	---	-	1	1	1	1	-	-	-	1	1	---	-	-	-	---	2	1	1	.	2	21	8
Sheridan	1	---	-	3	1	1	-	1	3	-	-	-	---	-	-	2	---	1	-	-	4	1	9	9
Silver Bow	5	---	-	5	2	2	1	-	-	-	2	2	---	2	-	-	---	-	1	1	4	7	15	19
Stillwater	5	---	-	1	2	-	1	-	-	-	1	-	---	-	1	1	---	2	1	-	2	2	13	6
Sweet Grass	2	---	-	4	1	-	1	1	-	-	1	1	---	1	-	-	---	-	-	-	2	1	7	8
Teton	3	---	-	4	-	1	-	1	1	-	3	-	---	-	2	-	---	-	2	-	5	2	16	8
Toole	8	---	-	1	2	1	1	1	1	-	-	2	---	1	-	1	---	-	-	-	3	-	15	7
Treasure	-	---	-	1	-	-	1	-	-	-	-	-	---	-	-	-	---	-	-	-	-	-	1	1
Valley	14	---	-	4	5	-	2	3	-	1	2	-	---	3	1	3	---	-	1	-	4	4	29	18
Wheatland	2	---	-	6	-	-	-	-	-	1	1	-	---	-	-	-	---	-	1	-	5	-	9	7
Wibaux	-	---	-	-	-	-	-	-	-	-	1	-	---	-	-	-	---	-	-	-	-	-	1	-
Yellowstone	68	---	-	79	37	24	19	21	10	6	13	7	---	6	10	2	---	8	3	6	55	49	215	208
TOTAL	502	---	3	537	256	175	122	146	61	33	94	38	---	94	49	51	---	47	27	33	448	409	1,562	1,563

* Cases reported as of 10/10/96. Includes benign cases.
** Non-Hodgkins Lymphoma (NHL) and Hodgkins Disease are not included in the anatomical site (e.g., lymphoma of the stomach is counted as a lymphoma, not stomach cancer).

1994

MONTANA

VITAL STATISTICS

TABLES

SYMBOLS USED IN THESE TABLES

Quantity is zero . . . . . -

Rate or percent is less than 0.05 . . . . . 0.0

Data are not applicable or not reliable . . . . . ---

MONTANA VITAL STATISTICS TABLES

1994

TABLE NO.	CONTENTS	PAGE
1	Frequency and Rate or Ratio of Death, Live Birth, and Fetal, Infant, and Maternal Death by Year - Montana, 1910-1994	94-1
2	State Population by County - Montana, 1994, 1990 and 1980	94-2
3	Frequency of Death, Live Birth, and Fetal, Infant, and Maternal Death by County of Occurrence and County of Residence - Montana, 1994	94-3
4	Frequency of Death, Live Birth and Fetal Death by Race and by County of Residence - Montana, 1994	94-4
5	Frequency and Percent Distribution of Births by Infant's Sex, Legitimacy, Plurality, and Parity - Montana Residents 1990-1994	94-5
6	Frequency and Percent Distribution of Live Births by Type of Facility or Attendant and by County of Occurrence - Montana, 1994	94-6
7	Frequency and Percent Distribution of Live Births by Birthweight and County of Residence - Montana, 1994	94-7
8	Frequency and Percent Distribution of Live Births to Montana Residents Delivering in Montana by Number of Children Born Alive and by Years of Education of Mother - Montana, 1994	94-8
9	Frequency of Death by Sex, Race, and Cause - Montana Residents, 1994	94-9
10	Frequency of Death by Age, Sex and Cause - Montana Residents, 1994	94-17
11	Frequency of Accidental Death by Age and Type of Accident - Percent of deaths in Each Age Group That Were Accidental - Montana Occurrences, 1994	94-29
12	Frequency of Death from Selected Causes by County of Residence - Montana 1994	94-30
13	Frequency of Infant Mortality by Age, Race, and County of Residence - Five-Year Infant Mortality Rate by County of Residence - Montana, 1994	94-31
14	Frequency of Infant Mortality from Selected Causes by Age and Race - Montana Residents, 1994	94-32
15	Frequency and Rate of Death from Selected Communicable Diseases by Year - Montana, 1910-1994	94-33
16	Frequency and Rate of Death from Selected Causes by Year - Montana, 1910-1994	94-35

TABLE NO.	CONTENTS	PAGE
17	Frequency of Induced Abortion by Number of Previous Induced Abortions and Number of Previous Pregnancies - Montana Occurrences, 1994	94-37
18	Frequency of Induced Abortion by Age of Patient - Montana Occurrences, 1994	94-37
19	Frequency of Induced Abortion by Completed Week of Gestation and Primary Procedure - Montana Occurrences, 1994	94-38
19a	Frequency of Induced Abortion by County of Residence and County of Occurrence - Montana, 1994	94-38
20	Frequency of Marriage and Marital Termination - Marriage Licenses Issued, Marriages Solemnized, Marital Dissolutions, and Marriages Invalidated by County of Occurrence - Montana, 1994	94-39
21	Frequency and Rate of Marriage and Marital Termination by Year - Montana Occurrences, 1944-1994	94-40
22	Frequency and Percent Distribution of Marriages by Month of Occurrence - Montana, 1994	94-41
23	Frequency of Marriage by Previous Marital Status and Age of Bride and by Previous Marital Status and Age of Groom - Montana Occurrences, 1994	94-41
24	Frequency of First Marriage by Age of Bride and Age of Groom - Montana Occurrences, 1994	94-42
25	Frequency of Marriage by Race of Bride and Race of Groom - Montana Occurrences, 1994	94-42
26	Frequency of Marital Termination by Type and by Legal Grounds for Decree - Montana Occurrences, 1994	94-42
27	Frequency of Marital Termination by Age of Wife and Age of Husband - Montana Occurrences, 1994	94-43
28	Frequency of Marital Termination by Number of Minor Children in the Household and by Age of Wife - Montana Occurrences, 1994	94-43
29	Selected Vital Statistics - Frequencies and Rates or Ratios by County - Montana, 1994	94-44
30	Frequency and Percent Distribution of Births, Fetal Deaths, and Induced Abortions by Woman's Age and County of Residence - Montana, 1994	94-52
31	Frequency of Reportable Diseases by County of Residence - Montana, 1994	94-61
32	Reported Neoplasms by Anatomical Site and Sex - Montana Residents, 1994 Diagnoses	94-64

TABLE NO.	CONTENTS	PAGE
33	Most Frequently Reported Neoplasms by Site, Sex, and Age - Montana Residents, 1994 Diagnoses	94-65
34	Most Frequently Reported Neoplasms by Site, Sex, and County of Residence - Montana Residents, 1994 Diagnoses	94-66

TABLE 1

FREQUENCY AND RATE OR RATIO OF
DEATH, LIVE BIRTH, AND FETAL, INFANT, AND MATERNAL DEATH BY YEAR*
MONTANA, 1910-1994

YEAR	ESTIMATED MIDYEAR POPULATION	DEATHS		LIVE BIRTHS		FETAL DEATHS		INFANT DEATHS		MATERNAL DEATH	
		NUMBER	RATE+	NUMBER	RATE+	NUMBER	RATIO**	NUMBER	RATE**	NUMBER	RATE++
1910	376,053	3,999	10.6	6,124	16.3	NA	NA	714	116 6	62	1,012.4
1915	468,067	5,072	10.8	11,132	23.8	NA	NA	816	73.3	91	817.5
1920	548,339	5,289	9.6	11,862	21.6	NA	NA	862	72.7	104	876.7
1925	542,834	5,188	9.6	10,302	19.0	343	33.3	726	70.5	83	805.7
1930	537,606	5,435	10.1	10,004	18.6	286	28.6	569	56.9	67	669.7
1935	549,077	6,291	11.5	10,029	18.3	232	23.1	602	60.0	52	518.5
1940	559,456	5,722	10.2	11,468	20.5	216	18.8	527	46.0	39	340.1
1945	504,600	5,414	10.7	10,601	21.0	184	17.4	363	34.2	17	160.4
1946	521,900	5,595	10.7	12,858	24.6	224	17.4	448	34.8	18	140.0
1947	539,200	5,760	10.7	15,086	28.0	238	15.8	484	32.1	16	106.1
1948	556,500	5,884	10.6	15,035	27.0	236	15.7	461	30.7	14	93.1
1949	573,800	5,878	10.2	15,366	26.8	231	15.0	457	29.7	14	91.1
1950	591,024	5,817	9.8	15,592	26.4	233	14.9	441	28.3	20	128.3
1951	596,000	5,964	10.0	15,929	26.7	248	15.6	425	26.7	10	62.8
1952	602,000	5,974	9.9	16,479	27.4	253	15.4	448	27.2	8	48.5
1953	616,000	6,125	9.9	16,596	26.9	232	14.0	480	28.9	3	18.1
1954	624,000	6,030	9.7	17,276	27.7	247	14.3	398	23.0	5	28.9
1955	636,000	6,115	9.6	17,454	27.4	221	12.7	433	24 8	5	28.6
1956	656,000	6,450	9.8	17,703	27.0	239	13.5	495	28.0	2	11.3
1957	667,000	6,486	9.7	18,219	27.3	224	12.3	462	25.4	5	27.4
1958	666,000	6,265	9.4	17,275	25.9	233	13 5	444	25.7	3	17.4
1959	669,000	6,570	9.8	17,646	26.4	223	12.6	431	24.4	3	17.0
1960	674,767	6,525	9.7	17,448	25.9	190	10.9	435	24.9	5	28.7
1961	682,000	6,338	9.3	17,368	25.5	194	11 2	441	25.4	2	11.5
1962	709,000	6,418	9.1	16,818	23.7	210	12.5	436	25.9	7	41.6
1963	707,000	6,609	9.3	15,934	22.5	194	12 2	383	24.0	2	12.6
1964	705,000	6,851	9.7	15,094	21 4	200	13.3	403	26.7	7	46.4
1965	706,000	6,578	9.3	13,641	19.3	177	13.0	338	24.8	2	14.7
1966	702,000	6,864	9.8	12,623	18.0	140	11.1	286	22.7	3	23.8
1967	701,000	6,549	9.3	12,087	17.2	141	11.7	290	24.0	3	24.8
1968	693,000	6,534	9.4	11,992	17.3	146	12.2	233	19.4	1	8.3
1969	694,000	6,694	9.6	11,762	16.9	132	11.2	246	20.9	1	8.5
1970	694,409	6,597	9.5	12,622	18.2	140	11.1	272	21.5	3	23.8
1971	710,000	6,860	9.7	12,347	17.4	127	10.3	267	21.6	-	-
1972	719,000	6,896	9.6	11,444	15.9	129	11.3	225	19.7	4	35.0
1973	721,000	6,870	9.5	11,392	15.8	105	9 2	222	19.5	-	-
1974	735,000	6,552	8.9	12,273	16.7	125	10.2	202	16.5	1	8.1
1975	748,000	6,539	8.7	12,070	16 1	112	9.3	187	15.5	3	24.9
1976	753,000	6,733	8.9	12,605	16.7	104	8 3	209	16.6	-	-
1977	761,000	6,397	8.4	13,304	17.5	119	8.9	183	13.8	1	7.5
1978	785,000	6,484	8.3	13,545	17.3	110	8.1	155	11.4	3	22.1
1979	786,000	6,471	8.2	14,057	17.9	116	8.3	151	10.7	4	28.5
1980	786,690	6,664	8.5	14,208	18.1	104	7.3	176	12.4	2	14.1
1981	793,000	6,709	8.5	14,309	18.0	85	5.9	153	10.7	-	-
1982	801,000	6,625	8.3	14,538	18.1	93	6.4	147	10.1	1	6.9
1983	817,000	6,699	8.2	14,054	17.2	91	6.5	126	9.0	4	28.5
1984	824,000	6,698	8.1	14,141	17.2	110	7.8	125	8.8	1	7.1
1985	826,000	6,725	8.1	13,497	16.3	96	7.1	139	10.3	-	-
1986	819,000	6,738	8.2	12,728	15 5	95	7.5	122	9.6	2	15.7
1987	809,000	6,597	8.2	12,239	15.1	96	7.8	121	9.9	-	-
1988	805,000	6,759	8.4	11,682	14.5	92	7.9	100	8.6	1	8.6
1989	805,600	6,735	8.4	11,667	14.5	86	7.4	132	11.3	-	-
1990	799,065	6,835	8.6	11,602	14.5	78	6.7	106	9.1	-	-
1991	808,000	6,995	8.7	11,498	14 2	90	7.8	82	7.1	1	8 7
1992	823,700	7,067	8.6	11,468	13.9	84	7.3	85	7.4	-	-
1993	839,000	7,457	8.9	11,362	13.5	74	6.5	84	7.4	-	-
1994	856,240	7,331	8.6	11,062	12.9	52	4.7	82	7.4	-	-

* DATA FOR 1910-1945 ARE BY PLACE OF OCCURRENCE. BEGINNING IN 1946, DATA ARE BY PLACE OF RESIDENCE.
\+ PER 1,000 ESTIMATED MIDYEAR POPULATION U. S CENSUS ENUMERATIONS ARE USED FOR YEARS ENDING IN ZERO.
** PER 1,000 LIVE BIRTHS.
++ PER 100,000 LIVE BIRTHS.

TABLE 2

STATE POPULATION BY COUNTY
MONTANA, 1994, 1990 AND 1980

COUNTY	1994 ESTIMATED POPULATION*	1990 U.S. CENSUS ENUMERATION	1980 U.S. CENSUS ENUMERATION
MONTANA, TOTAL	856,240	799,065	786,690
BEAVERHEAD	8,850	8,424	8,186
BIG HORN	12,040	11,337	11,096
BLAINE	7,020	6,728	6,999
BROADWATER	3,670	3,318	3,267
CARBON	8,940	8,080	8,099
CARTER	1,530	1,503	1,799
CASCADE	81,140	77,691	80,696
CHOUTEAU	5,460	5,452	6,092
CUSTER	12,130	11,697	13,109
DANIELS	2,160	2,266	2,835
DAWSON	9,030	9,505	11,805
DEER LODGE	10,180	10,278	12,518
FALLON	3,050	3,103	3,763
FERGUS	12,600	12,083	13,076
FLATHEAD	67,380	59,218	51,966
GALLATIN	57,810	50,463	42,865
GARFIELD	1,440	1,589	1,656
GLACIER	12,450	12,121	10,628
GOLDEN VALLEY	960	912	1,026
GRANITE	2,650	2,548	2,700
HILL	17,460	17,654	17,985
JEFFERSON	8,980	7,939	7,029
JUDITH BASIN	2,240	2,282	2,646
LAKE	23,680	21,041	19,056
LEWIS & CLARK	51,600	47,485	43,039
LIBERTY	2,250	2,295	2,329
LINCOLN	18,390	17,481	17,752
MCCONE	2,130	2,276	2,702
MADISON	6,390	5,989	5,448
MEAGHER	1,840	1,819	2,154
MINERAL	3,630	3,315	3,675
MISSOULA	85,690	78,687	76,016
MUSSELSHELL	4,410	4,106	4,428
PARK	15,640	14,562	12,869
PETROLEUM	530	519	655
PHILLIPS	5,030	5,163	5,367
PONDERA	6,200	6,433	6,731
POWDER RIVER	2,020	2,090	2,520
POWELL	6,830	6,620	6,958
PRAIRIE	1,340	1,383	1,836
RAVALLI	30,710	25,010	22,493
RICHLAND	10,340	10,716	12,243
ROOSEVELT	11,160	10,999	10,467
ROSEBUD	10,790	10,505	9,899
SANDERS	9,700	8,669	8,675
SHERIDAN	4,420	4,732	5,414
SILVER BOW	34,780	33,941	38,092
STILLWATER	7,240	6,536	5,598
SWEET GRASS	3,280	3,154	3,216
TETON	6,410	6,271	6,491
TOOLE	5,100	5,046	5,559
TREASURE	870	874	981
VALLEY	8,350	8,239	10,250
WHEATLAND	2,350	2,246	2,359
WIBAUX	1,140	1,191	1,476
YELLOWSTONE	122,770	113,419	108,035
YELLOWSTONE PARK	54	52	66

* POPULATION ESTIMATES, PROVIDED BY THE U.S. BUREAU OF THE CENSU WERE ROUNDED TO THE NEAREST TEN FOR ALL LOCATIONS EXCEPT YELLOWSTONE PARK.

TABLE 3

FREQUENCY OF DEATH, LIVE BIRTH, AND FETAL, INFANT, AND MATERNAL DEATH
BY COUNTY OF OCCURRENCE AND COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY	DEATHS		LIVE BIRTHS		FETAL DEATHS		INFANT DEATHS		MATERNAL DEATH	
	OCC.	RES.	OCC.	RES.	OCC.	RES.	OCC.	RES.	OCC.	RES.
MONTANA, TOTAL	7,354	7,331	10,968	11,062	50	52	75	82	-	-
BEAVERHEAD	84	79	91	105	-	-	-	1	-	-
BIG HORN	80	106	251	253	-	1	1	1	-	-
BLAINE	21	51	3	118	-	1	-	-	-	-
BROADWATER	35	37	10	46	-	-	-	1	-	-
CARBON	70	99	32	104	-	1	-	1	-	-
CARTER	15	20	-	23	-	-	-	-	-	-
CASCADE	805	704	1,476	1,219	10	5	20	11	-	-
CHOUTEAU	53	66	1	41	-	-	-	-	-	-
CUSTER	180	142	275	158	2	1	1	2	-	-
DANIELS	29	37	3	16	-	-	-	-	-	-
DAWSON	80	88	42	90	-	1	-	-	-	-
DEER LODGE	94	118	50	84	-	-	-	-	-	-
FALLON	26	29	30	27	-	-	-	-	-	-
FERGUS	153	158	156	146	1	1	-	-	-	-
FLATHEAD	531	512	958	887	7	6	5	4	-	-
GALLATIN	263	287	766	723	3	3	6	5	-	-
GARFIELD	14	22	1	15	-	-	-	1	-	-
GLACIER	84	103	232	253	1	2	1	3	-	-
GOLDEN VALLEY	6	11	-	16	-	-	-	1	-	-
GRANITE	18	28	1	22	-	-	-	1	-	-
HILL	165	149	419	283	-	-	2	4	-	-
JEFFERSON	43	65	-	108	-	-	-	1	-	-
JUDITH BASIN	5	20	1	23	-	-	-	-	-	-
LAKE	178	227	189	282	-	1	1	3	-	-
LEWIS & CLARK	421	386	778	677	4	5	2	6	-	-
LIBERTY	15	12	21	26	-	-	-	-	-	-
LINCOLN	135	172	135	196	1	1	1	3	-	-
MCCONE	19	24	-	22	-	-	-	-	-	-
MADISON	61	57	12	63	-	1	-	-	-	-
MEAGHER	27	25	10	32	-	-	-	-	-	-
MINERAL	28	42	7	44	-	-	-	-	-	-
MISSOULA	771	586	1,472	1,105	5	4	11	11	-	-
MUSSELSHELL	43	56	1	47	-	-	-	-	-	-
PARK	149	152	212	171	-	-	-	1	-	-
PETROLEUM	3	3	-	6	-	-	-	-	-	-
PHILLIPS	34	50	3	65	-	-	-	-	-	-
PONDERA	59	77	19	78	-	1	-	-	-	-
POWDER RIVER	21	30	-	25	-	-	-	-	-	-
POWELL	59	68	19	77	-	-	-	-	-	-
PRAIRIE	7	12	-	12	-	-	-	-	-	-
RAVALLI	224	281	212	357	2	2	-	-	-	-
RICHLAND	91	100	162	126	-	-	-	-	-	-
ROOSEVELT	75	98	156	197	-	-	1	2	-	-
ROSEBUD	40	79	2	146	-	-	-	1	-	-
SANDERS	65	92	4	87	-	-	-	-	-	-
SHERIDAN	63	58	41	40	1	-	-	-	-	-
SILVER BOW	400	385	543	449	6	5	5	6	-	-
STILLWATER	66	74	39	77	1	1	-	1	-	-
SWEET GRASS	17	30	-	34	-	1	-	-	-	-
TETON	50	72	3	70	-	2	-	-	-	-
TOOLE	44	52	91	56	-	-	1	-	-	-
TREASURE	2	6	-	8	-	-	-	-	-	-
VALLEY	80	87	96	89	2	2	-	1	-	-
WHEATLAND	19	24	-	32	-	-	-	-	-	-
WIBAUX	8	14	-	10	-	-	-	1	-	-
YELLOWSTONE	1,226	967	1,943	1,596	4	4	17	9	-	-
YELLOWSTONE PARK	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	2	-	-	-	-	-	-	-	-

TABLE 4

FREQUENCY OF DEATH, LIVE BIRTH, AND FETAL DEATH BY RACE* AND COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY	DEATHS				LIVE BIRTHS				FETAL DEATHS			
	TOTAL	WHITE	NATIVE AMERICAN	OTHER	TOTAL	WHITE	NATIVE AMERICAN	OTHER	TOTAL	WHITE	NATIVE AMERICAN	OTHER
MONTANA, TOTAL	7,331	6,968	331	32	11,062	9,719	1,201	142	52	44	5	3
BEAVERHEAD	79	79	-	-	105	102	1	2	-	-	-	-
BIG HORN	106	55	49	2	253	69	182	2	1	-	1	-
BLAINE	51	42	9	-	118	52	65	1	1	1	-	-
BROADWATER	37	37	-	-	46	46	-	-	-	-	-	-
CARBON	99	99	-	-	104	103	1	-	1	1	-	-
CARTER	20	20	-	-	23	22	-	1	-	-	-	-
CASCADE	704	679	16	9	1,219	1,101	75	43	5	5	-	-
CHOUTEAU	66	65	1	-	41	40	1	-	-	-	-	-
CUSTER	142	141	1	-	158	151	7	-	1	1	-	-
DANIELS	37	36	-	1	16	16	-	-	-	-	-	-
DAWSON	88	88	-	-	90	90	-	-	1	1	-	-
DEER LODGE	118	115	1	2	84	80	3	1	-	-	-	-
FALLON	29	29	-	-	27	27	-	-	-	-	-	-
FERGUS	158	157	1	-	146	145	1	-	1	1	-	-
FLATHEAD	512	505	4	3	887	854	25	8	6	5	-	1
GALLATIN	287	285	2	-	723	700	10	13	3	3	-	-
GARFIELD	22	22	-	-	15	14	-	1	-	-	-	-
GLACIER	103	44	58	1	253	73	177	3	2	-	2	-
GOLDEN VALLEY	11	11	-	-	16	15	1	-	-	-	-	-
GRANITE	28	28	-	-	22	21	1	-	-	-	-	-
HILL	149	119	27	3	283	187	94	2	-	-	-	-
JEFFERSON	65	64	1	-	108	101	4	3	-	-	-	-
JUDITH BASIN	20	20	-	-	23	23	-	-	-	-	-	-
LAKE	227	190	37	-	282	186	92	4	1	-	1	-
LEWIS & CLARK	386	374	10	2	677	638	29	10	5	5	-	-
LIBERTY	12	12	-	-	26	25	-	1	-	-	-	-
LINCOLN	172	170	2	-	196	192	4	-	1	1	-	-
MCCONE	24	24	-	-	22	22	-	-	-	-	-	-
MADISON	57	57	-	-	63	60	2	1	1	1	-	-
MEAGHER	25	25	-	-	32	32	-	-	-	-	-	-
MINERAL	42	42	-	-	44	44	-	-	-	-	-	-
MISSOULA	586	577	8	1	1,105	1,054	36	15	4	3	1	-
MUSSELSHELL	56	56	-	-	47	46	1	-	-	-	-	-
PARK	152	152	-	-	171	168	1	2	-	-	-	-
PETROLEUM	3	3	-	-	6	6	-	-	-	-	-	-
PHILLIPS	50	47	3	-	65	59	6	-	-	-	-	-
PONDERA	77	71	6	-	78	62	16	-	1	1	-	-
POWDER RIVER	30	30	-	-	25	24	1	-	-	-	-	-
POWELL	68	66	2	-	77	75	2	-	-	-	-	-
PRAIRIE	12	12	-	-	12	12	-	-	-	-	-	-
RAVALLI	281	281	-	-	357	349	4	4	2	2	-	-
RICHLAND	100	99	1	-	126	120	5	1	-	-	-	-
ROOSEVELT	98	56	42	-	197	56	140	1	-	-	-	-
ROSEBUD	79	52	27	-	146	73	72	1	-	-	-	-
SANDERS	92	90	2	-	87	77	9	1	-	-	-	-
SHERIDAN	58	58	-	-	40	39	1	-	-	-	-	-
SILVER BOW	385	382	3	-	449	438	8	3	5	3	-	2
STILLWATER	74	72	1	1	77	76	1	-	1	1	-	-
SWEET GRASS	30	30	-	-	34	34	-	-	1	1	-	-
TETON	72	71	1	-	70	69	-	1	2	2	-	-
TOOLE	52	52	-	-	56	52	3	1	-	-	-	-
TREASURE	6	6	-	-	8	7	1	-	-	-	-	-
VALLEY	87	84	3	-	89	67	22	-	2	2	-	-
WHEATLAND	24	24	-	-	32	32	-	-	-	-	-	-
WIBAUX	14	14	-	-	10	10	-	-	-	-	-	-
YELLOWSTONE	967	947	13	7	1,596	1,483	97	16	4	4	-	-
YELLOWSTONE PARK	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	2	-	-	-	-	-	-	-	-	-	-

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED. LIVE BIRTHS AND FETAL DEATH ARE SHOWN BY RACE OF THE MOTHER.

TABLE 5

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS BY INFANT'S SEX,
LEGITIMACY, PLURALITY, AND PARITY
MONTANA RESIDENTS 1990-1994

ITEM	1994		1993		1992		1991		1990	
	NUMBER	PERCENT*	NUMBER	PERCENT*	NUMBER	PERCENT*	NUMBER	PERCENT*	NUMBER	PERCENT*
MONTANA TOTAL	11,062	100.0%	11,362	100.0%	11,468	100.0%	11,498	100.0%	11,602	100.0%
SEX										
MALE	5,664	51.2	5,891	51.8	5,819	50.7	5,802	50.5	5,996	51.7
FEMALE	5,398	48.8	5,471	48.2	5,649	49.3	5,696	49.5	5,605	48.3
UNKNOWN	-	-	-	-	-	-	-	-	1	0.0
LEGITIMACY										
IN WEDLOCK	8,233	74.4	8,252	72.6	8,434	73.5	8,602	74.8	8,847	76.3
OUT OF WEDLOCK	2,815	25.4	3,103	27.3	3,031	26.4	2,893	25.2	2,750	23.7
NOT STATED	14	0.1	7	0.1	3	0.0	3	0.0	5	0.0
MULTIPLE BIRTHS										
SINGLE	10,835	97.9	11,110	97.8	11,205	97.7	11,235	97.7	11,328	97.6
TWINS	218	2.0	243	2.1	255	2.2	251	2.2	268	2.3
TRIPLETS OR MORE	-	-	3	0.0	7	0.1	10	0.1	6	0.1
NOT STATED	9	0.1	6	0.1	1	0.0	2	0.0	-	-
PARITY										
FIRST BIRTH	4,383	39.6	4,463	39.3	4,331	37.8	4,255	37.0	4,353	37.5
SECOND BIRTH	3,433	31.0	3,633	32.0	3,661	31.9	3,608	31.4	3,763	32.4
THIRD BIRTH	1,893	17.1	1,909	16.8	1,983	17.3	2,146	18.7	2,080	17.9
FOURTH BIRTH	782	7.1	757	6.7	863	7.5	886	7.7	897	7.7
FIFTH BIRTH	333	3.0	319	2.8	347	3.0	339	2.9	258	2.2
SIXTH BIRTH	114	1.0	149	1.3	153	1.3	157	1.4	117	1.0
SEVENTH BIRTH	60	0.5	64	0.6	64	0.6	46	0.4	53	0.5
EIGHTH BIRTH	28	0.3	28	0.2	28	0.2	30	0.3	26	0.2
NINTH OR MORE	28	0.3	27	0.2	33	0.3	26	0.2	26	0.2
NOT STATED	8	0.1	13	0.1	5	0.0	5	0.0	2	0.0

* EACH PERCENTAGE HAS BEEN INDEPENDENTLY ROUNDED TO THE NEAREST TENTH OF ONE PERCENT. HENCE, THE SUMS OF PARTS MAY DIFFER SLIGHTLY FROM THE TOTALS

TABLE 6

FREQUENCY AND PERCENT DISTRIBUTION OF LIVE BIRTHS BY TYPE OF FACILITY OR ATTENDANT AND BY COUNTY OF OCCURRENCE - MONTANA, 1994

COUNTY	TOTAL	BOA* AND IN HOSPITAL		PHYSICIAN NOT IN HOSPITAL		OTHER NOT IN HOSPITAL	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MONTANA, TOTAL	10,968	10,624	96.9	7	0.1	337	3.1
BEAVERHEAD	91	89	97.8	-	-	2	2.2
BIG HORN	251	248	98.8	-	-	3	1.2
BLAINE	3	1	33.3	-	-	2	66.7
BROADWATER	10	10	100.0	-	-	-	-
CARBON	32	32	100.0	-	-	-	-
CARTER	-	-	-	-	-	-	-
CASCADE	1,476	1,434	97.2	1	0.1	41	2.8
CHOUTEAU	1	-	-	-	-	1	100.0
CUSTER	275	273	99.3	1	0.4	1	0.4
DANIELS	3	3	100.0	-	-	-	-
DAWSON	42	42	100.0	-	-	-	-
DEER LODGE	50	50	100.0	-	-	-	-
FALLON	30	29	96.7	-	-	1	3.3
FERGUS	156	155	99.4	-	-	1	0.6
FLATHEAD	958	918	95.8	-	-	40	4.2
GALLATIN	766	718	93.7	1	0.1	47	6.1
GARFIELD	1	-	-	-	-	1	100.0
GLACIER	232	232	100.0	-	-	-	-
GOLDEN VALLEY	-	-	-	-	-	-	-
GRANITE	1	-	-	-	-	1	100.0
HILL	419	414	98.8	-	-	5	1.2
JEFFERSON	-	-	-	-	-	-	-
JUDITH BASIN	1	-	-	-	-	1	100.0
LAKE	189	180	95.2	-	-	9	4.8
LEWIS & CLARK	778	766	98.5	-	-	12	1.5
LIBERTY	21	21	100.0	-	-	-	-
LINCOLN	135	123	91.1	-	-	12	8.9
MCCONE	-	-	-	-	-	-	-
MADISON	12	12	100.0	-	-	-	-
MEAGHER	10	8	80.0	-	-	2	20.0
MINERAL	7	6	85.7	-	-	1	14.3
MISSOULA	1,472	1,440	97.8	-	-	32	2.2
MUSSELSHELL	1	-	-	-	-	1	100.0
PARK	212	155	73.1	-	-	57	26.9
PETROLEUM	-	-	-	-	-	-	-
PHILLIPS	3	3	100.0	-	-	-	-
PONDERA	19	19	100.0	-	-	-	-
POWDER RIVER	-	-	-	-	-	-	-
POWELL	19	18	94.7	-	-	1	5.3
PRAIRIE	-	-	-	-	-	-	-
RAVALLI	212	189	89.2	-	-	23	10.8
RICHLAND	162	161	99.4	-	-	1	0.6
ROOSEVELT	156	154	98.7	1	0.6	1	0.6
ROSEBUD	2	2	100.0	-	-	-	-
SANDERS	4	2	50.0	-	-	2	50.0
SHERIDAN	41	41	100.0	-	-	-	-
SILVER BOW	543	539	99.3	-	-	4	0.7
STILLWATER	39	35	89.7	-	-	4	10.3
SWEET GRASS	-	-	-	-	-	-	-
TETON	3	-	-	-	-	3	100.0
TOOLE	91	88	96.7	2	2.2	1	1.1
TREASURE	-	-	-	-	-	-	-
VALLEY	96	96	100.0	-	-	-	-
WHEATLAND	-	-	-	-	-	-	-
WIBAUX	-	-	-	-	-	-	-
YELLOWSTONE	1,943	1,918	98.7	1	0.1	24	1.2
YELLOWSTONE PARK	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-

* BORN ON ARRIVAL

TABLE 7

FREQUENCY AND PERCENT DISTRIBUTION OF LIVE BIRTHS BY BIRTHWEIGHT
AND BY COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY	TOTAL	LESS THAN 1,500 GRAMS		1,500 - 2,499 GRAMS		2,500 - 3,999 GRAMS		4,000 GRAMS OR MORE	
	NUMBER	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MONTANA, TOTAL*	11,054	96	0.9	594	5.4	9,245	83.6	1,119	10.1
BEAVERHEAD	104	1	1.0	6	5.8	89	85.6	8	7.7
BIG HORN	253	1	0.4	13	5.1	200	79.1	39	15.4
BLAINE	118	1	0.8	6	5.1	94	79.7	17	14.4
BROADWATER	46	-	-	3	6.5	35	76.1	8	17.4
CARBON	104	-	-	7	6.7	93	89.4	4	3.8
CARTER	23	-	-	1	4.3	21	91.3	1	4.3
CASCADE	1,218	5	0.4	66	5.4	1,036	85.1	111	9.1
CHOUTEAU	41	-	-	1	2.4	32	78.0	8	19.5
CUSTER	157	3	1.9	12	7.6	133	84.7	9	5.7
DANIELS	16	-	-	1	6.3	14	87.5	1	6.3
DAWSON	90	2	2.2	6	6.7	75	83.3	7	7.8
DEER LODGE	84	1	1.2	7	8.3	71	84.5	5	6.0
FALLON	27	-	-	1	3.7	17	63.0	9	33.3
FERGUS	146	1	0.7	8	5.5	122	83.6	15	10.3
FLATHEAD	886	2	0.2	36	4.1	751	84.8	97	10.9
GALLATIN	723	5	0.7	33	4.6	593	82.0	92	12.7
GARFIELD	14	1	7.1	-	-	11	78.6	2	14.3
GLACIER	253	2	0.8	16	6.3	200	79.1	35	13.8
GOLDEN VALLEY	16	-	-	1	6.3	15	93.8	-	-
GRANITE	22	1	4.5	-	-	19	86.4	2	9.1
HILL	283	5	1.8	18	6.4	231	81.6	29	10.2
JEFFERSON	108	2	1.9	3	2.8	87	80.6	16	14.8
JUDITH BASIN	23	-	-	2	8.7	20	87.0	1	4.3
LAKE	282	4	1.4	11	3.9	240	85.1	27	9.6
LEWIS & CLARK	676	6	0.9	39	5.8	572	84.6	59	8.7
LIBERTY	26	-	-	3	11.5	21	80.8	2	7.7
LINCOLN	196	1	0.5	15	7.7	153	78.1	27	13.8
MCCONE	22	-	-	-	-	18	81.8	4	18.2
MADISON	62	1	1.6	2	3.2	53	85.5	6	9.7
MEAGHER	32	1	3.1	3	9.4	27	84.4	1	3.1
MINERAL	44	1	2.3	2	4.5	39	88.6	2	4.5
MISSOULA	1,105	8	0.7	63	5.7	924	83.6	110	10.0
MUSSELSHELL	47	2	4.3	5	10.6	39	83.0	1	2.1
PARK	171	-	-	3	1.8	140	81.9	28	16.4
PETROLEUM	6	-	-	-	-	4	66.7	2	33.3
PHILLIPS	65	-	-	2	3.1	52	80.0	11	16.9
PONDERA	78	2	2.6	6	7.7	61	78.2	9	11.5
POWDER RIVER	25	-	-	1	4.0	21	84.0	3	12.0
POWELL	77	2	2.6	3	3.9	70	90.9	2	2.6
PRAIRIE	12	-	-	3	25.0	9	75.0	-	-
RAVALLI	357	3	0.8	19	5.3	301	84.3	34	9.5
RICHLAND	126	-	-	12	9.5	102	81.0	12	9.5
ROOSEVELT	197	1	0.5	8	4.1	159	80.7	29	14.7
ROSEBUD	146	1	0.7	8	5.5	127	87.0	10	6.8
SANDERS	87	2	2.3	7	8.0	67	77.0	11	12.6
SHERIDAN	40	-	-	4	10.0	28	70.0	8	20.0
SILVER BOW	449	9	2.0	35	7.8	374	83.3	31	6.9
STILLWATER	77	1	1.3	4	5.2	63	81.8	9	11.7
SWEET GRASS	34	-	-	1	2.9	28	82.4	5	14.7
TETON	70	-	-	3	4.3	60	85.7	7	10.0
TOOLE	56	-	-	1	1.8	46	82.1	9	16.1
TREASURE	8	-	-	-	-	7	87.5	1	12.5
VALLEY	89	-	-	1	1.1	78	87.6	10	11.2
WHEATLAND	32	-	-	-	-	31	96.9	1	3.1
WIBAUX	10	-	-	1	10.0	7	70.0	2	20.0
YELLOWSTONE	1,595	18	1.1	82	5.1	1,365	85.6	130	8.2
YELLOWSTONE PARK	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-

* BIRTH WEIGHT WAS NOT STATED FOR EIGHT BIRTHS.

TABLE 8

FREQUENCY AND PERCENT DISTRIBUTION OF LIVE BIRTHS TO MONTANA RESIDENTS
DELIVERING IN MONTANA BY NUMBER OF CHILDREN BORN ALIVE AND
AND BY YEARS OF EDUCATION OF MOTHER
MONTANA, 1994

EDUCATION OF MOTHER IN YEARS	NUMBER OF LIVE-BORN CHILDREN											
	TOTAL	ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	TEN OR MORE	NOT STATED
TOTAL												
NUMBER	10,867	4,312	3,375	1,861	763	325	113	59	28	11	17	3
PERCENT	100.0	39.7	31.1	17.1	7.0	3.0	1.0	0.5	0.3	0.1	0.2	-
NONE												
NUMBER	5	-	1	-	-	2	-	-	-	1	1	-
PERCENT	100.0	-	20.0	-	-	40.0	-	-	-	20.0	20.0	-
LESS THAN 8 YEARS												
NUMBER	29	9	8	7	2	3	-	-	-	-	-	-
PERCENT	100.0	31.0	27.6	24.1	6.9	10.3	-	-	-	-	-	-
8 YEARS												
NUMBER	201	81	43	31	15	12	10	3	2	2	2	-
PERCENT	100.0	40.3	21.4	15.4	7.5	6.0	5.0	1.5	1.0	1.0	1.0	-
9 YEARS												
NUMBER	284	136	72	38	20	13	2	1	1	-	1	-
PERCENT	100.0	47.9	25.4	13.4	7.0	4.6	0.7	0.4	0.4	-	0.4	-
10 YEARS												
NUMBER	469	238	107	69	26	17	3	2	4	2	1	-
PERCENT	100.0	50.7	22.8	14.7	5.5	3.6	0.6	0.4	0.9	0.4	0.2	-
11 YEARS												
NUMBER	603	291	134	91	49	21	9	6	2	-	-	-
PERCENT	100.0	48.3	22.2	15.1	8.1	3.5	1.5	1.0	0.3	-	-	-
12 YEARS												
NUMBER	3,903	1,463	1,243	707	289	121	41	24	8	2	5	-
PERCENT	100.0	37.5	31.8	18.1	7.4	3.1	1.1	0.6	0.2	0.1	0.1	-
1 YR COLLEGE												
NUMBER	1,283	473	430	224	97	26	12	11	5	4	1	-
PERCENT	100.0	36.9	33.5	17.5	7.6	2.0	0.9	0.9	0.4	0.3	0.1	-
2 YRS COLLEGE												
NUMBER	1,278	480	397	236	98	44	14	4	2	-	3	-
PERCENT	100.0	37.6	31.1	18.5	7.7	3.4	1.1	0.3	0.2	-	0.2	-
3 YRS COLLEGE												
NUMBER	508	207	146	96	31	17	7	4	-	-	-	-
PERCENT	100.0	40.7	28.7	18.9	6.1	3.3	1.4	0.8	-	-	-	-
4 YRS COLLEGE												
NUMBER	1,466	584	517	219	89	34	14	4	2	-	3	-
PERCENT	100.0	39.8	35.3	14.9	6.1	2.3	1.0	0.3	0.1	-	0.2	-
POST GRADUATE												
NUMBER	821	343	275	141	46	13	1	-	2	-	-	-
PERCENT	100.0	41.8	33.5	17.2	5.6	1.6	0.1	-	0.2	-	-	-
NOT STATED												
NUMBER	17	7	2	2	1	2	-	-	-	-	-	3
PERCENT	100.0	41.2	11.8	11.8	5.9	11.8	-	-	-	-	-	17.6

FREQUENCY OF DEATH BY SEX, RACE,* AND CAUSE
MONTANA RESIDENTS, 1994

INTERNAT'L CLASSIF. (ICD-9)	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE*	OTHER	WHITE*	OTHER
	ALL CAUSES	**7,331**	**3,743**	**207**	**3,225**	**156**
001 - 139	**INFECTIOUS AND PARASITIC DISEASES**	**102**	**58**	**2**	**35**	**7**
001 - 009	INTESTINAL INFECTIOUS DISEASES	1	-	-	1	-
008	INTESTINAL INFECTION DUE TO OTHER ORGANISMS	1	-	-	1	-
010 - 018	TUBERCULOSIS	6	3	-	1	2
011	PULMONARY TUBERCULOSIS	4	2	-	1	1
013	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM	1	1	-	-	-
018	MILIARY TUBERCULOSIS	1	-	-	-	1
030 - 041	OTHER BACTERIAL DISEASES	55	23	1	28	3
036	MENINGOCOCCAL INFECTION	1	1	-	-	-
038	SEPTICEMIA	54	22	1	28	3
042 - 044	HUMAN IMMUNODEFICIENCY VIRUS (HIV) INFECTION	26	23	1	1	1
042	HIV INFECTION WITH SPECIFIED CONDITIONS	25	22	1	1	1
044	OTHER HIV INFECTION	1	1	-	-	-
070 - 079	OTHER DISEASES DUE TO VIRUSES AND CHLAMYDIAE	5	4	-	1	-
070	VIRAL HEPATITIS	3	3	-	-	-
078	OTHER DISEASES DUE TO VIRUSES AND CHLAMYDIAE	1	-	-	1	-
079	VIRAL INFECTION IN CONDITIONS CLASSIFIED ELSEWHERE AND OF UNSPECIFIED SITE	1	1	-	-	-
090 - 099	SYPHILIS AND OTHER VENEREAL DISEASES	1	-	-	1	-
098	GONOCOCCAL INFECTION	1	-	-	1	-
110 - 118	MYCOSES	5	5	-	-	-
112	CANDIDIASIS	2	2	-	-	-
117	OTHER MYCOSES	3	3	-	-	-
130 - 136	OTHER INFECTIOUS AND PARASITIC DISEASES	3	-	-	2	1
135	SARCOIDOSIS	3	-	-	2	1
140 - 239	**NEOPLASMS**	**1,767**	**958**	**32**	**758**	**19**
140 - 149	MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX	36	23	2	11	-
141	TONGUE	7	5	1	1	-
142	MAJOR SALIVARY GLANDS	4	4	-	-	-
143	GUM	1	-	-	1	-
144	FLOOR OF THE MOUTH	2	2	-	-	-
145	OTHER AND UNSPECIFIED PARTS OF MOUTH	6	2	-	4	-
146	OROPHARYNX	6	2	-	4	-
147	NASOPHARYNX	6	6	-	-	-
148	HYPOPHARYNX	1	1	-	-	-
149	OTHER AND ILL-DEFINED SITE WITHIN LIP, ORAL CAVITY, AND PHARYNX	3	1	1	1	-
150 - 159	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM	407	213	10	180	4
150	ESOPHAGUS	40	25	1	14	-
151	STOMACH	42	17	4	20	1
152	SMALL INTESTINE INCLUDING DUODENUM	4	1	-	3	-
153	COLON	147	81	1	64	1
154	RECTUM, RECTOSIGMOID JUNCTION, AND ANUS	37	16	1	20	-
155	LIVER AND INTRAHEPATIC BILE DUCTS	25	16	1	7	1
156	GALL BLADDER AND EXTRAHEPATIC BILEDUCTS	13	5	-	8	-
157	PANCREAS	94	49	2	42	1
158	RETROPERITONEUM AND PERITONEUM	1	1	-	-	-
159	ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITIONEUM	4	2	-	2	-
160 - 165	MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS	472	283	10	171	8
160	NASAL CAVITIES, MIDDLE EAR, AND ACCESSORY SINUSES	1	-	-	1	-
161	LARYNX	11	7	1	3	-
162	TRACHEA, BRONCHUS, AND LUNG	457	274	9	166	8
163	PLEURA	2	2	-	-	-
164	THYMUS, HEART, AND MEDIASTINUM	1	-	-	1	-
170 - 175	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREA	171	33	-	135	3
170	BONE AND ARTICULAR CARTILAGE	5	4	-	1	-
171	CONNECTIVE AND OTHER SOFT TISSUE	16	9	-	7	-
172	MALIGNANT MELANOMA OF SKIN	22	15	-	6	1
173	OTHER MALIGNANT NEOPLASM OF SKIN	4	4	-	-	-
174	FEMALE BREAST	123	-	-	121	2
175	MALE BREAST	1	1	-	-	-

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

FREQUENCY OF DEATH BY SEX, RACE,* AND CAUSE
MONTANA RESIDENTS, 1994

INTERNAT'L CLASSIF. (ICD-9)	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE*	OTHER	WHITE*	OTHER
179 - 189	MALIGNANT NEOPLASMS OF GENITOURINARY ORGANS	291	187	5	97	2
179	UTERUS, PART UNSPECIFIED	6	-	-	6	-
180	CERVIX UTERI	12	-	-	12	-
182	BODY OF UTERUS	12	-	-	12	-
183	OVARY AND OTHER UTERINE ADNEXA	45	-	-	43	2
184	OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	4	-	-	4	-
185	PROSTATE	133	129	4	-	-
186	TESTIS	2	2	-	-	-
188	BLADDER	44	35	-	9	-
189	KIDNEY AND OTHER UNSPECIFIED URINARY ORGANS	33	21	1	11	-
190 - 199	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES	181	100	3	78	-
191	BRAIN	42	26	1	15	-
192	OTHER AND UNSPECIFIED PART OF NERVOUS SYSTEM	2	1	-	1	-
193	THYROID GLAND	3	1	-	2	-
195	OTHER AND ILL-DEFINED SITES	9	6	-	3	-
199	MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE	125	66	2	57	-
200 - 208	MALIGNANT NEOPLASMS OF LYMPHATC AND HEMATOPOIETIC TISSUE	182	105	1	75	1
200	LYMPHOSARCOMA AND RETICULOSARCOMA	4	3	-	1	-
201	HODGKIN'S DISEASE	8	5	-	3	-
202	OTHER MALIGNANT NEOPLASM OF LYMPHOID AND HISTIOCYTIC TISSUE	66	36	1	28	1
203	MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS	39	25	-	14	-
204	LYMPHOID LEUKEMIA	28	17	-	11	-
205	MYELOID LEUKEMIA	22	9	-	13	-
208	LEUKEMIA OF UNSPECIFIED CELL TYPE	15	10	-	5	-
210 - 229	BENIGN NEOPLASMS	6	-	1	4	1
212	RESPIRATORY AND INTRATHORACIC ORGANS	2	-	-	1	1
225	BRAIN AND OTHER PARTS OF NERVOUS SYSTEM	3	-	-	3	-
228	HEMANGIOMA AND LYMPHANGIOMA, ANY SITE	1	-	1	-	-
235 - 238	NEOPLASMS OF UNCERTAIN BEHAVIOR	6	5	-	1	-
237	ENDOCRINE GLANDS AND NERVOUS SYSTEM	1	-	-	1	-
238	OTHER AND UNSPECIFIED SITES AND TISSUES	5	5	-	-	-
239	NEOPLASMS OF UNSPECIFIED NATURE	15	9	-	6	-
240 - 279	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND IMMUNITY DISORDERS	279	117	6	140	16
240 - 246	DISORDERS OF THYROID GLAND	7	2	-	5	-
240	SIMPLE AND UNSPECIFIED GOITER	1	-	-	1	-
242	THYROTOXICOSIS WITH OR WITHOUT GOITER	2	1	-	1	-
244	ACQUIRED HYPOTHYROIDISM	4	1	-	3	-
250 - 259	DISEASES OF OTHER ENDOCRINE GLANDS	217	90	6	107	14
250	DIABETES MELLITUS	215	90	6	105	14
251	OTHER DISORDERS OF PANCREATIC INTERNAL SECRETION	1	-	-	1	-
253	DISORDERS OF PITUITARY GLAND AND ITSHYPOTHALAMIC CONTROL	1	-	-	1	-
260 - 269	NUTRITIONAL DEFICIENCIES	12	7	-	5	-
261	NUTRITIONAL MARASMUS	2	1	-	1	-
263	OTHER AND UNSPECIFIED PROTIEN-CALORIE MALNUTRITION	8	5	-	3	-
269	OTHER NUTRITIONAL DEFICIENCY	2	1	-	1	-
270 - 279	OTHER METABOLIC DISORDERS AND IMMUNITY DISORDERS	43	18	-	23	2
272	LIPOID METABOLISM	9	4	-	4	1
276	FLUID, ELECTROLYTE, AND ACID-BASE BALANCE	17	6	-	10	1
277	OTHER AND UNSPECIFIED DISORDERS OF METABOLISM	7	4	-	3	-
278	OBESITY AND OTHER HYPERALIMENTATION	9	3	-	6	-
279	DISORDER INVOLVING THE IMMUNE MECHANISM	1	1	-	-	-
280 - 289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	26	13	-	13	-
280	IRON DEFICIENCY ANEMIA	1	-	-	1	-
281	OTHER DEFICIENCY ANAEMIA	1	1	-	-	-
282	HEREDITARY HAEMOLYTIC ANAEMIA	3	1	-	2	-
284	APLASTIC ANEMIA	4	2	-	2	-
285	OTHER AND UNSPECIFIED ANEMIAS	5	1	-	4	-
286	COAGULATION DEFECT	1	-	-	1	-
287	PURPURA AND OTHER HEMORRHAGIC CONDITIONS	1	1	-	-	-
289	OTHER DISEASE OF BLOOD AND BLOOD-FORMING ORGANS	10	7	-	3	-

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

FREQUENCY OF DEATH BY SEX, RACE,* AND CAUSE
MONTANA RESIDENTS, 1994

INTERNAT'L CLASSIF. (ICD-9)	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE*	OTHER	WHITE*	OTHER
290 - 319	**MENTAL DISORDERS**	180	53	9	113	5
290 - 294	ORGANIC PSYCHOTIC CONDITIONS	80	20	2	58	-
290	SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS	77	19	1	57	-
291	ALCOHOLIC PSYCHOSIS	1	-	1	-	-
294	OTHER CHRONIC ORGANIC PSYCHOTIC CONDITION	2	1	-	1	-
295 - 299	OTHER PSYCHOSES	55	18	-	37	-
298	OTHER NONORGANIC PSYCHOSES	55	18	-	37	-
300 - 316	NEUROTIC, PERSONALITY, AND OTHER NONPSYCHOTIC MENTAL DISORDERS	45	15	7	18	5
303	ALCOHOL DEPENDENCE SYNDROME	31	12	6	9	4
304	DRUG DEPENDENCE	1	-	-	-	1
305	NONDEPENDENT ABUSE OF DRUGS	4	2	1	1	-
310	SPECIFIC NONPSYCHOTIC MENTAL DISORDERS AFTER ORGANIC BRAIN DAMAGE	7	1	-	6	-
311	DEPRESSIVE DISORDER, NOT ELSEWHERE CLASSIFIED	2	-	-	2	-
320 - 389	**DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS**	198	92	3	98	5
320 - 326	INFLAMMATORY DISEASES OF THE CENTRAL NERVOUS SYSTEM	5	1	-	4	-
320	BACTERIAL MENINGITIS	1	1	-	-	-
322	MENINGITIS OF UNSPECIFIED CAUSE	1	-	-	1	-
323	ENCEPHALITIS, MYELITIS, AND ENCEPHALOMYELITIS	1	-	-	1	-
324	INTRACRANIAL AND INTRASPINAL ABSCESS	1	-	-	1	-
325	PHLEBITIS AND THROMBOPHLEBITIS OF INTRACRANIAL VENOUS SINUSES	1	-	-	1	-
330 - 337	HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM	156	72	-	81	3
331	OTHER CEREBRAL DEGENERATION (INCLUDING ALZHEIMER'S)	99	41	-	56	2
332	PARKINSON'S DISEASE	29	17	-	12	-
333	OTHER EXTRAPYRAMIDAL DISEASE AND ABNORMAL MOVEMENT DISORDERS	4	2	-	2	-
334	SPINOCEREBELLAR DISEASE	2	2	-	-	-
335	ANTERIOR HORN CELL DISEASE	22	10	-	11	1
340 - 349	OTHER DISORDERS OF THE CENTRAL NERVOUS SYSTEM	31	15	2	13	1
340	MULTIPLE SCLEROSIS	14	5	-	9	-
343	INFANTILE CEREBRAL PALSY	6	3	1	2	-
344	OTHER PARALYTIC SYNDROMES	2	1	-	1	-
345	EPILEPSY	4	4	-	-	-
348	OTHER CONDITION OF BRAIN	4	1	1	1	1
349	OTHER AND UNSPECIFIED DISORDERS OF THE NERVOUS SYSTEM	1	1	-	-	-
350 - 359	DISORDERS OF PERIPHERAL NERVOUS SYSTEM	6	4	1	-	1
357	INFLAMMATORY AND TOXIC NEUROPATHY	1	-	-	-	1
358	MYONEURAL DISORDERS	1	1	-	-	-
359	MUSCULAR DYSTROPHIES AND OTHER MYOPATHIES	4	3	1	-	-
390 - 459	**DISEASES OF THE CIRCULATORY SYSTEM**	2,701	1,339	55	1,257	50
393 - 398	CHRONIC RHEUMATIC HEART DISEASE	28	9	-	18	1
394	DISEASE OF MITRAL VALVE	11	4	-	7	-
396	DISEASE OF MITRAL AND AORTIC VALVE	5	1	-	4	-
397	DISEASE OF OTHER ENDOCARDIAL STRUCTURES	4	2	-	1	1
398	OTHER RHEUMATIC HEART DISEASE	8	2	-	6	-
401 - 405	HYPERTENSIVE DISEASE	90	32	1	55	2
401	ESSENTIAL HYPERTENSION	30	6	-	23	1
402	HYPERTENSIVE HEART DISEASE	37	17	1	18	1
403	HYPERTENSIVE RENAL DISEASE	16	8	-	8	-
404	HYPERTENSIVE HEART AND RENAL DISEASE	7	1	-	6	-
410 - 414	ISCHEMIC HEART DISEASE	1,107	644	25	421	17
410	ACUTE MYOCARDIAL INFARCTION	557	340	14	196	7
412	OLD MYOCARDIAL INFARCTION	1	-	-	1	-
413	ANGINA PECTORIS	3	-	-	2	1
414	OTHER FORM OF CHRONIC ISCHEMIC HEART DISEASE	546	304	11	222	9
415 - 417	DISEASES OF PULMONARY CIRCULATION	34	15	-	18	1
415	ACUTE PULMONARY HEART DISEASE	30	14	-	15	1
416	CHRONIC PULMONARY HEART DISEASE	3	1	-	2	-
417	OTHER DISEASES OF PULMONARY CIRCULATION	1	-	-	1	-

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

FREQUENCY OF DEATH BY SEX, RACE,* AND CAUSE
MONTANA RESIDENTS, 1994

INTERNAT'L CLASSIF. (ICD-9)	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE*	OTHER	WHITE*	OTHER
420 - 429	OTHER FORMS OF HEART DISEASE	694	324	13	339	18
421	ACUTE AND SUBACUTE ENDOCARDITIS	1	-	-	1	-
423	OTHER DISEASES OF PERICARDIUM	2	2	-	-	-
424	OTHER DISEASES OF ENDOCARDIUM	81	32	1	48	-
425	CARDIOMYOPATHY	61	36	3	21	1
426	CONDUCTION DISORDERS	5	2	-	3	-
427	CARDIAC DYSRHYTHMIAS	161	79	2	73	7
428	HEART FAILURE	202	77	3	115	7
429	ILL-DEFINED DESCRIPTIONS AND COMPLICATIONS OF HEART DISEASE	181	96	4	78	3
430 - 438	CEREBROVASCULAR DISEASE	572	218	10	336	8
430	SUBARACHNOID HEMORRHAGE	27	6	-	17	4
431	INTRACEREBRAL HEMORRHAGE	48	25	1	22	-
432	OTHER AND UNSPECIFIED INTRACRANIAL HEMORRHAGE	18	7	-	11	-
433	OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES	5	3	-	2	-
434	OCCLUSION OF CEREBRAL ARTERIES	28	6	-	22	-
435	TRANSIENT CEREBRAL ISCHEMIA	2	-	-	2	-
436	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE	359	130	9	216	4
437	OTHER AND ILL-DEFINED CEREBROVASCULAR DISEASE	47	20	-	27	-
438	LATE EFFECT OF CEREBROVASCULAR DISEASE	38	21	-	17	-
440 - 448	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	163	91	5	64	3
440	ATHEROSCLEROSIS	75	34	3	38	-
441	AORTIC ANEURYSM	60	42	1	16	1
442	OTHER ANEURYSM	3	3	-	-	-
443	OTHER PERIPHERAL VASCULAR DISEASE	16	9	1	6	-
444	ARTERIAL EMBOLISM AND THROMBOSIS	3	1	-	2	-
446	POLYARTERITIS NODOSA AND ALLIED CONDITIONS	4	1	-	1	2
447	OTHER DISORDER OF ARTERIES AND ARTERIOLES	2	1	-	1	-
451 - 459	DISEASES OF VEINS AND LYMPHATICS AND OTHER CIRCULATORY DISEASES	13	6	1	6	-
451	PHLEBITIS AND THROMBOPHLEBITIS	2	2	-	-	-
453	OTHER VENOUS EMBOLISM AND THROMBOSIS	3	1	-	2	-
458	HYPOTENSION	1	-	1	-	-
459	OTHER DISORDER OF CIRCULATORY SYSTEM	7	3	-	4	-
460 - 519	DISEASES OF RESPIRATRY SYSTEM	871	461	15	383	12
460 - 466	ACUTE RESPIRATORY INFECTIONS	2	1	-	1	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	2	1	-	1	-
480 - 487	PNEUMONIA AND INFLUENZA	291	147	5	135	4
480	VIRAL PNEUMONIA	1	1	-	-	-
481	PNEUMOCOCCAL PNEUMONIA	5	2	-	3	-
482	OTHER BACTERIAL PNEUMONIA	5	3	1	1	-
485	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED	11	6	1	4	-
486	PNEUMONIA, ORGANISM UNSPECIFIED	254	130	3	117	4
487	INFLUENZA	15	5	-	10	-
490 - 496	CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	485	264	6	209	6
490	BRONCHITIS NOT SPECIFIED AS ACUTE ORCHRONIC	1	-	-	1	-
491	CHRONIC BRONCHITIS	13	8	-	5	-
492	EMPHYSEMA	76	50	-	26	-
493	ASTHMA	32	12	-	19	1
494	BRONCHIECTASIS	4	1	-	3	-
495	EXTRINSIC ALLERGIC ALVEOLITIS	1	1	-	-	-
496	CHRONIC AIRWAYS OBSTRUCTION NOT ELSEWHERE CLASSIFIED	358	192	6	155	5
500 - 508	PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS	31	19	1	11	-
500	COALWORKERS' PNEUMOCONIOSIS	1	1	-	-	-
501	ASBESTOSIS	3	3	-	-	-
507	PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	27	15	1	11	-
510 - 519	OTHER RESPIRATORY SYSTEM DISEASES	62	30	3	27	2
511	PLEURISY	1	1	-	-	-
512	PNEUMOTHORAX	1	1	-	-	-
513	ABSCESS OF LUNG AND MEDIASTINUM	3	1	1	1	-
514	PULMONARY CONGESTION AND HYPOSTASIS	2	2	-	-	-
515	POSTINFLAMMATORY PULMONARY FIBROSIS	36	14	2	19	1
516	OTHER ALVEOLAR AND PARIETOALVEOLAR PNEUMOPATHY	2	1	-	1	-
518	OTHER DISEASES OF LUNG	13	9	-	3	1
519	OTHER DISEASES OF RESPIRATORY SYSTEM	4	1	-	3	-

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

FREQUENCY OF DEATH BY SEX, RACE,* AND CAUSE
MONTANA RESIDENTS, 1994

INTERNAT'L CLASSIF. (ICD-9)	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE*	OTHER	WHITE*	OTHER
520 - 579	**DISEASES OF THE DIGESTIVE SYSTEM**	**248**	**109**	**17**	**117**	**6**
530 - 537	DISEASES OF ESOPHAGUS, STOMACH, AND DUODENUM	25	11	1	13	-
530	DISEASES OF ESOPHAGUS	8	3	1	4	-
531	GASTRIC ULCER	2	2	-	-	-
532	DUODENAL ULCER	7	3	-	4	-
533	PEPTIC ULCER, SITE UNSPECIFIED	6	2	-	4	-
535	GASTRITIS AND DUODENITIS	1	1	-	-	-
537	OTHER DISORDERS OF STOMACH AND DUODENUM	1	-	-	1	-
540 - 543	APPENDICITIS	3	1	1	1	-
540	ACUTE APPENDICITIS	1	1	-	-	-
541	APPENDICITIS, UNQUALIFIED	2	-	1	1	-
550 - 553	HERNIA OF ABDOMINAL CAVITY	4	1	-	3	-
552	OTHER HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION BUT WITHOUT GANGRENE	3	1	-	2	-
553	OTHER HERNIA OF ABDOMINAL CAVITY WITHOUT OBSTRUCTION OR GANGRENE	1	-	-	1	-
555 - 558	NONINFECTIVE ENTERITIS AND COLITIS	36	11	-	24	1
555	REGIONAL ENTERITIS	1	-	-	1	-
557	VASCULAR INSUFFICIENCY OF INTESTINE	30	10	-	19	1
558	OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS	5	1	-	4	-
560 - 569	OTHER DISEASES OF INTESTINES AND PERITONEUM	43	20	1	22	-
560	INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	15	6	-	9	-
562	DIVERTICULA OF INTESTINE	8	2	-	6	-
564	FUNCTIONAL DIGESTIVE DISORDERS, NOT ELSEWHERE CLASSIFIED	2	-	-	2	-
566	ABSCESS OF ANAL AND RECTAL REGIONS	1	-	-	1	-
567	PERITONITIS	10	8	-	2	-
569	OTHER DISORDERS OF INTESTINE	7	4	1	2	-
570 - 579	OTHER DISEASES OF DIGESTIVE SYSTEM	137	65	14	54	4
570	ACUTE AND SUBACUTE NECROSIS OF LIVER	1	1	-	-	-
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	70	35	11	22	2
572	LIVER ABSCESS AND SEQUELAE OF CHRONIC LIVER DISEASE	14	7	1	4	2
573	OTHER DISORDERS OF LIVER	9	2	1	6	-
574	CHOLELITHIASIS	6	5	-	1	-
575	OTHER DISORDERS OF GALLBLADDER	4	1	-	3	-
576	OTHER DISORDERS OF BILIARY TRACT	4	3	-	1	-
577	DISEASE OF PANCREAS	8	3	-	5	-
578	GASTROINTESTINAL HEMORRHAGE	21	8	1	12	-
580 - 629	**DISEASES OF THE GENITOURINARY SYSTEM**	**117**	**55**	**3**	**54**	**5**
580 - 589	NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS	76	39	3	30	4
580	ACUTE GLOMERULONEPHRITIS	1	1	-	-	-
582	CHRONIC GLOMERULONEPHRITIS	3	2	-	1	-
583	NEPHRITIS AND NEPHROPATHY, NOT SPECIFIED AS ACUTE OR CHRONIC	3	1	-	2	-
584	ACUTE RENAL FAILURE	12	7	-	5	-
585	CHRONIC RENAL FAILURE	6	2	-	4	-
586	RENAL FAILURE, UNSPECIFIED	51	26	3	18	4
590 - 599	OTHER DISEASE OF URINARY SYSTEM	35	12	-	22	1
590	INFECTIONS OF KIDNEY	5	1	-	4	-
592	CALCULUS OF KIDNEY AND URETER	1	-	-	1	-
593	OTHER DISORDERS OF KIDNEY AND URETER	4	1	-	3	-
596	OTHER DISORDERS OF BLADDER	2	-	-	2	-
599	OTHER DISORDERS OF URETHRA AND URINARY TRACT	23	10	-	12	1
600 - 608	DISEASES OF MALE GENITAL ORGANS	4	4	-	-	-
600	HYPERPLASIA OF PROSTATE	2	2	-	-	-
601	INFLAMMATORY DISEASE OF PROSTATE	1	1	-	-	-
608	OTHER DISORDERS OF MALE GENITAL ORGANS	1	1	-	-	-
610 - 611	DISORDERS OF BREAST	1	-	-	1	-
611	OTHER DISORDERS OF BREAST	1	-	-	1	-
614 - 616	INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS	1	-	-	1	-
614	INFLAMMATORY DISEASE OF OVARY, FALLOPIAN TUBE, PELVIC CELLULAR TISSUE, AND PERITONEUM	1	-	-	1	-
680 - 709	**DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE**	**7**	**3**	**1**	**3**	**-**

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

FREQUENCY OF DEATH BY SEX, RACE,* AND CAUSE
MONTANA RESIDENTS, 1994

INTERNAT'L CLASSIF. (ICD-9)	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE*	OTHER	WHITE*	OTHER
680 - 686	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	3	1	1	1	-
682	OTHER CELLULITIS AND ABSCESS	3	1	1	1	-
700 - 709	OTHER DISEASE OF SKIN AND SUBCUTANEOUS TISSUE	4	2	-	2	-
707	CHRONIC ULCER OF SKIN	4	2	-	2	-
710 - 739	MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE DISEASES	41	14	-	25	2
710 - 719	ARTHROPATHIES AND RELATED DISORDERS	25	9	-	15	1
710	DIFFUSE DISEASE OF CONNECTIVE TISSUE	6	3	-	2	1
711	ARTHROPATHY ASSOCIATED WITH INFECTIONS	2	1	-	1	-
714	RHEUMATOID ARTHRITIS AND OTHER INFLAMMTORY POLYARTHROPATHIES	10	3	-	7	-
715	OSTEOARTHROSIS AND ALLIED DISORDERS	5	2	-	3	-
716	OTHER AND UNSPECIFIED ARTHROPATHIES	1	-	-	1	-
718	OTHER DERANGEMENT OF JOINT	1	-	-	1	-
720 - 724	DORSOPATHIES	3	1	-	2	-
720	ANKYLOSING SPONDYLITIS AND OTHER INFLAMMATORY SPONDYLOPATHIES	2	1	-	1	-
722	INTERVERTEBRAL DISC DISORDERS	1	-	-	1	-
725 - 729	RHEUMATISM, EXCLUDING THE BACK	1	1	-	-	-
729	OTHER DISORDERS OF SOFT TISSUES	1	1	-	-	-
730 - 739	OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES	12	3	-	8	1
730	OSTEOMYELITIS, PERIOSTITIS, AND OTHER INFECTIONS INVOLVING BONE	2	1	-	1	-
733	OTHER DISORDERS OF BONE AND CARTILAGE	8	1	-	6	1
737	CURVATURE OF SPINE	2	1	-	1	-
740 - 759	CONGENITAL ANOMALIES	34	18	1	13	2
740	ANENCEPHALUS AND SIMILAR ANOMALIES	1	1	-	-	-
742	OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM	3	2	-	1	-
745	BULBUS CORDIS ANOMALIES AND ANOMALIES OF CARDIAC SEPTAL CLOSURE	3	-	-	3	-
746	OTHER CONGENITAL ANOMALIES OF HEART	8	6	-	2	-
747	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	4	3	-	-	1
748	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	4	2	-	2	-
753	CONGENITAL ANOMALIES OF URINARY SYSTEM	3	1	-	1	1
756	OTHER CONGENITAL MUSCULOSKELETAL ANOMALIES	1	-	-	1	-
758	CHROMOSOMAL ANOMALIES	3	2	-	1	-
759	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	4	1	1	2	-
760 - 779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	28	15	3	8	2
761	MATERNAL COMPLICATIONS OF PREGNANCY	1	-	-	1	-
762	COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES	3	1	2	-	-
765	DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT	4	1	-	3	-
768	INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	3	2	-	1	-
769	RESPIRATORY DISTRESS SYNDROME	3	3	-	-	-
770	OTHER RESPIRATORY CONDITION OF FETUS AND NEWBORN	8	6	1	1	-
771	INFECTION SPECIFIC TO THE PERINATAL PERIOD	3	1	-	1	1
772	FETAL AND NEONATAL HEMORRHAGE	1	1	-	-	-
776	HEMATOLOGICAL DISORDERS OF FETUS AND NEWBORN	1	-	-	-	1
779	OTHER ILL-DEFINED CONDITION ORIGINATING IN PERINATAL PERIOD	1	-	-	1	-
780 - 799	SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS	132	52	2	75	3
780 - 789	SYMPTOMS	13	1	-	11	1
780	GENERAL SYMPTOMS	3	1	-	2	-
785	SYMPTOMS INVOLVING CARDIOVASCULAR SYSTEM	9	-	-	9	-
786	SYMPTOMS INVOLVING RESPIRATORY SYSTEM AND OTHER CHEST SYMPTOMS	1	-	-	-	1
797 - 799	ILL-DEFINED AND UNKNOWN CAUSES OF MORBIDITY AND MORTALITY	119	51	2	64	2
797	SENILITY WITHOUT MENTION OF PSYCHOSIS	23	6	-	17	-
798	SUDDEN DEATH, CAUSE UNKNOWN (INCLUDING SIDS)	18	12	1	4	1
799	OTHER ILL-DEFINED AND UNKNOWN CAUSES OF MORBIDITY AND MORTALITY	78	33	1	43	1

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

FREQUENCY OF DEATH BY SEX, RACE,* AND CAUSE
MONTANA RESIDENTS, 1994

INTERNAT'L CLASSIF. (ICD-9)	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE*	OTHER	WHITE*	OTHER
800 - 999	**EXTERNAL CAUSES OF INJURY AND POISONING**	**600**	**386**	**58**	**133**	**23**
800 - 807	RAILWAY ACCIDENTS	7	3	3	-	1
805	HIT BY ROLLING STOCK	7	3	3	-	1
810 - 819	MOTOR VEHICLE TRAFFIC ACCIDENTS	184	103	20	48	13
810	INVOLVING COLLISION WITH TRAIN	1	1	-	-	-
812	INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE	70	37	4	24	5
814	INVOLVING COLLISION WITH PEDESTRIAN	13	4	4	3	2
815	OTHER TRAFFIC ACCIDENT INVOLVING COLLISION ON THE HIGHWAY	10	6	1	2	1
816	LOSS OF CONTROL, WITHOUT COLLISION ON THE HIGHWAY	79	49	9	16	5
818	OTHER NONCOLLISION TRAFFIC ACCIDENT	7	4	1	2	-
819	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE	4	2	1	1	-
820 - 825	MOTOR VEHICLE NON-TRAFFIC ACCIDENTS	8	7	1	-	-
820	INVOLVING MOTOR-DRIVEN SNOW VEHICLE	3	3	-	-	-
821	INVOLVING OTHER OFF-ROAD MOTOR VEHICLE	2	2	-	-	-
822	INVOLVING COLLISION WITH MOVING OBJECT	2	2	-	-	-
825	OTHER AND UNSPECIFIED NATURE	1	-	1	-	-
826 - 829	OTHER ROAD VEHICLE ACCIDENTS	3	3	-	-	-
828	ACCIDENT INVOLVING ANIMAL BEING RIDDEN	3	3	-	-	-
830 - 838	WATER TRANSPORT ACCIDENTS	5	5	-	-	-
830	ACCIDENT TO WATERCRAFT CAUSING SUBMERSION	5	5	-	-	-
840 - 845	AIR AND SPACE TRANSPORT ACCIDENTS	7	6	1	-	-
841	ACCIDENT TO POWERED AIRCRAFT, OTHER AND UNSPECIFIED	7	6	1	-	-
850 - 858	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	14	5	1	8	-
850	BY ANALGESICS, ANTIPYRETICS, ANTIRHEUMATICS	5	2	-	3	-
855	BY OTHER DRUGS ACTING ON CENTRAL AND AUTONOMIC NERVOUS SYSTEMS	3	1	1	1	-
857	BY OTHER ANTI-INFECTIVES	1	1	-	-	-
858	BY OTHER DRUGS	5	1	-	4	-
860 - 869	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES, AND VAPORS	8	5	1	1	1
860	BY ALCOHOL, NOT ELSEWHERE CLASSIFIED	1	1	-	-	-
867	BY GAS DISTRIBUTED BY PIPELINE	1	1	-	-	-
868	BY OTHER UTILITY GAS AND OTHER CARBON MONOXIDE	5	3	1	-	1
869	BY OTHER GASES AND VAPORS	1	-	-	1	-
870 - 876	MISADVENTURES TO PATIENTS DURING SURGICAL AND MEDICAL CARE	2	1	-	1	-
870	ACCIDENTAL CUT, PUNCTURE, PERFORATION, OR HEMORRHAGE DURING MEDICAL CARE	2	1	-	1	-
878 - 879	SURGICAL AND MEDICAL PROCEDURES CAUSING REACTION OR LATER COMPLICATIONS WITHOUT MENTION OF MISADVENTURE	1	1	-	-	-
878	SURGICAL PROCEDURES CAUSING REACTION WITHOUT MENTION OF MISADVENTURE AT THE TIME OF OPERATION	1	1	-	-	-
880 - 888	ACCIDENTAL FALLS	53	22	3	28	-
880	FALL ON OR FROM STAIRS OR STEPS	5	2	1	2	-
882	FALL FROM OR OUT OF BUILDING OR OTHER STRUCTURE	2	1	-	1	-
883	FALL INTO HOLE OR OTHER OPENING IN SURFACE	1	-	1	-	-
884	OTHER FALL FROM ONE LEVEL TO ANOTHER	3	1	-	2	-
885	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING, OR STUMBLING	4	2	-	2	-
887	FRACTURE, CAUSE UNSPECIFIED	8	-	-	6	-
888	OTHER AND UNSPECIFIED FALL	32	16	1	15	-
890 - 899	ACCIDENTS CAUSED BY FIRE AND FLAMES	10	6	-	4	-
890	CONFLAGRATION IN PRIVATE DWELLING	6	2	-	4	-
892	CONFLAGRATION NOT IN BUILDING OR STRUCTURE	4	4	-	-	-
900 - 909	ACCIDENTS DUE TO NATURAL AND ENVIRONMENTAL FACTORS	17	11	2	3	1
901	EXCESSIVE COLD	11	7	2	1	1
904	HUNGER, THIRST, EXPOSURE, AND NEGLECT	3	1	-	2	-
906	OTHER INJURY CAUSED BY ANIMALS	1	1	-	-	-
909	CATACLYSMIC EARTH SURFACE MOVEMENTS	2	2	-	-	-

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

FREQUENCY OF DEATH BY SEX, RACE,* AND CAUSE
MONTANA RESIDENTS, 1994

INTERNAT'L CLASSIF. (ICD-9)	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE*	OTHER	WHITE*	OTHER
910 - 915	ACCIDENTS CAUSED BY SUBMERSION, SUFFOCATION, AND FOREIGN BODIES	30	20	5	5	-
910	ACCIDENTAL DROWNING AND SUBMERSION	17	11	5	1	-
911	INHALATION AND INGESTION OF FOOD CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION	1	1	-	-	-
912	INHALATION AND INGESTION OF OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION	4	2	-	2	-
913	ACCIDENTAL MECHANICAL SUFFOCATION	8	6	-	2	-
916 - 928	OTHER ACCIDENTS	39	30	4	3	2
916	STRUCK ACCIDENTALLY BY FALLING OBJECT	7	6	-	-	1
919	ACCIDENT CAUSED BY MACHINERY	10	9	-	1	-
920	CAUSED BY CUTTING AND PIERCING INSTRUMENTS OR OBJECTS	1	1	-	-	-
922	CAUSED BY FIREARM MISSILE	13	9	3	1	-
923	CAUSED BY EXPLOSIVE MATERIAL	1	1	-	-	-
924	BY HOT SUBSTANCE OR OBJECT, CAUSTIC OR CORROSIVE MATTERIAL, AND STEAM	2	-	-	1	1
925	ACCIDENT CAUSED BY ELECTRIC CURRENT	2	2	-	-	-
928	OTHER AND UNSPECIFIED ENVIRONMENTAL AND ACCIDENTAL CAUSE	3	2	1	-	-
929	LATE EFFECTS OF ACCIDENTAL INJURY	3	3	-	-	-
950 - 959	SUICIDE AND SELF-INFLICTED INJURY	159	131	6	19	3
950	SELF-INFLICTED POISONING BY SOLID OR LIQUID	12	5	1	6	-
952	SELF-INFLICTEDPOISONING BY OTHER GASES AND VAPORS	13	11	-	2	-
953	SELF-INFLICTEDINJURY BY HANGING, STRANGULATION, AND SUFFOCATION	7	7	-	-	-
954	SELF-INFLICTED INJURY BY DROWNING [IMMERSION]	3	3	-	-	-
955	SELF-INFLICTED INJURY BY FIREARMS AND EXPLOSIVES	116	101	4	9	2
956	SELF-INFLICTED INJURY BY CUTTING AND PIERCING INSTRUMENTS	4	2	1	1	-
957	SELF-INFLICTED INJURY BY JUMPING FROM HIGH PLACE	1	1	-	-	-
958	SELF INFLICTED INJURY BY OTHER AND UNSPECIFIED MEANS	3	1	-	1	1
960 - 969	HOMICIDE AND INJURY PURPOSELY INFLICTED BY OTHERS	34	15	9	8	2
965	ASSAULT BY FIREARMS AND EXPLOSIVES	18	11	2	5	-
966	ASSAULT BY CUTTING AND PIERCING INSTRUMENT	9	3	4	2	-
967	CHILD BATTERING AND OTHER MALTREATMENT	3	-	1	-	2
968	ASSAULT BY OTHER AND UNSPECIFIED MEANS	4	1	2	1	-
970 - 978	LEGAL INTERVENTION	1	1	-	-	-
970	INJURY DUE TO LEGAL INTERVENTION BY FIREARMS	1	1	-	-	-
980 - 989	INJURY UNDETERMINED, WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	15	8	2	5	-
980	POISONING BY SOLID OR LIQUID SUBSTANCES	10	6	1	3	-
982	POISONING BY OTHER GASES	1	-	-	1	-
985	INJURY BY FIREARMS AND EXPLOSIVES	2	1	1	-	-
988	INJURY BY OTHER AND UNSPECIFIED MEANS	2	1	-	1	-

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

TABLE 10
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1994

CAUSE OF DEATH	ALL AGES			UNDER 1 YEAR		1		2-4		5-9		10-14		15-17	
	BOTH	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
TOTAL, ALL CAUSES	7,331	3,950	3,381	57	25	3	4	10	2	8	2	14	5	21	10
CIRCULATORY SYSTEM DISEASES	2,701	1,394	1,307	1	1	1	-	-	-	1	-	-	-	-	-
HEART DISEASE	1,907	1,049	858	-	1	1	-	-	-	-	-	-	-	-	-
ACUTE MYOCARDIAL INFARCTION	557	354	203	-	-	-	-	-	-	-	-	-	-	-	-
OTHER CHRONIC ISCHEMIC HEART DISEASE	550	315	235	-	-	-	-	-	-	-	-	-	-	-	-
PULMONARY HEART DISEASE	34	15	19	-	-	-	-	-	-	-	-	-	-	-	-
HYPERTENSIVE HEART DISEASE	37	18	19	-	-	-	-	-	-	-	-	-	-	-	-
HYPERTENSIVE HEART AND RENAL DISEASE	7	1	6	-	-	-	-	-	-	-	-	-	-	-	-
RHEUMATIC FEVER AND RHEUMATIC HEART	28	9	19	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER HEART DISEASE	694	337	357	-	1	1	-	-	-	-	-	-	-	-	-
OTHER CIRCULATORY SYSTEM DISEASES	794	345	449	1	-	-	-	-	-	1	-	-	-	-	-
ESSENTIAL HYPERTENSION	30	6	24	-	-	-	-	-	-	-	-	-	-	-	-
HYPERTENSIVE RENAL DISEASE	16	8	8	-	-	-	-	-	-	-	-	-	-	-	-
CEREBROVASCULAR DISEASE (INCLUDING STROKE)	572	228	344	-	-	-	-	-	-	1	-	-	-	-	-
ATHEROSCLEROSIS	75	37	38	-	-	-	-	-	-	-	-	-	-	-	-
AORTIC ANEURYSM	60	43	17	-	-	-	-	-	-	-	-	-	-	-	-
OTHER CIRCULATORY SYSTEM DISEASES	41	23	18	1	-	-	-	-	-	-	-	-	-	-	-
NEOPLASMS	1,767	990	777	1	1	-	-	1	-	-	-	1	-	-	-
CANCER (MALIGNANT NEOPLASMS*)	1,740	975	765	-	1	-	-	1	-	-	-	1	-	-	-
TRACHEA, BRONCHUS, AND LUNG	457	283	174	-	-	-	-	-	-	-	-	-	-	-	-
COLON	147	82	65	-	-	-	-	-	-	-	-	-	-	-	-
RECTUM, RECTOSIGMOID JUNCTION, AND ANUS	37	17	20	-	-	-	-	-	-	-	-	-	-	-	-
PROSTATE	133	133	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE BREAST	123	-	123	-	-	-	-	-	-	-	-	-	-	-	-
CERVIX UTERI	12	-	12	-	-	-	-	-	-	-	-	-	-	-	-
UTERUS, OVARY, AND OTHER UTERINE ADNEXA	63	-	63	-	-	-	-	-	-	-	-	-	-	-	-
LEUKEMIA	65	36	29	-	1	-	-	-	-	-	-	-	-	-	-
OTHER LYMPHOID AND HEMATOPOIETIC TISSUE	117	70	47	-	-	-	-	-	-	-	-	-	-	-	-
PANCREAS	94	51	43	-	-	-	-	-	-	-	-	-	-	-	-
BRAIN	42	27	15	-	-	-	-	1	-	-	-	-	-	-	-
STOMACH	42	21	21	-	-	-	-	-	-	-	-	-	-	-	-
BLADDER	44	35	9	-	-	-	-	-	-	-	-	-	-	-	-

* AN UNCONTROLLED AND INVASIVE GROWTH CAPABLE OF SPREADING TO A DISTANT PART OF THE BODY.

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1994

CAUSE OF DEATH	ALL AGES			UNDER 1 YEAR		1		2-4		5-9		10-14		15-17	
	BOTH	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
NEOPLASMS (CONTINUED)															
CANCER (MALIGNANT NEOPLASMS*)															
KIDNEY AND UNSPECIFIED URINARY ORGANS	33	22	11	-	-	-	-	-	-	-	-	-	-	-	-
LIP, ORAL CAVITY, AND PHARYNX	36	25	11	-	-	-	-	-	-	-	-	-	-	-	-
ESOPHAGUS	40	26	14	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER CANCER	255	147	108	-	-	-	-	-	-	-	-	1	-	-	-
PRE-MALIGNANT AND BENIGN NEOPLASMS**	27	15	12	1	-	-	-	-	-	-	-	-	-	-	-
RESPIRATORY SYSTEM DISEASES	871	476	395	1	-	-	-	-	-	-	-	1	1	-	1
CHRONIC OBSTRUCTIVE PULMONARY DISEASES	485	270	215	-	-	-	-	-	-	-	-	-	1	-	1
EMPHYSEMA	76	50	26	-	-	-	-	-	-	-	-	-	-	-	-
ASTHMA	32	12	20	-	-	-	-	-	-	-	-	-	1	-	1
BRONCHITIS	14	8	6	-	-	-	-	-	-	-	-	-	-	-	-
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	363	200	163	-	-	-	-	-	-	-	-	-	-	-	-
PNEUMONIA AND INFLUENZA	291	152	139	1	-	-	-	-	-	-	-	-	-	-	-
PNEUMONIA	276	147	129	1	-	-	-	-	-	-	-	-	-	-	-
INFLUENZA	15	5	10	-	-	-	-	-	-	-	-	-	-	-	-
OTHER RESPIRATORY SYSTEM DISEASES	95	54	41	-	-	-	-	-	-	-	-	1	-	-	-
TRAUMATIC INJURY AND POISONING	600	444	156	4	2	-	3	7	1	7	2	11	2	19	8
MOTOR VEHICLE ACCIDENTS	192	131	61	1	1	-	2	3	-	3	-	6	2	6	7
OTHER ACCIDENTS	199	141	58	2	1	-	-	3	-	4	2	3	-	6	1
OTHER TRANSPORTATION ACCIDENTS	22	21	1	-	-	-	-	1	-	1	-	-	-	-	-
ACCIDENTAL FALLS	53	25	28	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENTAL DROWNING AND SUFFOCATION	30	25	5	2	1	-	-	1	-	2	-	2	-	2	-
ACCIDENTAL POISONING	22	12	10	-	-	-	-	-	-	-	-	-	-	-	-
DWELLING FIRE	6	2	4	-	-	-	-	-	-	1	1	-	-	-	-
OTHER FIRE AND FLAME	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT CAUSED BY FIREARM MISSILE	13	12	1	-	-	-	-	-	-	-	-	1	-	4	-
OTHER ACCIDENTAL INJURY & POISONING	38	31	7	-	-	-	-	1	-	-	1	-	-	-	-
EXCESSIVE COLD	11	9	2	-	-	-	-	-	-	-	-	-	-	-	1
SUICIDE	159	137	22	-	-	-	-	-	-	-	-	-	-	5	-
SUICIDE BY FIREARM	116	105	11	-	-	-	-	-	-	-	-	-	-	4	-
OTHER SUICIDE	43	32	11	-	-	-	-	-	-	-	-	-	-	1	-
HOMICIDE	34	24	10	1	-	-	1	1	1	-	-	2	-	1	-
ASSAULT BY FIREARM	18	13	5	-	-	-	-	-	-	-	-	2	-	1	-
OTHER HOMICIDE	16	11	5	1	-	-	1	1	1	-	-	-	-	-	-
LEGAL INTERVENTION	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-

* AN UNCONTROLLED AND INVASIVE GROWTH CAPABLE OF SPREADING TO A DISTANT PART OF THE BODY.
** A NONINVASIVE GROWTH UNLIKELY TO SPREAD TO OTHER PARTS OF THE BODY.

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1994

CAUSE OF DEATH	ALL AGES			UNDER 1 YEAR		1		2-4		5-9		10-14		15-17	
	BOTH	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
TRAUMATIC INJURY AND POISONING															
INJURY - INTENTION UNDETERMINED	15	10	5	-	-	-	-	-	-	-	-	-	-	1	-
DIGESTIVE SYSTEM DISEASES	248	126	122	-	-	-	-	-	-	-	-	-	-	1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	70	46	24	-	-	-	-	-	-	-	-	-	-	-	-
OTHER DIGESTIVE SYSTEM DISEASES	178	80	98	-	-	-	-	-	-	-	-	-	-	1	-
ENDOCRINE, NUTRITIONAL AND METABOLIC															
DISEASES, AND IMMUNITY DISORDERS	279	123	156	1	-	1	-	-	-	-	-	-	-	-	-
DIABETES MELLITUS	215	96	119	-	-	-	-	-	-	-	-	-	-	-	-
NUTRITIONAL DEFICIENCIES	12	7	5	-	-	-	-	-	-	-	-	-	-	-	-
OTHER METABOLIC AND IMMUNITY DISORDERS	52	20	32	1	-	1	-	-	-	-	-	-	-	-	-
NERVOUS SYSTEM AND SENSE ORGAN DISEASES	198	95	103	2	1	-	-	1	-	-	-	-	-	-	-
CEREBRAL DEGENERATIONS	99	41	58	-	-	-	-	1	-	-	-	-	-	-	-
ALZHEIMER'S DISEASE	93	37	56	-	-	-	-	-	-	-	-	-	-	-	-
OTHER CEREBRAL DEGENERATIONS	6	4	2	-	-	-	-	1	-	-	-	-	-	-	-
OTHER NERVOUS SYSTEM AND SENSE ORGAN DISORDERS	99	54	45	2	1	-	-	-	-	-	-	-	-	-	-
PARKINSON'S DISEASE	29	17	12	-	-	-	-	-	-	-	-	-	-	-	-
MENINGITIS	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES AND DISORDERS OF THE CNS	62	31	31	1	1	-	-	-	-	-	-	-	-	-	-
PERIPHERAL NERVOUS SYSTEM, EYE, AND EAR	6	5	1	1	-	-	-	-	-	-	-	-	-	-	-
MENTAL DISORDERS	180	62	118	-	-	-	-	-	-	-	-	-	1	-	-
ORGANIC PSYCHOTIC CONDITIONS	77	20	57	-	-	-	-	-	-	-	-	-	-	-	-
ALCOHOLIC PSYCHOSES	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER PSYCHOSES	57	19	38	-	-	-	-	-	-	-	-	-	-	-	-
ALCOHOL DEPENDENCE SYNDROME	31	18	13	-	-	-	-	-	-	-	-	-	-	-	-
DRUG DEPENDENCE OR ABUSE	5	3	2	-	-	-	-	-	-	-	-	-	1	-	-
OTHER MENTAL DISORDERS	9	1	8	-	-	-	-	-	-	-	-	-	-	-	-
GENITOURINARY SYSTEM DISEASES	117	58	59	-	-	-	-	-	-	-	-	-	-	-	-
NEPHRITIS, NEPHROSIS	76	42	34	-	-	-	-	-	-	-	-	-	-	-	-
OTHER GENOTOURINARY SYSTEM DISEASES	41	16	25	-	-	-	-	-	-	-	-	-	-	-	-
INFECTIOUS AND PARASITIC DISEASES	102	60	42	2	-	1	-	-	-	-	-	-	1	-	-
TUBERCULOSIS	6	3	3	-	-	1	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTION	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA	54	23	31	1	-	-	-	-	-	-	-	-	-	-	-
HIV INFECTION	26	24	2	-	-	-	-	-	-	-	-	-	-	-	-
OTHER INFECTIOUS AND PARASITIC DISEASES	15	9	6	-	-	-	-	-	-	-	-	-	1	-	-
CONDITIONS ORIGINATING IN EARLY INFANCY	28	18	10	17	10	-	-	-	-	-	-	-	-	-	-
MATERNAL COMPLICATION OF PREGNANCY	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
PLACENTA, CORD, AND MEMBRANES	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1994

CAUSE OF DEATH	ALL AGES			UNDER 1 YEAR		1		2-4		5-9		10-14		15-17	
	BOTH	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
CONDITIONS ORIGINATING IN EARLY INFANCY (CONTINUED)															
SHORT GESTATION AND LOW BIRTHWEIGHT	4	1	3	1	3	-	-	-	-	-	-	-	-	-	-
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	3	2	1	1	1	-	-	-	-	-	-	-	-	-	-
RESPIRATORY DISTRESS SYNDROME	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-
OTHER RESPIRATORY CONDITIONS	8	7	1	7	1	-	-	-	-	-	-	-	-	-	-
PERINATAL INFECTIONS	3	1	2	1	2	-	-	-	-	-	-	-	-	-	-
FETAL AND NEONATAL HEMORRHAGE	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
HEMATOLOGICAL DISORDERS	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
OTHER EARLY INFANCY CONDITIONS	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
CONGENITAL ANOMALIES	34	19	15	15	6	-	1	1	1	-	-	-	-	1	1
ANENCEPHALUS AND SIMILAR ANOMALIES	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
OTHER NERVOUS SYSTEM ANOMALIES	3	2	1	1	-	-	1	-	-	-	-	-	-	1	-
BULBUS CORDIS AND CARDIAC SEPTAL CLOSURE	3	-	3	-	-	-	-	-	1	-	-	-	-	-	-
OTHER ANOMALIES OF HEART	8	6	2	5	-	-	-	1	-	-	-	-	-	-	-
OTHER CIRCULATORY SYSTEM ANOMALIES	4	3	1	3	1	-	-	-	-	-	-	-	-	-	-
URINARY SYSTEM ANOMALIES	3	1	2	-	1	-	-	-	-	-	-	-	-	-	-
CHROMOSOMAL ANOMALIES	3	2	1	1	-	-	-	-	-	-	-	-	-	-	1
ANOMALIES OF RESPIRATORY SYSTEM	4	2	2	2	2	-	-	-	-	-	-	-	-	-	-
OTHER MUSCULOSKELETAL ANOMALIES	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
OTHER AND UNSPECIFIED ANOMALIES	4	2	2	2	1	-	-	-	-	-	-	-	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS	132	54	78	13	4	-	-	-	-	-	-	1	-	-	-
SENILITY WITHOUT MENTION OF PSYCHOSIS	23	6	17	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN INFANT DEATH SYNDROME	15	11	4	11	4	-	-	-	-	-	-	-	-	-	-
OTHER ILL DEFINED AND UNKNOWN CAUSES	81	36	45	2	-	-	-	-	-	-	-	1	-	-	-
SYMPTOMS AND NONSPECIFIED ABNORMAL FINDINGS	13	1	12	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER CAUSES	74	31	43	-	-	-	-	-	-	-	-	-	-	-	-
MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	41	14	27	-	-	-	-	-	-	-	-	-	-	-	-
OTHER BLOOD AND BLOOD-FORMING ORGAN DISEASES	26	13	13	-	-	-	-	-	-	-	-	-	-	-	-
SKIN AND SUBCUTANEOUS TISSUE DISEASES	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1994

CAUSE OF DEATH	18-19		20-24		25-29		30-34		35-39		40-44		45-49		50--54
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE
TOTAL, ALL CAUSES	24	8	41	16	40	20	60	26	82	40	90	38	122	55	118
CIRCULATORY SYSTEM DISEASES	1	-	-	-	1	1	1	4	14	3	18	5	30	10	47
HEART DISEASE	1	-	-	-	1	1	1	3	11	-	14	5	28	8	33
ACUTE MYOCARDIAL INFARCTION	-	-	-	-	1	1	-	1	4	-	4	1	11	4	16
OTHER CHRONIC ISCHEMIC HEART DISEASE	-	-	-	-	-	-	-	2	2	-	4	1	5	1	8
PULMONARY HEART DISEASE	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-
HYPERTENSIVE HEART DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
HYPERTENSIVE HEART AND RENAL DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RHEUMATIC FEVER AND RHEUMATIC HEART	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER HEART DISEASE	1	-	-	-	-	-	1	-	4	-	6	2	10	1	9
OTHER CIRCULATORY SYSTEM DISEASES	-	-	-	-	-	-	-	1	3	3	4	-	2	2	14
ESSENTIAL HYPERTENSION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
HYPERTENSIVE RENAL DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
CEREBROVASCULAR DISEASE (INCLUDING STROKE)	-	-	-	-	-	-	-	1	2	1	3	-	1	2	5
ATHEROSCLEROSIS	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2
AORTIC ANEURYSM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
OTHER CIRCULATORY SYSTEM DISEASES	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2
NEOPLASMS	1	-	3	1	1	-	3	3	11	13	7	15	24	21	28
CANCER (MALIGNANT NEOPLASMS*)	1	-	2	1	1	-	2	3	11	12	7	15	24	21	28
TRACHEA, BRONCHUS, AND LUNG	-	-	-	-	-	-	-	-	-	-	2	2	4	3	7
COLON	1	-	-	-	-	-	-	-	-	-	-	-	2	1	4
RECTUM, RECTOSIGMOID JUNCTION, AND ANUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PROSTATE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE BREAST	-	-	-	-	-	-	-	-	-	4	-	5	-	9	-
CERVIX UTERI	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-
UTERUS, OVARY, AND OTHER UTERINE ADNEXA	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
LEUKEMIA	-	-	1	-	1	-	1	-	-	-	-	1	1	-	2
OTHER LYMPHOID AND HEMATOPOIETIC TISSUE	-	-	-	-	-	-	-	-	4	-	1	1	4	-	4
PANCREAS	-	-	-	-	-	-	-	-	-	1	1	-	3	-	-
BRAIN	-	-	-	1	-	-	-	1	-	1	-	-	4	1	-
STOMACH	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1
BLADDER	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1

* AN UNCONTROLLED AND INVASIVE GROWTH CAPABLE OF SPREADING TO A DISTANT PART OF THE BODY.

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1994

CAUSE OF DEATH	18-19		20-24		25-29		30-34		35-39		40-44		45-49		50--54
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE
NEOPLASMS (CONTINUED)															
CANCER (MALIGNANT NEOPLASMS*)															
KIDNEY AND UNSPECIFIED URINARY ORGANS	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1
LIP, ORAL CAVITY, AND PHARYNX	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3
ESOPHAGUS	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1
ALL OTHER CANCER	-	-	1	-	-	-	1	2	4	3	2	3	3	4	4
PRE-MALIGNANT AND BENIGN NEOPLASMS**	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-
RESPIRATORY SYSTEM DISEASES	-	-	-	-	-	2	-	-	-	3	1	1	3	2	3
CHRONIC OBSTRUCTIVE PULMONARY DISEASES	-	-	-	-	-	1	-	-	-	2	-	1	-	1	1
EMPHYSEMA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASTHMA	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
BRONCHITIS	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1
PNEUMONIA AND INFLUENZA	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2
PNEUMONIA	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2
INFLUENZA	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
OTHER RESPIRATORY SYSTEM DISEASES	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-
TRAUMATIC INJURY AND POISONING	20	8	34	14	34	10	41	14	38	11	38	11	38	9	25
MOTOR VEHICLE ACCIDENTS	12	4	11	7	10	5	13	7	13	4	11	5	9	5	8
OTHER ACCIDENTS	3	1	10	5	3	-	12	2	10	2	11	3	12	-	8
OTHER TRANSPORTATION ACCIDENTS	-	-	-	-	2	-	2	-	1	-	1	1	2	-	3
ACCIDENTAL FALLS	-	-	-	-	-	-	1	-	-	-	1	-	4	-	2
ACCIDENTAL DROWNING AND SUFFOCATION	-	-	2	-	-	-	4	-	-	-	5	1	1	-	-
ACCIDENTAL POISONING	-	-	-	1	-	-	2	2	3	2	1	1	2	-	1
DWELLING FIRE	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
OTHER FIRE AND FLAME	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
ACCIDENT CAUSED BY FIREARM MISSILE	2	-	3	1	-	-	-	-	-	-	1	-	1	-	-
OTHER ACCIDENTAL INJURY & POISONING	1	-	5	1	-	-	2	-	5	-	2	-	2	-	2
EXCESSIVE COLD	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
SUICIDE	5	2	11	1	16	3	13	2	7	3	14	2	10	3	8
SUICIDE BY FIREARM	4	2	9	1	11	2	6	2	3	2	12	1	6	1	5
OTHER SUICIDE	1	-	2	-	5	1	7	-	4	1	2	1	4	2	3
HOMICIDE	-	1	1	1	5	1	2	1	6	2	1	1	3	-	1
ASSAULT BY FIREARM	-	1	-	-	2	1	1	-	4	2	-	-	2	-	1
OTHER HOMICIDE	-	-	1	1	3	-	1	1	2	-	1	1	1	-	-
LEGAL INTERVENTION	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-

* AN UNCONTROLLED AND INVASIVE GROWTH CAPABLE OF SPREADING TO A DISTANT PART OF THE BODY.
** A NONINVASIVE GROWTH UNLIKELY TO SPREAD TO OTHER PARTS OF THE BODY.

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1994

CAUSE OF DEATH	18-19		20-24		25-29		30-34		35-39		40-44		45-49		50--54
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE
TRAUMATIC INJURY AND POISONING															
INJURY - INTENTION UNDETERMINED	-	-	1	-	-	1	1	2	2	-	1	-	3	1	-
DIGESTIVE SYSTEM DISEASES	-	-	-	-	-	-	2	1	6	4	7	1	10	6	5
CHRONIC LIVER DISEASE AND CIRRHOSIS	-	-	-	-	-	-	1	1	4	3	2	-	6	2	4
OTHER DIGESTIVE SYSTEM DISEASES	-	-	-	-	-	-	1	-	2	1	5	1	4	4	1
ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND IMMUNITY DISORDERS	-	-	-	-	-	2	1	-	4	2	5	1	3	1	3
DIABETES MELLITUS	-	-	-	-	-	1	-	-	3	2	1	1	3	-	3
NUTRITIONAL DEFICIENCIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER METABOLIC AND IMMUNITY DISORDERS	-	-	-	-	-	1	1	-	1	-	4	-	-	1	-
NERVOUS SYSTEM AND SENSE ORGAN DISEASES	1	-	2	-	3	2	1	-	-	-	1	1	4	2	6
CEREBRAL DEGENERATIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALZHEIMER'S DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER CEREBRAL DEGENERATIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER NERVOUS SYSTEM AND SENSE ORGAN DISORDERS	1	-	2	-	3	2	1	-	-	-	1	1	4	2	6
PARKINSON'S DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
MENINGITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES AND DISORDERS OF THE CNS	1	-	2	-	3	2	1	-	-	-	-	1	4	2	4
PERIPHERAL NERVOUS SYSTEM, EYE, AND EAR	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
MENTAL DISORDERS	-	-	-	-	-	-	1	1	3	-	1	-	4	2	-
ORGANIC PSYCHOTIC CONDITIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALCOHOLIC PSYCHOSES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER PSYCHOSES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALCOHOL DEPENDENCE SYNDROME	-	-	-	-	-	-	1	1	3	-	1	-	3	2	-
DRUG DEPENDENCE OR ABUSE	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
OTHER MENTAL DISORDERS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GENITOURINARY SYSTEM DISEASES	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
NEPHRITIS, NEPHROSIS	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
OTHER GENOTOURINARY SYSTEM DISEASES	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
INFECTIOUS AND PARASITIC DISEASES	-	-	1	-	-	1	10	-	4	1	10	-	2	2	-
TUBERCULOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-
HIV INFECTION	-	-	1	-	-	1	6	-	4	-	9	-	2	1	-
OTHER INFECTIOUS AND PARASITIC DISEASES	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-
CONDITIONS ORIGINATING IN EARLY INFANCY	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MATERNAL COMPLICATION OF PREGNANCY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLACENTA, CORD, AND MEMBRANES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1994

CAUSE OF DEATH	18-19		20-24		25-29		30-34		35-39		40-44		45-49		50–54
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE
CONDITIONS ORIGINATING IN EARLY INFANCY (CONTINUED)															
SHORT GESTATION AND LOW BIRTHWEIGHT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESPIRATORY DISTRESS SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER RESPIRATORY CONDITIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PERINATAL INFECTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FETAL AND NEONATAL HEMORRHAGE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEMATOLOGICAL DISORDERS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER EARLY INFANCY CONDITIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONGENITAL ANOMALIES	-	-	1	1	-	2	-	1	-	-	-	1	-	-	-
ANENCEPHALUS AND SIMILAR ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER NERVOUS SYSTEM ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BULBUS CORDIS AND CARDIAC SEPTAL CLOSURE	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
OTHER ANOMALIES OF HEART	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
OTHER CIRCULATORY SYSTEM ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
URINARY SYSTEM ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
CHROMOSOMAL ANOMALIES	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
ANOMALIES OF RESPIRATORY SYSTEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER MUSCULOSKELETAL ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER AND UNSPECIFIED ANOMALIES	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS	-	-	-	-	1	-	-	2	1	2	-	-	1	-	-
SENILITY WITHOUT MENTION OF PSYCHOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN INFANT DEATH SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ILL DEFINED AND UNKNOWN CAUSES	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-
SYMPTOMS AND NONSPECIFIED ABNORMAL FINDINGS	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER CAUSES	-	-	-	-	-	-	-	-	-	1	2	2	2	-	1
MUSCULOSKELETAL SYSTEM	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
BLOOD AND BLOOD-FORMING ORGAN DISEASES	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1
SKIN AND SUBCUTANEOUS TISSUE DISEASES	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1994

CAUSE OF DEATH	50--54	55-59		60-64		65-69		70-74		75-79		80-84		85 OR OLDER	
	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
TOTAL, ALL CAUSES	64	185	122	259	146	408	232	537	386	637	490	566	574	668	1,116
CIRCULATORY SYSTEM DISEASES	14	65	29	97	42	140	57	198	125	240	183	236	250	303	583
HEART DISEASE	9	55	19	82	27	114	41	149	88	186	116	167	164	206	376
ACUTE MYOCARDIAL INFARCTION	1	27	8	37	12	37	17	40	22	68	30	52	40	57	66
OTHER CHRONIC ISCHEMIC HEART DISEASE	1	12	3	24	7	38	7	47	22	50	33	56	40	69	118
PULMONARY HEART DISEASE	-	-	-	-	2	2	2	3	3	5	-	1	5	1	6
HYPERTENSIVE HEART DISEASE	-	1	-	3	-	1	2	3	-	5	-	1	4	4	12
HYPERTENSIVE HEART AND RENAL DISEASE	-	-	-	-	-	-	-	1	-	-	-	-	4	-	2
RHEUMATIC FEVER AND RHEUMATIC HEART	-	1	-	-	1	1	1	3	2	2	3	1	7	1	4
ALL OTHER HEART DISEASE	7	14	8	18	5	35	12	52	39	56	50	56	64	74	168
OTHER CIRCULATORY SYSTEM DISEASES	5	10	10	15	15	26	16	49	37	54	67	69	86	97	207
ESSENTIAL HYPERTENSION	2	-	3	2	-	1	2	2	2	-	3	-	1	-	11
HYPERTENSIVE RENAL DISEASE	-	-	-	-	-	1	-	-	2	1	1	3	2	2	3
CEREBROVASCULAR DISEASE (INCLUDING STROKE)	3	6	6	9	10	13	10	37	27	37	54	48	69	66	161
ATHEROSCLEROSIS	-	3	-	1	1	5	-	1	4	5	4	4	6	13	23
AORTIC ANEURYSM	-	1	1	3	1	2	3	6	1	9	4	11	4	8	3
OTHER CIRCULATORY SYSTEM DISEASES	-	-	-	-	3	4	1	3	1	2	1	3	4	8	6
NEOPLASMS	26	50	64	86	58	149	95	196	120	206	128	116	122	106	110
CANCER (MALIGNANT NEOPLASMS*)	26	50	62	86	57	149	95	194	118	202	127	113	120	103	107
TRACHEA, BRONCHUS, AND LUNG	5	20	10	26	17	47	36	74	37	69	28	19	25	15	11
COLON	2	3	6	3	2	12	7	12	7	20	12	15	15	10	13
RECTUM, RECTOSIGMOID JUNCTION, AND ANUS	1	1	1	2	2	4	-	5	4	4	1	1	7	-	4
PROSTATE	-	2	-	6	-	19	-	16	-	30	-	23	-	37	-
FEMALE BREAST	5	-	13	-	11	-	13	-	11	-	18	-	16	-	18
CERVIX UTERI	1	-	-	-	1	-	1	-	2	-	1	-	2	-	1
UTERUS, OVARY, AND OTHER UTERINE ADNEXA	2	-	9	-	4	-	6	-	8	-	10	-	11	-	12
LEUKEMIA	1	1	1	4	2	4	4	5	4	7	7	4	1	5	7
OTHER LYMPHOID AND HEMATOPOIETIC TISSUE	2	3	2	8	2	9	7	11	7	13	10	9	7	4	9
PANCREAS	1	2	4	3	6	10	4	10	7	12	9	8	3	2	8
BRAIN	1	3	2	1	1	5	3	8	1	1	2	4	1	-	-
STOMACH	-	-	-	2	2	5	2	2	8	6	-	2	3	2	3
BLADDER	1	4	-	1	1	4	-	10	1	6	1	1	3	8	1

* AN UNCONTROLLED AND INVASIVE GROWTH CAPABLE OF SPREADING TO A DISTANT PART OF THE BODY.

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1994

CAUSE OF DEATH	50--54	55-59		60-64		65-69		70-74		75-79		80-84		85 OR OLDER	
	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
NEOPLASMS (CONTINUED)															
CANCER (MALIGNANT NEOPLASMS*)															
KIDNEY AND UNSPECIFIED URINARY ORGANS	-	-	2	2	-	3	1	2	3	4	2	5	1	2	2
LIP, ORAL CAVITY, AND PHARYNX	1	2	-	3	-	3	2	2	2	5	3	3	-	3	2
ESOPHAGUS	1	2	2	3	-	6	1	5	1	4	4	3	2	-	3
ALL OTHER CANCER	2	7	10	22	6	18	8	32	15	21	19	16	23	15	13
PRE-MALIGNANT AND BENIGN NEOPLASMS**	-	-	2	-	1	-	-	2	2	4	1	3	2	3	3
RESPIRATORY SYSTEM DISEASES	4	16	9	24	24	53	34	64	51	90	80	106	71	114	112
CHRONIC OBSTRUCTIVE PULMONARY DISEASES	2	10	6	17	17	37	26	42	41	53	60	58	33	52	23
EMPHYSEMA	-	5	-	4	1	8	2	9	8	10	5	6	6	8	4
ASTHMA	-	-	2	-	3	-	1	3	2	2	6	3	-	4	2
BRONCHITIS	-	-	1	-	1	1	1	1	-	2	-	3	2	1	-
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	2	5	3	13	12	28	22	29	31	39	49	46	25	39	17
PNEUMONIA AND INFLUENZA	2	6	2	5	3	12	5	12	8	28	11	32	29	52	78
PNEUMONIA	1	6	1	4	3	12	2	12	8	28	11	31	27	50	75
INFLUENZA	1	-	1	1	-	-	3	-	-	-	-	1	2	2	3
OTHER RESPIRATORY SYSTEM DISEASES	-	-	1	2	4	4	3	10	2	9	9	16	9	10	11
TRAUMATIC INJURY AND POISONING	4	22	1	13	3	18	4	13	5	19	13	19	10	24	21
MOTOR VEHICLE ACCIDENTS	1	6	-	4	-	3	1	3	3	5	4	3	3	1	-
OTHER ACCIDENTS	-	9	1	5	3	6	1	3	2	6	7	6	7	19	20
OTHER TRANSPORTATION ACCIDENTS	-	2	-	2	-	-	-	1	-	2	-	-	-	1	-
ACCIDENTAL FALLS	-	1	1	-	3	1	-	-	1	-	4	5	5	10	14
ACCIDENTAL DROWNING AND SUFFOCATION	-	1	-	-	-	-	1	1	-	-	-	-	-	2	2
ACCIDENTAL POISONING	-	1	-	-	-	-	-	-	-	1	1	-	1	1	2
DWELLING FIRE	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
OTHER FIRE AND FLAME	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
ACCIDENT CAUSED BY FIREARM MISSILE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ACCIDENTAL INJURY & POISONING	-	3	-	1	-	2	-	1	1	1	1	-	1	3	2
EXCESSIVE COLD	-	1	-	2	-	1	-	-	-	2	-	1	-	1	-
SUICIDE	2	6	-	4	-	9	1	7	-	8	2	10	-	4	1
SUICIDE BY FIREARM	-	5	-	3	-	9	-	7	-	8	-	9	-	4	-
OTHER SUICIDE	2	1	-	1	-	-	1	-	-	-	2	1	-	-	1
HOMICIDE	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
ASSAULT BY FIREARM	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
OTHER HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEGAL INTERVENTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* AN UNCONTROLLED AND INVASIVE GROWTH CAPABLE OF SPREADING TO A DISTANT PART OF THE BODY.
** A NONINVASIVE GROWTH UNLIKELY TO SPREAD TO OTHER PARTS OF THE BODY.

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1994

CAUSE OF DEATH	50--54	55-59		60-64		65-69		70-74		75-79		80-84		85 OR OLDER	
	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
TRAUMATIC INJURY AND POISONING															
INJURY - INTENTION UNDETERMINED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
DIGESTIVE SYSTEM DISEASES	6	12	6	14	5	11	7	13	13	14	18	14	18	17	37
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	9	4	10	2	4	2	3	2	2	2	-	1	1	1
OTHER DIGESTIVE SYSTEM DISEASES	2	3	2	4	3	7	5	10	11	12	16	14	17	16	36
ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND IMMUNITY DISORDERS	6	7	4	8	6	14	19	22	34	15	24	19	23	20	34
DIABETES MELLITUS	5	6	4	7	6	12	13	20	30	12	18	16	17	13	22
NUTRITIONAL DEFICIENCIES	-	1	-	-	-	1	-	-	-	1	2	1	-	3	3
OTHER METABOLIC AND IMMUNITY DISORDERS	1	-	-	1	-	1	6	2	4	2	4	2	6	4	9
NERVOUS SYSTEM AND SENSE ORGAN DISEASES	1	3	4	5	2	5	3	5	12	13	18	18	16	25	41
CEREBRAL DEGENERATIONS	-	1	-	1	1	1	1	-	5	8	7	10	10	19	34
ALZHEIMER'S DISEASE	-	-	-	1	-	1	1	-	5	8	7	9	9	18	34
OTHER CEREBRAL DEGENERATIONS	-	1	-	-	1	-	-	-	-	-	-	1	1	1	-
OTHER NERVOUS SYSTEM AND SENSE ORGAN DISORDERS	1	2	4	4	1	4	2	5	7	5	11	8	6	6	7
PARKINSON'S DISEASE	-	-	-	-	-	-	-	2	1	4	5	7	3	3	3
MENINGITIS	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
OTHER DISEASES AND DISORDERS OF THE CNS	1	1	4	4	1	4	2	3	4	1	6	1	3	1	4
PERIPHERAL NERVOUS SYSTEM, EYE, AND EAR	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-
MENTAL DISORDERS	1	7	-	1	1	4	4	9	5	5	5	10	24	17	74
ORGANIC PSYCHOTIC CONDITIONS	-	-	-	-	-	-	1	4	2	3	2	4	12	9	40
ALCOHOLIC PSYCHOSES	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER PSYCHOSES	-	-	-	-	-	1	-	4	1	1	-	5	8	8	29
ALCOHOL DEPENDENCE SYNDROME	-	5	-	-	1	3	3	1	1	1	3	-	2	-	-
DRUG DEPENDENCE OR ABUSE	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
OTHER MENTAL DISORDERS	-	-	-	-	-	-	-	-	1	-	-	1	2	-	5
GENITOURINARY SYSTEM DISEASES	-	1	2	3	3	3	1	6	8	14	5	13	17	16	23
NEPHRITIS, NEPHROSIS	-	-	1	3	2	1	1	5	7	10	2	11	11	11	10
OTHER GENOTOURINARY SYSTEM DISEASES	-	1	1	-	1	2	-	1	1	4	3	2	6	5	13
INFECTIOUS AND PARASITIC DISEASES	1	1	1	6	1	4	5	2	2	6	8	4	8	7	11
TUBERCULOSIS	-	-	-	-	-	1	-	-	-	1	2	-	1	-	-
MENINGOCOCCAL INFECTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA	1	1	1	1	1	2	5	1	2	4	4	4	6	6	10
HIV INFECTION	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
OTHER INFECTIOUS AND PARASITIC DISEASES	-	-	-	4	-	-	-	1	-	1	2	-	1	1	1
CONDITIONS ORIGINATING IN EARLY INFANCY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MATERNAL COMPLICATION OF PREGNANCY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLACENTA, CORD, AND MEMBRANES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 10 (CONCLUDED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1994

CAUSE OF DEATH	50--54	55-59		60-64		65-69		70-74		75-79		80-84		85 OR OLDER	
	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
CONDITIONS ORIGINATING IN EARLY INFANCY (CONTINUED)															
SHORT GESTATION AND LOW BIRTHWEIGHT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESPIRATORY DISTRESS SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER RESPIRATORY CONDITIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PERINATAL INFECTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FETAL AND NEONATAL HEMORRHAGE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEMATOLOGICAL DISORDERS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER EARLY INFANCY CONDITIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONGENITAL ANOMALIES	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
ANENCEPHALUS AND SIMILAR ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER NERVOUS SYSTEM ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BULBUS CORDIS AND CARDIAC SEPTAL CLOSURE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
OTHER ANOMALIES OF HEART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER CIRCULATORY SYSTEM ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
URINARY SYSTEM ANOMALIES	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
CHROMOSOMAL ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ANOMALIES OF RESPIRATORY SYSTEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER MUSCULOSKELETAL ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER AND UNSPECIFIED ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS	1	1	2	1	1	3	2	6	5	7	5	8	7	11	47
SENILITY WITHOUT MENTION OF PSYCHOSIS	-	-	-	-	-	-	-	-	-	-	2	2	3	4	12
SUDDEN INFANT DEATH SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ILL DEFINED AND UNKNOWN CAUSES	1	1	1	1	-	3	1	6	5	7	3	6	3	7	28
SYMPTOMS AND NONSPECIFIED ABNORMAL FINDINGS	-	-	1	-	1	-	1	-	-	-	-	-	1	-	7
ALL OTHER CAUSES	-	-	-	1	-	4	1	2	6	8	3	3	8	8	22
MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	-	-	-	1	-	3	1	1	5	2	2	3	4	3	14
OTHER BLOOD AND BLOOD-FORMING ORGAN DISEASES	-	-	-	-	-	1	-	1	1	5	1	-	3	4	6
SKIN AND SUBCUTANEOUS TISSUE DISEASES	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2

TABLE 11

FREQUENCY OF ACCIDENTAL DEATH BY AGE AND TYPE OF ACCIDENT
PERCENT OF DEATHS IN EACH AGE GROUP THAT WERE ACCIDENTAL
MONTANA OCCURRENCES, 1994

NINTH REVISION INTERNATIONAL LIST NUMBER	ACCIDENTAL CAUSE OF DEATH	TOTAL ALL AGES	UNDER 1 YEAR	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 AND OVER
		NUMBER											
	TOTAL DEATHS, ALL CAUSES	7,354	75	18	8	17	68	58	153	248	365	712	5,632
	ACCIDENTAL DEATHS, TOTAL	426	5	9	8	10	44	36	59	62	49	31	113
810-825	MOTOR VEHICLE, TOTAL	212	2	6	2	7	32	21	41	33	27	9	32
800-807,826-949	OTHER ACCIDENTS, TOTAL	214	3	3	6	3	12	15	18	29	22	22	81
800-807,826-848	OTHER TRANSPORTATION, TOTAL	32	-	1	1	-	1	-	6	4	8	5	6
840-845	AIRCRAFT	13	-	-	-	-	-	-	1	2	7	2	1
800-807,826-838													
846-848	OTHER	19	-	1	1	-	1	-	5	2	1	3	5
850-866	POISONING BY SOLIDS AND LIQUIDS, TOTAL	12	-	-	-	-	-	1	2	3	1	-	5
850-858	DRUGS AND MEDICATIONS	11	-	-	-	-	-	1	2	3	-	-	5
860-866	OTHER	1	-	-	-	-	-	-	-	-	1	-	-
867-869	POISONING BY GASES, TOTAL	7	-	-	-	-	-	-	1	3	2	1	-
867-8681	UTILITY GAS	2	-	-	-	-	-	-	-	1	-	1	-
8682-8699	OTHER	5	-	-	-	-	-	-	1	2	2	-	-
880-888	FALLS, TOTAL	58	-	-	-	-	-	-	1	1	6	6	44
880	ON OR FROM STAIRS	6	-	-	-	-	-	-	-	-	-	1	5
882	FROM OR OUT OF BUILDING	2	-	-	-	-	-	-	-	-	1	-	1
883	INTO OPENING IN SURFACE	1	-	-	-	-	-	-	1	-	-	-	-
884	ONE LEVEL TO ANOTHER	4	-	-	-	-	-	-	-	-	-	1	3
885-886	SAME LEVEL	4	-	-	-	-	-	-	-	-	-	1	3
887-888	FRACTURE OR FALL, UNSPECIFIED	41	-	-	-	-	-	-	-	1	5	3	32
890-899	FIRE AND FLAMES, TOTAL	10	-	-	2	-	-	2	-	1	-	1	4
890, 893.0, 895	FIRE IN PRIVATE DWELLING	7	-	-	2	-	-	2	-	-	-	1	2
891-892, 893.1-894, 896-899	OTHER FIRE AND FLAMES	3	-	-	-	-	-	-	-	1	-	-	2
922	INJURY BY FIREARMS, TOTAL	13	-	-	-	1	6	4	-	1	1	-	-
923	EXPLOSIONS, TOTAL	2	-	-	-	-	-	-	-	2	-	-	-
910	DROWNING, TOTAL	19	-	-	1	1	2	2	4	6	1	2	-
916	STRUCK BY FALLING OBJECT, TOTAL	7	-	-	1	-	1	-	-	3	1	-	1
919	MACHINERY, TOTAL	10	-	-	-	-	-	4	-	-	1	4	1
870-879,900-909													
911-915,917-918													
920-921,924-949	OTHER ACCIDENTS, TOTAL	44	3	2	1	1	2	2	4	5	1	3	20
		PERCENT											
	ACCIDENTAL DEATHS, TOTAL	5.8	6.7	50.0	100.0	58.8	64.7	62.1	38.6	25.0	13.4	4.4	2.0
810-825	MOTOR VEHICLE, TOTAL	2.9	2.7	33.3	25.0	41.2	47.1	36.2	26.8	13.3	7.4	1.3	0.6
800-807,826-949	OTHER ACCIDENTS, TOTAL	2.9	4.0	16.7	75.0	17.6	17.6	25.9	11.8	11.7	6.0	3.1	1.4

* THE SUMS OF PERCENTS MAY DIFFER FROM THE TOTALS SHOWN BECAUSE EACH PERCENT WAS ROUNDED INDEPENDENTLY

TABLE 12

FREQUENCY OF DEATH FROM SELECTED CAUSES BY COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY	TOTAL	ACCI-DENTS	APPEN-DICITIS	CANCER	CEREBRO-VASCULAR DISEASE*	DIABETES	HEART DISEASE	INFLU-ENZA	MENIN-GITIS	NEPH-RITIS	PNEU-MONIA	TUBER-CULOSIS	ALL OTHER CAUSES
		800-949	540-543	140-208	430-438	250	390-398, 402, 404, 410-429	487	320-322	580-589	480-486	110-118, 137	
MONTANA TOTAL	7,331	391	3	1,740	572	215	1,907	15	2	76	276	6	2,12
BEAVERHEAD	79	7	-	13	11	3	16	-	-	1	2	-	2
BIG HORN	106	18	-	14	2	5	29	-	-	2	2	-	3
BLAINE	51	2	-	11	4	1	12	-	-	2	5	-	1
BROADWATER	37	3	-	13	1	-	6	-	-	1	2	-	1
CARBON	99	5	-	20	8	3	27	1	-	1	4	-	3
CARTER	20	-	-	5	3	1	7	-	-	-	-	-	
CASCADE	704	33	-	164	67	10	181	1	-	10	17	2	21
CHOUTEAU	66	5	-	11	7	1	19	-	-	-	2	-	2
CUSTER	142	4	-	37	16	4	46	-	-	1	1	1	3
DANIELS	37	1	-	12	-	2	12	-	-	-	-	-	1
DAWSON	88	4	-	25	3	2	27	-	-	2	3	-	2
DEER LODGE	118	8	1	28	7	5	33	1	-	3	3	-	2
FALLON	29	1	-	8	2	2	5	-	-	-	2	-	
FERGUS	158	3	-	33	13	2	44	-	-	3	15	-	4
FLATHEAD	512	18	-	124	32	17	150	2	1	4	16	-	14
GALLATIN	287	17	-	60	24	11	60	-	-	5	15	-	9
GARFIELD	22	2	-	7	2	-	5	-	-	-	-	-	
GLACIER	103	11	-	17	8	3	29	-	-	1	4	-	3
GOLDEN VALLEY	11	2	-	2	-	-	4	-	-	-	-	-	
GRANITE	28	-	-	7	2	-	5	-	-	-	-	-	1
HILL	149	7	-	35	8	7	45	-	-	3	6	-	3
JEFFERSON	65	6	-	15	5	3	16	-	-	-	2	-	1
JUDITH BASIN	20	2	-	5	-	-	5	-	-	-	-	-	
LAKE	227	21	1	55	23	12	46	1	-	3	3	-	6
LEWIS & CLARK	386	21	-	86	35	15	100	1	-	2	9	-	11
LIBERTY	12	1	-	2	-	2	6	-	-	-	-	-	
LINCOLN	172	12	-	46	12	8	53	1	-	-	2	-	3
MCCONE	24	2	-	2	3	1	11	-	-	-	-	-	
MADISON	57	2	-	20	1	-	15	-	-	-	3	-	1
MEAGHER	25	1	-	8	2	1	7	-	-	-	-	-	
MINERAL	42	2	-	9	4	4	9	-	-	-	2	-	1
MISSOULA	586	23	-	136	42	14	131	1	-	3	28	-	20
MUSSELSHELL	56	2	-	12	4	3	16	-	-	-	1	-	1
PARK	152	9	-	33	8	6	34	1	-	3	8	-	5
PETROLEUM	3	-	-	1	-	-	2	-	-	-	-	-	
PHILLIPS	50	-	-	16	1	2	13	-	-	1	1	-	1
PONDERA	77	1	-	23	16	-	18	-	-	1	3	-	1
POWDER RIVER	30	1	-	6	6	2	6	1	-	1	-	-	
POWELL	68	6	-	16	2	2	21	-	-	-	3	-	1
PRAIRIE	12	-	-	5	1	-	3	-	-	-	-	-	
RAVALLI	281	22	-	70	15	6	79	-	-	5	14	-	7
RICHLAND	100	8	-	26	6	1	42	-	-	-	1	-	1
ROOSEVELT	98	8	-	17	5	4	35	-	1	2	4	-	2
ROSEBUD	79	8	-	19	8	4	15	-	-	-	3	1	2
SANDERS	92	6	-	21	2	2	35	-	-	1	6	-	1
SHERIDAN	58	-	-	13	4	-	17	-	-	2	5	-	1
SILVER BOW	385	21	-	79	19	15	103	-	-	1	22	-	12
STILLWATER	74	4	-	22	7	2	12	2	-	-	3	-	2
SWEET GRASS	30	1	-	5	7	-	8	-	-	-	4	-	
TETON	72	7	-	17	4	2	21	-	-	1	10	-	1
TOOLE	52	2	-	15	2	1	18	-	-	2	1	-	1
TREASURE	6	-	-	2	1	-	2	-	-	1	-	-	
VALLEY	87	3	-	17	2	3	33	-	-	-	7	-	2
WHEATLAND	24	2	-	6	1	-	5	-	-	2	-	-	
WIBAUX	14	1	-	7	1	-	1	-	-	-	1	-	
YELLOWSTONE	967	35	1	261	103	21	207	2	-	5	31	2	29
YELLOWSTONE PARK													
NOT STATED	2	-	-	1	-	-	-	-	-	1	-	-	

* INCLUDES "STROKE."

FREQUENCY OF INFANT MORTALITY BY AGE, RACE,* AND COUNTY OF RESIDENCE
FIVE-YEAR INFANT MORTALITY RATE BY COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY	TOTAL UNDER 1 YEAR			UNDER 28 DAYS			28 DAYS - 1 YEAR			INFANT MORTALITY RATE+
	TOTAL	WHITE	OTHER	TOTAL	WHITE	OTHER	TOTAL	WHITE	OTHER	1990-1994
MONTANA TOTAL	82	69	13	44	38	6	38	31	7	7.7
BEAVERHEAD	1	1	-	1	1	-	-	-	-	3.4
BIG HORN	1	-	1	-	-	-	1	-	1	3.1
BLAINE	-	-	-	-	-	-	-	-	-	5.0
BROADWATER	1	1	-	1	1	-	-	-	-	4.2
CARBON	1	1	-	1	1	-	-	-	-	14.8
CARTER	-	-	-	-	-	-	-	-	-	-
CASCADE	11	10	1	8	8	-	3	2	1	6.9
CHOUTEAU	-	-	-	-	-	-	-	-	-	-
CUSTER	2	2	-	1	1	-	1	1	-	8.4
DANIELS	-	-	-	-	-	-	-	-	-	-
DAWSON	-	-	-	-	-	-	-	-	-	4.0
DEER LODGE	-	-	-	-	-	-	-	-	-	15.4
FALLON	-	-	-	-	-	-	-	-	-	-
FERGUS	-	-	-	-	-	-	-	-	-	5.2
FLATHEAD	4	4	-	1	1	-	3	3	-	5.7
GALLATIN	5	5	-	1	1	-	4	4	-	4.9
GARFIELD	1	1	-	1	1	-	-	-	-	24.1
GLACIER	3	-	3	2	-	2	1	-	1	8.0
GOLDEN VALLEY	1	1	-	1	1	-	-	-	-	13.9
GRANITE	1	1	-	1	1	-	-	-	-	31.0
HILL	4	2	2	3	2	1	1	-	1	14.5
JEFFERSON	1	1	-	-	-	-	1	1	-	6.0
JUDITH BASIN	-	-	-	-	-	-	-	-	-	-
LAKE	3	2	1	2	1	1	1	1	-	8.5
LEWIS & CLARK	6	6	-	4	4	-	2	2	-	8.8
LIBERTY	-	-	-	-	-	-	-	-	-	-
LINCOLN	3	3	-	1	1	-	2	2	-	10.8
MCCONE	-	-	-	-	-	-	-	-	-	8.3
MADISON	-	-	-	-	-	-	-	-	-	5.8
MEAGHER	-	-	-	-	-	-	-	-	-	7.6
MINERAL	-	-	-	-	-	-	-	-	-	5.0
MISSOULA	11	11	-	6	6	-	5	5	-	9.0
MUSSELSHELL	-	-	-	-	-	-	-	-	-	4.9
PARK	1	1	-	1	1	-	-	-	-	9.3
PETROLEUM	-	-	-	-	-	-	-	-	-	-
PHILLIPS	-	-	-	-	-	-	-	-	-	8.5
PONDERA	-	-	-	-	-	-	-	-	-	4.8
POWDER RIVER	-	-	-	-	-	-	-	-	-	7.9
POWELL	-	-	-	-	-	-	-	-	-	2.7
PRAIRIE	-	-	-	-	-	-	-	-	-	35.7
RAVALLI	-	-	-	-	-	-	-	-	-	4.9
RICHLAND	-	-	-	-	-	-	-	-	-	14.9
ROOSEVELT	2	-	2	-	-	-	2	-	2	10.9
ROSEBUD	1	-	1	1	-	1	-	-	-	17.4
SANDERS	-	-	-	-	-	-	-	-	-	13.4
SHERIDAN	-	-	-	-	-	-	-	-	-	-
SILVER BOW	6	6	-	1	1	-	5	5	-	7.8
STILLWATER	1	-	1	1	-	1	-	-	-	2.4
SWEET GRASS	-	-	-	-	-	-	-	-	-	-
TETON	-	-	-	-	-	-	-	-	-	5.3
TOOLE	-	-	-	-	-	-	-	-	-	3.1
TREASURE	-	-	-	-	-	-	-	-	-	-
VALLEY	1	1	-	-	-	-	1	1	-	13.5
WHEATLAND	-	-	-	-	-	-	-	-	-	-
WIBAUX	1	1	-	-	-	-	1	1	-	31.3
YELLOWSTONE	9	8	1	5	5	-	4	3	1	7.3
YELLOWSTONE PAR	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-

* EITHER RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.
\+ PER 1,000 LIVE BIRTHS.

TABLE 14

FREQUENCY OF INFANT MORTALITY FROM SELECTED CAUSES BY AGE AND RACE*
MONTANA RESIDENTS, 1994

INTERNATIONAL CLASSIFICATION CODES (ICD-9)	CAUSE OF DEATH	TOTAL UNDER 1 YEAR			UNDER 28 DAYS			28 DAYS - 1 YEAR		
		TOTAL	WHITE	OTHER	TOTAL	WHITE	OTHER	TOTAL	WHITE	OTHER
	TOTAL, ALL CAUSES	82	69	13	44	38	6	38	31	7
	PRENATAL AND NATAL CAUSES, TOTAL	48	41	7	40	35	5	8	6	2
740-759	CONGENITAL ANOMALIES	21	19	2	16	15	1	5	4	1
760-761,763-764	MATERNAL CONDITIONS OF PREGNANCY AND CHILDBIRTH	1	1	-	1	1	-	-	-	-
762	COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES	3	1	2	3	1	2	-	-	-
765	IMMATURITY	4	4	-	4	4	-	-	-	-
767	BIRTH TRAUMA	-	-	-	-	-	-	-	-	-
768	HYPOXIA AND BIRTH ASPHYXIA	2	2	-	2	2	-	-	-	-
769	RESPIRATORY DISTRESS SYNDROME	3	3	-	3	3	-	-	-	-
771	INFECTIONS SPECIFIC TO PERINATAL PERIOD	3	2	1	2	2	-	1	-	1
772	FETAL AND NEONATAL HEMORRHAGE	1	1	-	-	-	-	1	1	-
766,770,773-779	OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	10	8	2	9	7	2	1	1	-
7980	SUDDEN INFANT DEATH SYNDROME, TOTAL	15	13	2	-	-	-	15	13	2
	INFECTIONS, TOTAL	1	1	-	-	-	-	1	1	-
008-009,535, 555-558	CERTAIN GASTROINTESTINAL DISEASES	-	-	-	-	-	-	-	-	-
480-487	PNEUMONIA AND INFLUENZA	1	1	-	-	-	-	1	1	-
	VIOLENT AND ACCIDENTAL DEATHS, TOTAL	6	5	1	-	-	-	6	5	1
810-825	MOTOR VEHICLE ACCIDENTS	2	2	-	-	-	-	2	2	-
800-807,826-910 913-949,960-969 980-989	OTHER VIOLENT AND ACCIDENTAL DEATHS	4	3	1	-	-	-	4	3	1
	ALL OTHER CAUSES	12	9	3	4	3	1	8	6	2

* EITHER RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

TABLE 15

FREQUENCY AND RATE OF DEATH FROM SELECTED COMMUNICABLE DISEASES BY YEAR*
MONTANA, 1910-1994

YEAR	BOTULISM+		DIPHTHERIA		INFLUENZA		MEASLES		MENINGOCOCCAL INFECTION	
	NUMBER	RATE**	NUMBER	RATE**	NUMBER	RATE**	NUMBER	RATE**	NUMBER	RATE**
1910	-	-	61	16.2	24	6.4	16	4.3	1	0.3
1915	5	1.1	21	4.5	41	8.8	7	1.5	7	1.5
1920	4	0.7	32	5 8	304	55.4	27	4.9	15	2.7
1925	6	1.1	34	6.3	109	20.1	5	0.9	5	0.9
1930	7	1.3	4	0.7	102	19.0	12	2 2	22	4.1
1935	3	0.5	14	2.5	173	31.5	49	8.9	15	2.7
1940	2	0.4	6	1.1	77	13.8	5	0.9	6	1.1
1945	1	0.2	4	0.8	47	9.3	1	0.2	3	0 6
1946	1	0.2	5	1.0	25	4.8	3	0.6	3	0.6
1947	1	0.2	2	0.4	33	6.1	13	2.4	3	0.6
1948	3	0.5	3	0.5	13	2.3	12	2.2	1	0.2
1949	2	0.3	3	0.5	13	2.3	3	0.5	3	0.5
1950	-	-	2	0.3	23	3.9	-	-	1	0.2
1951	2	0.3	-	-	30	5.0	9	1.5	5	0.8
1952	-	-	1	0.2	22	3.7	4	0.7	4	0.7
1953	-	-	3	0.5	59	9.6	4	0.6	2	0.3
1954	-	-	3	0.5	6	1.0	5	0.8	6	1.0
1955	-	-	1	0.2	12	1.9	4	0.6	5	0.8
1956	-	-	1	0.2	4	0 6	1	0.2	7	1.1
1957	-	-	1	0.1	25	3.7	3	0.4	3	0.4
1958	-	-	-	-	14	2.1	2	0.3	4	0.6
1959	-	-	-	-	15	2.2	5	0.7	3	0.4
1960	-	-	-	-	37	5.5	1	0.1	3	0.4
1961	-	-	-	-	8	1.2	1	0.1	1	0.1
1962	-	-	-	-	12	1.7	-	-	4	0.6
1963	-	-	-	-	31	4.4	-	-	3	0.4
1964	1	0.1	-	-	29	4.1	2	0.3	2	0.3
1965	-	-	-	-	5	0.7	-	-	3	0.4
1966	1	0.1	-	-	49	7.0	-	-	2	0.3
1967	-	-	-	-	3	0.4	-	-	2	0.3
1968	-	-	-	-	30	4.3	-	-	2	0.3
1969	-	-	-	-	38	5.5	2	0.3	2	0.3
1970	-	-	2	0.3	8	1.2	-	-	1	0.1
1971	-	-	-	-	9	1.3	2	0.3	2	0.3
1972	-	-	-	-	15	2.1	-	-	2	0.3
1973	-	-	-	-	43	6.0	-	-	2	0.3
1974	-	-	-	-	11	1.5	-	-	1	0.1
1975	-	-	-	-	17	2.3	-	-	-	-
1976	-	-	-	-	95	12.6	-	-	-	-
1977	-	-	-	-	9	1.2	-	-	2	0.3
1978	-	-	-	-	19	2.4	-	-	2	0.3
1979	-	-	-	-	4	0.5	-	-	4	0 5
1980	-	-	-	-	24	3.1	-	-	-	-
1981	1	0.1	-	-	10	1.3	-	-	1	0.1
1982	-	-	-	-	8	1.0	-	-	1	0.1
1983	-	-	-	-	26	3.2	-	-	1	0.1
1984	-	-	-	-	19	2.3	-	-	-	-
1985	-	-	-	-	24	2.9	-	-	3	0 4
1986	-	-	-	-	24	2.9	-	-	-	-
1987	-	-	-	-	9	1.1	-	-	-	-
1988	-	-	-	-	21	2.6	-	-	-	-
1989	-	-	-	-	19	2.4	-	-	-	-
1990	-	-	-	-	15	1.9	-	-	2	0.3
1991	-	-	-	-	7	0.9	-	-	-	-
1992	-	-	-	-	7	0.8	-	-	-	-
1993	-	-	-	-	13	1.5	-	-	-	-
1994	-	-	-	-	15	1.8	-	-	1	0.1

* DATA FOR 1910-45 ARE BY PLACE OF OCCURRENCE. BEGINING IN 1946, DATA ARE BY PLACE OF RESIDENCE.
\+ PRIOR TO 1949 THE INTERNATIONAL CLASSIFICATION OF DISEASES DID NOT PERMIT IDENTIFICATION OF BOTULISM AS SUCH. THE MORE GENERAL RUBRIC OF "FOOD POISONING" IS REPORTED. THE DEATHS SHOWN PRIOR TO 196 INCLUDE THOSE ASSIGNED TO "FOOD POISONING UNSPECIFIED."
** PER 100,000 ESTIMATED MIDYEAR POPULATION. U S. CENSUS ENUMERATIONS USED FOR YEARS ENDING IN ZERO.

TABLE 15 (CONCLUDED)

FREQUENCY AND RATE OF DEATH FROM SELECTED COMMUNICABLE DISEASES BY YEAR*
MONTANA, 1910-1994

YEAR	POLIOMYELITIS		ROCKY MOUNTAIN SPOTTED FEVER+		TUBERCULOSIS		TYPHOID FEVER		WHOOPING COUGH	
	NUMBER	RATE**	NUMBER	RATE**	NUMBER	RATE**	NUMBER	RATE**	NUMBER	RATE**
1910	17	4.5	-	-	340	90.4	151	40.2	41	10.9
1915	1	0.2	8	1.7	530	113.2	57	12.2	36	7.7
1920	5	0.9	7	1.3	419	76.4	27	4.9	51	9.3
1925	6	1.1	11	2.0	396	73.0	24	4.4	63	11.6
1930	6	1.1	9	1.7	337	62.7	16	3.0	16	3.0
1935	1	0.2	21	3.8	257	46.8	12	2.2	22	4.0
1940	7	1.3	7	1.3	231	41.3	3	0.5	5	0.9
1945	10	2.0	1	0.2	171	33.9	2	0.4	2	0.4
1946	5	1.0	5	1.0	164	31.4	2	0.4	2	0.4
1947	4	0.7	1	0.2	152	28.2	1	0.2	6	1.1
1948	6	1.1	1	0.2	146	26.2	-	-	6	1.1
1949	13	2.3	-	-	109	19.0	1	0.2	2	0.3
1950	3	0.5	1	0.2	114	19.3	-	-	10	1.7
1951	6	1.0	-	-	85	14.3	1	0.2	1	0.2
1952	8	1.3	1	0.2	79	13.1	1	0.2	1	0.2
1953	14	2.3	-	-	77	12.5	-	-	4	0.6
1954	9	1.4	-	-	62	9.9	-	-	1	0.2
1955	8	1.3	-	-	50	7.9	-	-	1	0.2
1956	-	-	-	-	48	7.3	-	-	1	0.2
1957	2	0.3	-	-	68	10.2	-	-	2	0.3
1958	5	0.8	-	-	45	6.8	-	-	-	-
1959	2	0.3	-	-	37	5.5	-	-	-	-
1960	7	1.0	1	0.1	31	4.6	-	-	1	0.1
1961	1	0.1	-	-	24	3.5	1	0.1	-	-
1962	-	-	-	-	32	4.5	-	-	-	-
1963	-	-	-	-	27	3.8	-	-	-	-
1964	-	-	-	-	28	4.0	1	0.1	-	-
1965	-	-	-	-	22	3.1	-	-	-	-
1966	-	-	-	-	21	3.0	-	-	-	-
1967	-	-	-	-	17	2.4	-	-	-	-
1968	1	0.1	-	-	15	2.2	-	-	-	-
1969	-	-	-	-	16	2.3	-	-	-	-
1970	-	-	-	-	12	1.7	-	-	-	-
1971	1	0.1	-	-	10	1.4	-	-	1	0.1
1972	-	-	-	-	11	1.5	-	-	-	-
1973	-	-	-	-	13	1.8	-	-	-	-
1974	1	0.1	-	-	17	2.3	-	-	-	-
1975	1	0.1	1	0.1	13	1.7	-	-	-	-
1976	-	-	-	-	9	1.2	-	-	-	-
1977	-	-	-	-	4	0.5	-	-	-	-
1978	1	0.1	-	-	11	1.4	-	-	-	-
1979	-	-	-	-	5	0.6	-	-	-	-
1980	-	-	-	-	6	0.8	-	-	-	-
1981	-	-	-	-	7	0.9	-	-	-	-
1982	-	-	-	-	7	0.9	-	-	-	-
1983	1	0.1	-	-	1	0.1	-	-	-	-
1984	2	0.2	-	-	10	1.2	-	-	-	-
1985	-	-	-	-	5	0.6	-	-	1	0.1
1986	-	-	-	-	5	0.6	-	-	-	-
1987	-	-	-	-	4	0.5	-	-	-	-
1988	1	0.1	-	-	2	0.2	-	-	-	-
1989	2	0.2	-	-	5	0.6	-	-	-	-
1990	-	-	-	-	2	0.3	-	-	-	-
1991	1	0.1	-	-	4	0.5	-	-	-	-
1992	1	0.1	-	-	4	0.5	-	-	-	-
1993	-	-	-	-	2	0.2	-	-	-	-
1994	-	-	-	-	6	0.7	-	-	-	-

* DATA FOR 1910-45 ARE BY PLACE OF OCCURRENCE. BEGINING IN 1946, DATA ARE BY PLACE OF RESIDENCE.
\+ DEATHS FROM ROCKY MOUNTAIN SPOTTED FEVER FOR THE YEARS 1915 - 1920 ARE COURTESY OF ROBERT PHILLIPS PH.D. (RETIRED), ROCKY MOUNTAIN LABORATORY, HAMILTON, MONTANA.
** PER 100,000 ESTIMATED MIDYEAR POPULATION. U.S. CENSUS ENUMERATIONS USED FOR YEARS ENDING IN ZER

TABLE 16

FREQUENCY AND RATE OF DEATH FROM SELECTED CAUSES BY YEAR*
MONTANA, 1910-1994

YEAR	ACCIDENTS						ALCOHOLISM		CANCER	
	TOTAL		MOTOR VEHICLE		OTHER					
	NUMBER	RATE+	NUMBER	RATE+	NUMBER	RATE+	NUMBER	RATE+	NUMBER	RATE+
1910	514	136.7	5	1.3	509	135.4	56	14.9	157	41.7
1915	556	118.8	31	6.6	525	112.2	66	14 1	223	47.6
1920	473	86.3	45	8.2	428	78.1	10	1.8	282	51.4
1925	505	93.0	98	18.1	407	75.0	41	7.6	379	69.8
1930	498	92.6	106	19.7	392	72.9	69	12.8	424	78.9
1935	552	100.5	161	29.3	391	71.2	14	2.5	528	96.2
1940	539	96.3	154	27.5	385	68.8	41	7.3	640	114.4
1945	498	98.7	118	23.4	380	75.3	13	2.6	658	130.4
1946	517	99.1	166	31.8	351	67.3	15	2.9	662	126.8
1947	537	99.6	157	29.1	380	70.5	19	3.5	712	132.0
1948	575	103.3	165	29.6	410	73.7	14	2.5	724	130.1
1949	552	96.2	152	26.5	400	69.7	17	3.0	729	127.0
1950	545	92.2	190	32.1	355	60.1	14	2.4	733	124 0
1951	525	88.1	187	31.4	338	56.7	17	2.9	726	121.8
1952	564	93.7	235	39.0	329	54.7	13	2.2	798	132.6
1953	534	86.7	228	37.0	306	49.7	17	2.8	809	131.3
1954	531	85.1	219	35.1	312	50.0	19	3.0	871	139.6
1955	549	86.3	239	37.6	310	48.7	28	4 4	829	130.3
1956	574	87.5	265	40.4	309	47.1	22	3.4	931	141.9
1957	541	81.1	219	32.8	322	48.3	20	3.0	873	130.9
1958	497	74.6	206	30.9	291	43.7	18	2.7	838	125.8
1959	565	84.5	258	38.6	307	45.9	15	2.2	920	137.5
1960	510	75.6	226	33.5	284	42.1	13	1.9	958	142.0
1961	518	76.0	270	39.6	248	36.4	18	2.6	965	141.5
1962	550	77.6	232	32.7	318	44.9	19	2.7	911	128.5
1963	517	73.1	218	30.8	299	42.3	12	1.7	896	126.7
1964	648	91.9	250	35.5	398	56.5	13	1.8	986	139.9
1965	591	83.7	268	38.0	323	45.8	14	2.0	933	132.2
1966	560	79.8	265	37.7	295	42.0	24	3.4	969	138.0
1967	607	86.6	318	45 4	289	41 2	12	1.7	1,004	143.2
1968	535	77.2	262	37.8	273	39.4	29	4 2	1,080	155.8
1969	635	91.5	329	47.4	306	44.1	10	1.4	1,041	150.0
1970	571	82.2	290	41.8	281	40.5	25	3.6	1,059	152.5
1971	609	85.8	310	43.7	299	42.1	19	2.7	1,050	147.9
1972	635	88.3	360	50.1	275	38.2	17	2.4	1,122	156.1
1973	611	84.7	324	44.9	287	39.8	20	2.8	1,061	147 2
1974	559	76.1	272	37.0	287	39.0	14	1.9	1,130	153.7
1975	584	78.1	282	37.7	302	40.4	28	3 7	1,105	147.7
1976	579	76.9	291	38.6	288	38.2	23	3 1	1,191	158 2
1977	574	75.4	302	39.7	272	35.7	25	3.3	1,184	155.6
1978	558	71.1	276	35.2	282	35.9	23	2.9	1,233	157.1
1979	596	75.8	313	39.8	283	36.0	22	2.8	1,240	157.8
1980	570	72.5	311	39.5	259	32.9	25	3.2	1,291	164 1
1981	553	69.7	308	38.8	245	30.9	32	4 0	1,343	169.4
1982	471	58.8	236	29.5	235	29.3	30	3.7	1,384	172.8
1983	516	63.2	267	32.7	249	30.5	16	2.0	1,350	165.2
1984	440	53.4	233	28.3	207	25.1	18	2.2	1,467	178.0
1985	417	50.5	210	25.4	207	25.1	20	2.4	1,445	174.9
1986	403	49.2	228	27.8	175	21 4	27	3.3	1,475	180.1
1987	416	51.4	223	27.6	193	23.9	22	2.7	1,516	187.4
1988	368	45.7	200	24.8	168	20.9	22	2.7	1,561	193.9
1989	360	44.7	171	21.2	189	23.5	16	2.0	1,593	197.7
1990	398	49.8	210	26.3	188	23.5	21	2 6	1,630	204.0
1991	384	47.5	183	22.6	201	24 9	19	2 4	1,656	205.0
1992	399	48 4	182	22.1	217	26 3	29	3 5	1,710	207.6
1993	375	44.7	182	21.7	193	23.0	26	3.1	1,738	207 2
1994	391	45.7	192	22.4	199	23 2	31	3.6	1,740	203.2

* DATA FOR 1910-45 ARE BY PLACE OF OCCURRENCE. BEGINING IN 1946, DATA ARE BY PLACE OF RESIDENCE.
\+ PER 100,000 ESTIMATED MIDYEAR POPULATION. U.S. CENSUS ENUMERATIONS ARE USED FOR YEARS ENDIN IN ZERO.

FREQUENCY AND RATE OF DEATH FROM SELECTED CAUSES BY YEAR*
MONTANA, 1910-1994

YEAR	DIABETES		HEART DISEASE		HOMICIDE		NEPHRITIS		PNEUMONIA		SUICIDE	
	NUMBER	RATE+	NUMBER	RATE+	NUMBER	RATE+	NUMBER	RATE+	NUMBER	RATE+	NUMBER	RATE+
1910	38	10.1	257	68.3	37	9.8	222	59.0	282	75.0	81	21.5
1915	65	13.9	407	87.0	53	11.3	339	72.4	511	109.2	103	22.0
1920	60	10.9	428	78.1	46	8.4	273	49.8	576	105.0	86	15.7
1925	64	11.8	672	123.8	51	9.4	301	55.4	437	80.5	102	18.8
1930	87	16.2	759	141.2	57	10.6	395	73.5	425	79.1	136	25.3
1935	112	20.4	1,299	236.6	34	6.2	355	64.7	674	122.8	96	17.5
1940	109	19.5	1,447	258.6	29	5.2	295	52.7	321	57.4	120	21.4
1945	129	25.6	1,603	317.7	19	3.8	279	55.3	196	38.8	79	15.7
1946	137	26.3	1,629	312.1	22	4.2	276	52.9	235	45.0	98	18.8
1947	130	24.1	1,690	313.4	14	2.6	266	49.3	223	41.4	96	17.8
1948	118	21.2	1,803	324.0	15	2.7	247	44.4	189	34.0	88	15.8
1949	102	17.8	2,002	348.9	21	3.7	129	22.5	144	25.1	89	15.5
1950	49	8.3	1,957	331.1	24	4.1	80	13.5	157	26.6	123	20.8
1951	58	9.7	2,159	362.2	15	2.5	85	14.3	121	20.3	85	14.3
1952	83	13.8	2,032	337.5	17	2.8	120	19.9	147	24.4	84	14.0
1953	73	11.9	2,164	351.3	23	3.7	77	12.5	180	29.2	106	17.2
1954	95	15.2	2,128	341.0	29	4.6	90	14.4	179	28.7	104	16.7
1955	108	17.0	2,116	332.7	21	3.3	94	14.8	155	24.4	79	12.4
1956	98	14.9	2,165	330.0	32	4.9	83	12.7	211	32.2	98	14.9
1957	118	17.7	2,290	343.3	23	3.4	71	10.6	249	37.3	105	15.7
1958	109	16.4	2,244	336.9	17	2.6	53	8.0	260	39.0	101	15.2
1959	123	18.4	2,382	356.1	29	4.3	58	8.7	231	34.5	97	14.5
1960	102	15.1	2,332	345.6	25	3.7	51	7.6	227	33.6	107	15.9
1961	117	17.2	2,269	332.7	21	3.1	41	6.0	219	32.1	96	14.1
1962	121	17.1	2,204	310.9	21	3.0	63	8.9	195	27.5	110	15.5
1963	125	17.7	2,340	331.0	22	3.1	42	5.9	218	30.8	115	16.3
1964	139	19.7	2,368	335.9	30	4.3	45	6.4	226	32.1	80	11.3
1965	114	16.1	2,297	325.4	20	2.8	35	5.0	198	28.0	94	13.3
1966	106	15.1	2,415	344.0	23	3.3	42	6.0	230	32.8	96	13.7
1967	143	20.4	2,297	327.7	31	4.4	38	5.4	196	28.0	100	14.3
1968	119	17.2	2,223	320.8	25	3.6	20	2.9	213	30.7	97	14.0
1969	117	16.9	2,297	331.0	31	4.5	21	3.0	201	29.0	91	13.1
1970	111	16.0	2,229	321.0	30	4.3	26	3.7	213	30.7	79	11.4
1971	120	16.9	2,339	329.4	43	6.1	19	2.7	210	29.6	117	16.5
1972	135	18.8	2,294	319.1	32	4.5	17	2.4	220	30.6	87	12.1
1973	126	17.5	2,300	319.0	46	6.4	27	3.7	236	32.7	108	15.0
1974	103	14.0	2,202	299.6	44	6.0	20	2.7	192	26.1	122	16.6
1975	122	16.3	2,178	291.2	42	5.6	19	2.5	185	24.7	112	15.0
1976	100	13.3	2,178	289.2	38	5.0	17	2.3	207	27.5	129	17.1
1977	89	11.7	2,149	282.4	53	7.0	24	3.2	144	18.9	143	18.8
1978	114	14.5	2,169	276.3	40	5.1	20	2.5	199	25.4	122	15.5
1979	94	12.0	2,302	292.9	39	5.0	46	5.9	143	18.2	123	15.6
1980	103	13.1	2,332	296.4	40	5.1	43	5.5	169	21.5	116	14.7
1981	95	12.0	2,279	287.4	47	5.9	70	8.8	171	21.6	137	17.3
1982	115	14.4	2,236	279.2	36	4.5	57	7.1	196	24.5	126	15.7
1983	103	12.6	2,241	274.3	33	4.0	62	7.6	219	26.8	143	17.5
1984	113	13.7	2,270	275.5	37	4.5	57	6.9	204	24.8	137	16.6
1985	123	14.9	2,201	266.5	49	5.9	58	7.0	211	25.5	144	17.4
1986	109	13.3	2,196	268.1	41	5.0	40	4.9	205	25.0	181	22.1
1987	116	14.3	2,109	260.7	39	4.8	60	7.4	192	23.7	159	19.7
1988	154	19.1	2,057	255.5	35	4.3	60	7.5	219	27.2	153	19.0
1989	170	21.1	2,019	250.6	32	4.0	47	5.8	224	27.8	159	19.7
1990	154	19.3	1,947	243.7	37	4.6	48	6.0	213	26.7	167	20.9
1991	181	22.4	1,944	240.6	36	4.5	51	6.3	245	30.3	167	20.7
1992	164	19.9	1,904	231.2	35	4.2	56	6.8	259	31.4	151	18.3
1993	191	22.8	2,110	251.5	39	4.6	59	7.0	249	29.7	154	18.4
1994	215	25.1	1,907	222.7	34	4.0	76	8.9	276	32.2	159	18.6

* DATA FOR 1910-45 ARE BY PLACE OF OCCURRENCE. BEGINING IN 1946, DATA ARE BY PLACE OF RESIDENCE.
\+ PER 100,000 ESTIMATED MIDYEAR POPULATION. U.S. CENSUS ENUMERATIONS ARE USED FOR YEARS ENDING IN ZERO.

TABLE 17

FREQUENCY OF INDUCED ABORTION BY NUMBER OF PREVIOUS INDUCED ABORTIONS
AND NUMBER OF PREVIOUS PREGNANCIES
MONTANA OCCURRENCES, 1994

TOTAL PAST PREGNANCIES	TOTAL	PREVIOUS INDUCED ABORTIONS						
		NONE	ONE	TWO	THREE	FOUR	FIVE	SIX OR MORE
TOTAL	2,761	1,869	659	179	30	15	5	4
NOT STATED	1	1	-	-	-	-	-	-
NONE	1,089	1,089	-	-	-	-	-	-
ONE	635	334	301	-	-	-	-	-
TWO	432	254	125	53	-	-	-	-
THREE	307	124	117	55	11	-	-	-
FOUR	151	31	79	31	6	4	-	-
FIVE	80	21	23	21	8	6	1	-
SIX	28	9	8	7	3	1	-	-
SEVEN	15	3	3	5	1	1	2	-
EIGHT	10	2	3	1	1	1	1	1
NINE OR MORE	13	1	-	6	-	2	1	3

TABLE 18

FREQUENCY OF INDUCED ABORTION BY AGE OF PATIENT
MONTANA OCCURRENCES, 1994

PATIENT'S AGE	NUMBER
TOTAL	2,761
UNDER 15	24
15-17	286
18-19	395
20-24	841
25-29	479
30-34	395
35-39	255
40-44	80
OVER 44	6
NOT STATED	-

TABLE 19

FREQUENCY OF INDUCED ABORTION BY COMPLETED WEEK OF GESTATION AND BY PRIMARY PROCEDURE
MONTANA OCCURRENCES, 1994

PRIMARY PROCEDURE *	TOTAL	LENGTH OF GESTATION IN WEEKS							
		9 OR FEWER	10-11	12-13	14-15	16-17	18-19	20 OR MORE	NOT STATED
TOTAL	2,761	1,938	412	208	75	54	20	42	12
SUCTION CURRETTAGE	2,522	1,937	399	143	30	1	1	-	11
SHARP CURRETTAGE	2	1	-	-	1	-	-	-	-
DILATION AND EVACUATION (D&E)	236	-	13	65	44	53	18	42	1
OTHER	1	-	-	-	-	-	1	-	-

* THE PROCEDURE THAT TERMINATED PREGNANCY, AS OPPOSED TO "ADDITIONAL PROCEDURES USED."

TABLE 19A

FREQUENCY OF INDUCED ABORTION BY COUNTY OF RESIDENCE AND COUNTY OF OCCURRENCE
MONTANA, 1994

COUNTY	RESIDENCE	OCCURRENCE	COUNTY	RESIDENCE	OCCURRENCE
BEAVERHEAD	24	-	PONDERA	9	-
BIG HORN	26	-	POWDER RIVER	-	-
BLAINE	7	-	POWELL	10	-
BROADWATER	8	-	PRAIRIE	-	-
CARBON	20	-	RAVALLI	49	-
CARTER	1	-	RICHLAND	16	-
CASCADE	208	157	ROOSEVELT	26	-
CHOUTEAU	3	-	ROSEBUD	20	-
CUSTER	33	-	SANDERS	12	-
DANIELS	1	-	SHERIDAN	3	-
DAWSON	9	-	SILVER BOW	80	-
DEER LODGE	19	-	STILLWATER	16	-
FALLON	3	-	SWEET GRASS	3	-
FERGUS	14	-	TETON	5	-
FLATHEAD	225	350	TOOLE	6	-
GALLATIN	268	704	TREASURE	1	-
GARFIELD	1	-	VALLEY	14	-
GLACIER	27	-	WHEATLAND	4	-
GOLDEN VALLEY	2	-	WIBAUX	-	-
GRANITE	4	-	YELLOWSTONE	358	840
HILL	37	-	NOT STATED	14	-
JEFFERSON	13	-	TOTAL MONTANA		
JUDITH BASIN	4	-	RESIDENTS	2,289	2,761
LAKE	50	-			
LEWIS & CLARK	137	185	OUT OF STATE		
LIBERTY	4	-	RESIDENTS	435	
LINCOLN	29	-	IDAHO	40	NA
MCCONE	3	-	NORTH DAKOTA	36	NA
MADISON	10	-	SOUTH DAKOTA	45	NA
MEAGHER	4	-	WYOMING	295	NA
MINERAL	9	-	OTHER STATES	19	NA
MISSOULA	368	525			
MUSSELSHELL	6	-	CANADA	35	NA
PARK	55	-	REST OF WORLD	-	NA
PETROLEUM	3	-	NOT STATED	2	NA
PHILLIPS	8	-			
			TOTAL	2,761	2,761

TABLE 20

FREQUENCY OF MARRIAGE AND MARITAL TERMINATION
MARRIAGE LICENSES ISSUED, MARRIAGES SOLEMNIZED, MARITAL DISSOLUTIONS, AND MARRIAGES INVALIDATED BY COUNTY OF OCCURRENCE - MONTANA, 1994

COUNTY	MARRIAGES		MARITAL TERMINATIONS	
	LICENSES ISSUED	MARRIAGES SOLEMNIZED	MARITAL DISSOLUTIONS	INVALID MARRIAGES
MONTANA, TOTAL	7,088	7,088	4,139	57
BEAVERHEAD	76	74	43	1
BIG HORN	74	73	46	1
BLAINE	47	49	18	-
BROADWATER	24	28	16	-
CARBON	117	213	25	-
CARTER	10	10	2	-
CASCADE	761	734	506	4
CHOUTEAU	37	41	11	-
CUSTER	116	116	66	-
DANIELS	18	21	3	-
DAWSON	62	62	17	1
DEER LODGE	74	92	28	2
FALLON	20	20	6	-
FERGUS	82	91	60	-
FLATHEAD	654	656	393	6
GALLATIN	628	581	264	3
GARFIELD	4	7	-	-
GLACIER	76	77	49	1
GOLDEN VALLEY	-	1	2	-
GRANITE	19	29	11	-
HILL	125	129	59	-
JEFFERSON	26	47	23	-
JUDITH BASIN	18	19	8	-
LAKE	180	202	137	5
LEWIS & CLARK	484	470	310	2
LIBERTY	12	9	1	-
LINCOLN	117	150	112	3
MCCONE	13	17	2	-
MADISON	67	83	22	1
MEAGHER	19	18	5	-
MINERAL	24	27	13	1
MISSOULA	775	702	489	20
MUSSELSHELL	47	43	28	-
PARK	127	133	93	1
PETROLEUM	2	5	4	-
PHILLIPS	32	39	16	-
PONDERA	33	36	15	-
POWDER RIVER	17	16	2	-
POWELL	42	53	33	-
PRAIRIE	5	6	-	-
RAVALLI	164	175	151	1
RICHLAND	97	94	41	-
ROOSEVELT	74	75	26	-
ROSEBUD	53	57	22	-
SANDERS	57	67	45	-
SHERIDAN	38	35	9	-
SILVER BOW	284	252	52	3
STILLWATER	52	54	13	-
SWEET GRASS	23	30	10	-
TETON	32	37	20	-
TOOLE	37	34	8	-
TREASURE	4	4	1	-
VALLEY	46	48	35	-
WHEATLAND	14	18	3	-
WIBAUX	8	7	2	-
YELLOWSTONE	1,041	922	763	1
YELLOWSTONE PARK	-	-	-	-
NOT STATED	-	-	-	-

TABLE 21

FREQUENCY AND RATE OF MARRIAGE AND MARITAL TERMINATION BY YEAR
MONTANA OCCURENCES, 1944-1994

YEAR	MARRIAGES		MARITAL TERMINATIONS	
	NUMBER	RATE*	NUMBER	RATE*
1944	6,433	11.2	1,745	3.1
1945	8,147	14.2	2,380	4.1
1946	12,974	22.4	3,212	5.6
1947	9,769	16.8	2,439	4.2
1948	7,131	12.2	2,090	3.6
1949	6,981	11.9	1,995	3.4
1950	7,235	12.2	1,951	3.3
1951	6,307	10.6	1,837	3.1
1952	6,410	10.6	1,989	3.3
1953	6,597	10.7	1,986	3.2
1954	6,575	10.5	1,966	3.2
1955	6,514	10.2	1,909	3.0
1956	6,770	10.3	1,985	3.0
1957	6,495	9.7	2,004	3.0
1958	6,142	9.2	2,023	3.0
1959	6,228	9.3	2,062	3.1
1960	5,883	8.7	2,003	3.0
1961	5,636	8.3	2,034	3.0
1962	5,051	7.1	1,932	2.7
1963	4,854	6.9	1,909	2.7
1964	4,556	6.5	1,981	2.8
1965	4,688	6.6	2,002	2.8
1966	4,914	7.0	2,087	3.0
1967	5,563	7.9	2,361	3.4
1968	6,250	9.0	2,592	3.7
1969	6,444	9.3	2,806	4.0
1970	6,919	10.0	3,051	4.4
1971	7,128	10.0	3,366	4.7
1972	7,674	10.7	3,609	5.0
1973	7,751	10.8	3,772	5.2
1974	7,741	10.5	3,940	5.4
1975	7,331	9.8	4,286	5.7
1976	7,390	9.8	4,850	6.4
1977	7,547	9.9	4,813	6.3
1978	8,136	10.4	4,877	6.2
1979	8,195	10.4	5,106	6.5
1980	8,336	10.6	4,940	6.3
1981	8,209	10.4	5,004	6.3
1982	8,185	10.2	4,612	5.8
1983	8,092	9.9	4,644	5.7
1984	7,659	9.3	4,355	5.3
1985	7,178	8.7	4,258	5.2
1986	6,739	8.2	4,307	5.3
1987	6,540	8.1	4,116	5.1
1988	6,784	8.4	4,063	5.0
1989	6,765	8.4	4,104	5.1
1990	6,924	8.7	4,049	5.1
1991	6,984	8.6	4,443	5.5
1992	7,189	8.7	4,223	5.1
1993	7,041	8.4	4,311	5.1
1994	7,088	8.3	4,196	4.9

* PER 1,000 ESTIMATED MIDYEAR POPULATION. U.S. CENSUS ENUMERATION ARE USED FOR YEARS ENDING IN ZERO.

TABLE 22

FREQUENCY AND PERCENT DISTRIBUTION OF MARRIAGES BY MONTH OF OCCURRENCE
MONTANA, 1994

MONTH	NUMBER	PERCENT	MONTH	NUMBER	PERCENT
MONTANA, TOTAL	7,088	100.0	JUNE	892	12.6
			JULY	1,167	16.5
JANUARY	271	3.8	AUGUST	1,014	14.3
FEBRUARY	353	5.0	SEPTEMBER	684	9.7
MARCH	345	4.9	OCTOBER	501	7.1
APRIL	422	6.0	NOVEMBER	341	4.8
MAY	581	8.2	DECEMBER	517	7.3

TABLE 23

FREQUENCY OF MARRIAGE BY PREVIOUS MARITAL STATUS AND AGE OF BRIDE AND
BY PREVIOUS MARTIAL STATUS AND AGE OF GROOM
MONTANA OCCURRENCES, 1994

AGE	BRIDE					GROOM				
	TOTAL	PREVIOUS MARITAL STATUS				TOTAL	PREVIOUS MARITAL STATUS			
		SINGLE	WIDOWED	DIVORCED	NOT STATED		SINGLE	WIDOWED	DIVORCED	NOT STATED
TOTAL	7,088	4,224	215	2,645	4	7,088	4,489	195	2,402	2
UNDER 15	-	-	-	-	-	-	-	-	-	-
15-19	736	722	-	13	1	256	255	-	1	-
20-24	2,301	2,078	1	221	1	1,907	1,837	-	69	1
25-29	1,266	823	7	435	1	1,586	1,287	6	293	-
30-34	937	368	8	561	-	1,111	637	6	468	-
35-39	731	142	18	571	-	754	295	11	448	-
40-44	467	66	30	370	1	511	107	4	399	1
45-49	281	19	22	240	-	382	34	17	331	-
50-54	156	3	25	128	-	220	20	17	183	-
55-59	80	1	16	63	-	131	6	11	114	-
60-64	48	-	25	23	-	82	7	26	49	-
65-69	42	1	25	16	-	61	2	25	34	-
70-74	23	-	22	1	-	38	1	30	7	-
75 AND OVER	20	1	16	3	-	49	1	42	6	-
NOT STATED	-	-	-	-	-	-	-	-	-	-

TABLE 24

FREQUENCY OF FIRST MARRIAGE* BY AGE OF BRIDE AND AGE OF GROOM
MONTANA OCCURRENCES, 1994

AGE OF GROOM	AGE OF BRIDE										
	TOTAL, ALL AGES	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55 AND OVER	NOT STATED
TOTAL, ALL AGES	3,537	684	1,834	670	226	80	33	8	2	-	-
15-19	251	186	62	3	-	-	-	-	-	-	-
20-24	1,664	427	1,106	120	9	1	-	1	-	-	-
25-29	1,019	58	537	353	59	10	1	1	-	-	-
30-34	384	8	108	148	90	22	8	-	-	-	-
35-39	141	3	14	39	51	28	4	2	-	-	-
40-44	51	2	6	6	11	13	11	1	1	-	-
45-49	13	-	-	1	5	2	5	-	-	-	-
50-54	8	-	1	-	1	3	1	1	1	-	-
55 AND OVER	6	-	-	-	-	1	3	2	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-

* FIRST MARRIAGE FOR BOTH BRIDE AND GROOM

TABLE 25

FREQUENCY OF MARRIAGE BY RACE* OF BRIDE AND RACE* OF GROOM
MONTANA OCCURRENCES, 1994

RACE OF GROOM	RACE OF BRIDE								
	TOTAL	WHITE	BLACK	NATIVE AMERICAN	CHINESE	JAPANESE	FILIPINO	OTHER ASIANS AND PACIFIC ISLANDERS	NOT STATED
TOTAL	7,088	6,697	19	309	5	10	10	36	2
WHITE	6,717	6,544	8	115	2	9	8	31	-
BLACK	41	26	10	3	-	-	-	2	-
NATIVE AMERICAN	297	105	1	189	1	-	1	-	-
CHINESE	4	2	-	-	2	-	-	-	-
JAPANESE	5	4	-	-	-	1	-	-	-
FILIPINO	5	4	-	1	-	-	-	-	-
OTHER ASIANS AND PACIFIC ISLANDERS	14	9	-	1	-	-	1	3	-
OTHER RACES	2	2	-	-	-	-	-	-	-
NOT STATED	3	1	-	-	-	-	-	-	2

* ANY RACIAL CATEGORY MAY INCLUDE HISPANIC "OTHER" ALSO INCLUDES RACE NOT STATED

TABLE 26

FREQUENCY OF MARITAL TERMINATION BY TYPE AND BY LEGAL GROUNDS
FOR DECREE - MONTANA OCCURRENCES, 1994

TYPES OF MARITAL TERMINATION AND LEGAL GROUNDS	NUMBER
MARITAL TERMINATIONS, TOTAL	4,196
MARITAL DISSOULUTIONS, TOTAL	4,139
IRRECONCILABLE DIFFERENCES	4,139
INVALID MARRIAGES, TOTAL	57
LACKED CAPACITY TO CONSENT	47
LACKED PHYSICAL CAPACITY	2
UNDER AGE	-
PROHIBITED MARRIAGE	8
NOT STATED	-

TABLE 27

FREQUENCY OF MARITAL TERMINATION BY AGE OF WIFE AND AGE OF HUSBAND
MONTANA OCCURRENCES, 1994

AGE OF HUSBAND	TOTAL ALL AGES	AGE OF WIFE									
		15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55 AND OVER	NOT STATED
TOTAL ALL AGES	4,196	42	599	703	796	762	568	348	143	203	32
15-19	9	6	3	-	-	-	-	-	-	-	-
20-24	343	29	264	44	6	-	-	-	-	-	-
25-29	638	6	219	304	77	17	8	2	-	2	3
30-34	796	1	80	245	327	107	24	8	1	-	3
35-39	701	-	23	67	231	283	68	22	2	-	5
40-44	646	-	6	24	100	218	238	51	6	2	1
45-49	436	-	2	10	38	83	138	129	21	9	6
50-54	258	-	1	4	8	36	54	89	47	15	4
55 AND OVER	348	-	-	3	8	16	35	43	66	172	5
NOT STATED	21	-	1	2	1	2	3	4	-	3	5

TABLE 28

FREQUENCY OF MARITAL TERMINATION BY NUMBER OF MINOR CHILDREN IN THE HOUSEHOLD
AND BY AGE OF WIFE - MONTANA OCCURRENCES, 1994

AGE OF WIFE	TOTAL ALL AGES	NUMBER OF MINOR CHILDREN								
		NONE	ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT
TOTAL ALL AGES	4,196	1,957	900	915	96	298	19	5	5	1
15-19	42	27	15	-	-	-	-	-	-	-
20-24	599	290	196	98	1	13	1	-	-	-
25-29	703	262	187	166	15	68	4	-	1	-
30-34	796	228	170	252	32	104	5	2	2	1
35-39	762	282	132	229	32	77	7	2	1	-
40-44	568	268	128	127	12	31	1	-	1	-
45-49	348	252	55	31	3	5	1	1	-	-
50-54	143	129	8	6	-	-	-	-	-	-
55-59	90	83	4	2	1	-	-	-	-	-
60-64	49	48	1	-	-	-	-	-	-	-
65-69	29	29	-	-	-	-	-	-	-	-
70-74	18	18	-	-	-	-	-	-	-	-
75 AND OVER	17	17	-	-	-	-	-	-	-	-
NOT STATED	32	24	4	4	-	-	-	-	-	-

TABLE 29

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1994

ITEM	MONTANA +		BEAVERHEAD		BIG HORN		BLAINE		BROADWATER		CARBON		CARTER		CASCADE	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	856,240		8,850		12,040		7,020		3,670		8,940		1,530		81,140	
RESIDENCE																
NATURAL INCREASE	3,731	4.4	26	3.0	147	12.4	67	9.7	9	2.5	5	0.6	3	2.0	515	6.4
LIVE BIRTHS, TOTAL	11,062	12.9	105	11.9	253	21.0	118	16.8	46	12.5	104	11.6	23	15.0	1,219	15.0
SEX-MALE	5,664	13.3	58	---	129	---	55	---	26	---	48	---	15	---	624	---
FEMALE	5,398	12.5	47	---	124	---	63	---	20	---	56	---	8	---	595	---
OUT-OF-WEDLOCK	2,815	254.5	20	190.5	132	521.7	65	550.8	12	260.9	16	153.8	3	130.4	289	237.1
DEATHS (EXCLUDING FETALS), TOTAL	7,331	8.6	79	8.9	106	8.8	51	7.3	37	10.1	99	11.1	20	13.1	704	8.7
SEX-MALE	3,950	9.3	53	---	66	---	26	---	22	---	54	---	13	---	375	---
FEMALE	3,381	7.9	26	---	40	---	25	---	15	---	45	---	7	---	329	---
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	82	7.4	1	9.5	1	4.0	-	-	1	21.7	1	9.6	-	-	11	9.0
NEONATAL (UNDER 28 DAYS)	44	4.0	1	9.5	-	-	-	-	1	21.7	1	9.6	-	-	8	6.6
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	-	-	1	4.0	-	-	-	-	-	-	-	-	3	2.5
FETAL DEATHS	52	4.7	-	-	1	4.0	1	8.5	-	-	1	9.6	-	-	5	4.1
PERINATAL DEATHS	96	8.7	1	9.5	1	4.0	1	8.5	1	21.7	2	19.2	-	-	13	10.7
LEADING CAUSES OF DEATH **																
HEART DISEASE	1,907	222.7	16	180.8	29	240.9	12	170.9	6	163.5	27	302.0	7	457.5	181	223.1
CANCER	1,740	203.2	13	146.9	14	116.3	11	156.7	13	354.2	20	223.7	5	326.8	164	202.1
CEREBROVASCULAR DISEASE	572	66.8	11	124.3	2	16.6	4	57.0	1	27.2	8	89.5	3	196.1	67	82.6
CHRON. OBSTR. PULMONARY DISEASES	485	56.6	11	124.3	5	41.5	3	42.7	4	109.0	5	55.9	2	130.7	64	78.9
ACCIDENTS	391	45.7	7	79.1	18	149.5	2	28.5	3	81.7	5	55.9	-	-	33	40.7
PNEUMONIA AND INFLUENZA	291	34.0	2	22.6	2	16.6	5	71.2	2	54.5	5	55.9	-	-	18	22.2
DIABETES	215	25.1	3	33.9	5	41.5	1	14.2	-	-	3	33.6	1	65.4	10	12.3
SUICIDE	159	18.6	1	11.3	1	8.3	2	28.5	1	27.2	-	-	-	-	12	14.8
ALZHEIMER'S DISEASE	93	10.9	1	11.3	1	8.3	-	-	-	-	1	11.2	-	-	11	13.6
NEPHRITIS AND NEPHROTIC SYNDROME	76	8.9	1	11.3	2	16.6	2	28.5	1	27.2	1	11.2	-	-	10	12.3
OCCURRENCE																
LIVE BIRTHS, TOTAL	10,968	12.8	91	10.3	251	20.8	3	0.4	10	2.7	32	3.6	-	-	1,476	18.2
DEATHS (EXCLUDING FETAL), TOTAL	7,354	8.6	84	9.5	80	6.6	21	3.0	35	9.5	70	7.8	15	9.8	805	9.9
INFANT (UNDER 1 YEAR)	75	6.8	-	-	1	4.0	-	-	-	-	-	-	-	-	20	13.6
ACCIDENTAL	426	0.5	14	1.6	15	1.2	-	-	4	1.1	8	0.9	1	0.7	40	0.5
MOTOR VEHICLE	212	0.2	12	1.4	11	0.9	-	-	3	0.8	2	0.2	-	-	18	0.2
OTHER ACCIDENTAL	214	0.2	2	0.2	4	0.3	-	-	1	0.3	6	0.7	1	0.7	22	0.3
MARRIAGES	7,088	8.3	74	8.4	73	6.1	49	7.0	28	7.6	213	23.8	10	6.5	734	9.0
MARITAL TERMINATIONS	4,196	4.9	44	5.0	47	3.9	18	2.6	16	4.4	25	2.8	2	1.3	510	6.3

\+ MONTANA RESIDENCE TOTALS INCLUDE TWO DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.
** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION.
--- NOT CALCULATED.

TABLE 29 (CONTINUED)

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1994

ITEM	MONTANA +		CHOUTEAU		CUSTER		DANIELS		DAWSON		DEER LODGE		FALLON		FERGUS	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	856,240		5,460		12,130		2,160		9,030		10,180		3,050		12,600	
RESIDENCE																
NATURAL INCREASE	3,731	4.4	(25)	-4.6	16	1.3	(21)	-9.9	2	0.2	(34)	-3.4	(2)	-0.7	(12)	-1.0
LIVE BIRTHS, TOTAL	11,062	12.9	41	7.5	158	13.0	16	7.4	90	10.0	84	8.3	27	8.9	146	11.6
SEX-MALE	5,664	13.3	22	---	83	---	9	---	43	---	51	---	13	---	72	---
FEMALE	5,398	12.5	19	---	75	---	7	---	47	---	33	---	14	---	74	---
OUT-OF-WEDLOCK	2,815	254.5	1	24.4	51	322.8	4	250.0	16	177.8	25	297.6	2	74.1	33	226.0
DEATHS (EXCLUDING FETALS), TOTAL	7,331	8.6	66	12.1	142	11.7	37	17.1	88	9.7	118	11.6	29	9.5	158	12.5
SEX-MALE	3,950	9.3	41	---	83	---	22	---	47	---	63	---	17	---	84	---
FEMALE	3,381	7.9	25	---	59	---	15	---	41	---	55	---	12	---	74	---
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	82	7.4	-	-	2	12.7	-	-	-	-	-	-	-	-	-	-
NEONATAL (UNDER 28 DAYS)	44	4.0	-	-	1	6.3	-	-	-	-	-	-	-	-	-	-
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	-	-	1	6.3	-	-	-	-	-	-	-	-	-	-
FETAL DEATHS	52	4.7	-	-	1	6.3	-	-	1	11.1	-	-	-	-	1	6.8
PERINATAL DEATHS	96	8.7	-	-	2	12.7	-	-	1	11.1	-	-	-	-	1	6.8
LEADING CAUSES OF DEATH **																
HEART DISEASE	1,907	222.7	19	348.0	46	379.2	12	555.6	27	299.0	33	324.2	5	163.9	44	349.2
CANCER	1,740	203.2	11	201.5	37	305.0	12	555.6	25	276.9	28	275.0	8	262.3	33	261.9
CEREBROVASCULAR DISEASE	572	66.8	7	128.2	16	131.9	-	-	3	33.2	7	68.8	2	65.6	13	103.2
CHRON. OBSTR. PULMONARY DISEASES	485	56.6	5	91.6	5	41.2	3	138.9	3	33.2	10	98.2	3	98.4	13	103.2
ACCIDENTS	391	45.7	5	91.6	4	33.0	1	46.3	4	44.3	8	78.6	1	32.8	3	23.8
PNEUMONIA AND INFLUENZA	291	34.0	2	36.6	1	8.2	-	-	3	33.2	4	39.3	2	65.6	15	119.0
DIABETES	215	25.1	1	18.3	4	33.0	2	92.6	2	22.1	5	49.1	2	65.6	2	15.9
SUICIDE	159	18.6	3	54.9	2	16.5	-	-	1	11.1	2	19.6	1	32.8	2	15.9
ALZHEIMER'S DISEASE	93	10.9	1	18.3	2	16.5	-	-	-	-	-	-	-	-	2	15.9
NEPHRITIS AND NEPHROTIC SYNDROME	76	8.9	-	-	1	8.2	-	-	2	22.1	3	29.5	-	-	3	23.8
OCCURRENCE																
LIVE BIRTHS, TOTAL	10,968	12.8	1	0.2	275	22.7	3	1.4	42	4.7	50	4.9	30	9.8	156	12.4
DEATHS (EXCLUDING FETAL), TOTAL	7,354	8.6	53	9.7	180	14.8	29	13.4	80	8.9	94	9.2	26	8.5	153	12.1
INFANT (UNDER 1 YEAR)	75	6.8	-	-	1	3.6	-	-	-	-	-	-	-	-	-	-
ACCIDENTAL	426	0.5	5	0.9	6	0.5	1	0.5	6	0.7	5	0.5	1	0.3	4	0.3
MOTOR VEHICLE	212	0.2	2	0.4	2	0.2	-	-	3	0.3	1	0.1	-	-	3	0.2
OTHER ACCIDENTAL	214	0.2	3	0.5	4	0.3	1	0.5	3	0.3	4	0.4	1	0.3	1	0.1
MARRIAGES	7,088	8.3	41	7.5	116	9.6	21	9.7	62	6.9	92	9.0	20	6.6	91	7.2
MARITAL TERMINATIONS	4,196	4.9	11	2.0	66	5.4	3	1.4	18	2.0	30	2.9	6	2.0	60	4.8

\+ MONTANA RESIDENCE TOTALS INCLUDE TWO DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.
** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION.
--- NOT CALCULATED.

TABLE 29 (CONTINUED)

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1994

ITEM	MONTANA +		FLATHEAD		GALLATIN		GARFIELD		GLACIER		GOLDEN VALLEY		GRANITE		HILL	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	856,240		67,380		57,810		1,440		12,450		960		2,650		17,460	
RESIDENCE																
NATURAL INCREASE	3,731	4.4	375	5.8	436	7.9	(7)	-4.9	150	12.1	5	5.5	(6)	-2.4	134	7.4
LIVE BIRTHS, TOTAL	11,062	12.9	887	13.2	723	12.5	15	10.4	253	20.3	16	16.7	22	8.3	283	16.2
SEX-MALE	5,664	13.3	468	---	374	---	9	---	119	---	9	---	10	---	151	---
FEMALE	5,398	12.5	419	---	349	---	6	---	134	---	7	---	12	---	132	---
OUT-OF-WEDLOCK	2,815	254.5	209	235.6	92	127.2	5	333.3	160	632.4	1	62.5	4	181.8	118	417.0
DEATHS (EXCLUDING FETALS), TOTAL	7,331	8.6	512	7.6	287	5.0	22	15.3	103	8.3	11	11.5	28	10.6	149	8.5
SEX-MALE	3,950	9.3	278	---	150	---	11	---	62	---	7	---	16	---	83	---
FEMALE	3,381	7.9	234	---	137	---	11	---	41	---	4	---	12	---	66	---
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	82	7.4	4	4.5	5	6.9	1	66.7	3	11.9	1	62.5	1	45.5	4	14.1
NEONATAL (UNDER 28 DAYS)	44	4.0	1	1.1	1	1.4	1	66.7	2	7.9	1	62.5	1	45.5	3	10.6
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	3	3.4	4	5.5	-	-	1	4.0	-	-	-	-	1	3.5
FETAL DEATHS	52	4.7	6	6.8	3	4.1	-	-	2	7.9	-	-	-	-	-	-
PERINATAL DEATHS	96	8.7	7	7.9	4	5.5	1	66.7	4	15.8	1	62.5	1	45.5	3	10.6
LEADING CAUSES OF DEATH **																
HEART DISEASE	1,907	222.7	150	222.6	60	103.8	5	347.2	29	232.9	4	416.7	5	188.7	45	257.7
CANCER	1,740	203.2	124	184.0	60	103.8	7	486.1	17	136.5	2	208.3	7	264.2	35	200.5
CEREBROVASCULAR DISEASE	572	66.8	32	47.5	24	41.5	2	138.9	8	64.3	-	-	2	75.5	8	45.8
CHRON. OBSTR. PULMONARY DISEASES	485	56.6	34	50.5	16	27.7	2	138.9	5	40.2	-	-	2	75.5	6	34.4
ACCIDENTS	391	45.7	18	26.7	17	29.4	2	138.9	11	88.4	2	208.3	-	-	7	40.1
PNEUMONIA AND INFLUENZA	291	34.0	18	26.7	15	25.9	-	-	4	32.1	-	-	-	-	6	34.4
DIABETES	215	25.1	17	25.2	11	19.0	-	-	3	24.1	-	-	-	-	7	40.1
SUICIDE	159	18.6	11	16.3	6	10.4	-	-	4	32.1	-	-	2	75.5	1	5.7
ALZHEIMER'S DISEASE	93	10.9	4	5.9	3	5.2	-	-	1	8.0	-	-	1	37.7	1	5.7
NEPHRITIS AND NEPHROTIC SYNDROME	76	8.9	4	5.9	5	8.6	-	-	1	8.0	-	-	-	-	3	17.2
OCCURRENCE																
LIVE BIRTHS, TOTAL	10,968	12.8	958	14.2	766	13.3	1	0.7	232	18.6	-	-	1	0.4	419	24.0
DEATHS (EXCLUDING FETAL), TOTAL	7,354	8.6	531	7.9	263	4.5	14	9.7	84	6.7	6	6.3	18	6.8	165	9.5
INFANT (UNDER 1 YEAR)	75	6.8	5	5.2	6	7.8	-	-	1	4.3	-	-	-	-	2	4.8
ACCIDENTAL	426	0.5	16	0.2	11	0.2	2	1.4	9	0.7	2	2.1	1	0.4	8	0.5
MOTOR VEHICLE	212	0.2	8	0.1	5	0.1	1	0.7	6	0.5	1	1.0	1	0.4	2	0.1
OTHER ACCIDENTAL	214	0.2	8	0.1	6	0.1	1	0.7	3	0.2	1	1.0	-	-	6	0.3
MARRIAGES	7,088	8.3	656	9.7	581	10.1	7	4.9	77	6.2	1	1.0	29	10.9	129	7.4
MARITAL TERMINATIONS	4,196	4.9	399	5.9	267	4.6	-	-	50	4.0	2	2.1	11	4.2	59	3.4

\+ MONTANA RESIDENCE TOTALS INCLUDE TWO DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.
** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION.

TABLE 29 (CONTINUED)

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1994

ITEM	MONTANA +		JEFFERSON		JUDITH BASIN		LAKE		LEWIS & CLARK		LIBERTY		LINCOLN		MCCONE	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	856,240		8,980		2,240		23,680		51,600		2,250		18,390		2,130	
RESIDENCE																
NATURAL INCREASE	3,731	4.4	43	5.1	3	1.3	55	2.4	291	5.7	14	6.1	24	1.3	(2)	-1.0
LIVE BIRTHS, TOTAL	11,062	12.9	108	12.0	23	10.3	282	11.9	677	13.1	26	11.6	196	10.7	22	10.3
SEX-MALE	5,664	13.3	60	---	12	---	134	---	347	---	10	---	100	---	10	---
FEMALE	5,398	12.5	48	---	11	---	148	---	330	---	16	---	96	---	12	---
OUT-OF-WEDLOCK	2,815	254.5	13	120.4	2	87.0	96	340.4	131	193.5	3	115.4	61	311.2	1	45.5
DEATHS (EXCLUDING FETALS), TOTAL	7,331	8.6	65	7.2	20	8.9	227	9.6	386	7.5	12	5.3	172	9.4	24	11.3
SEX-MALE	3,950	9.3	41	---	15	---	117	---	199	---	6	---	91	---	12	---
FEMALE	3,381	7.9	24	---	5	---	110	---	187	---	6	---	81	---	12	---
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	82	7.4	1	9.3	-	-	3	10.6	6	8.9	-	-	3	15.3	-	-
NEONATAL (UNDER 28 DAYS)	44	4.0	-	-	-	-	2	7.1	4	5.9	-	-	1	5.1	-	-
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	1	9.3	-	-	1	3.5	2	3.0	-	-	2	10.2	-	-
FETAL DEATHS	52	4.7	-	-	-	-	1	3.5	5	7.4	-	-	1	5.1	-	-
PERINATAL DEATHS	96	8.7	-	-	-	-	3	10.6	9	13.3	-	-	2	10.2	-	-
LEADING CAUSES OF DEATH **																
HEART DISEASE	1,907	222.7	16	178.2	5	223.2	46	194.3	100	193.8	6	266.7	53	288.2	11	516.4
CANCER	1,740	203.2	15	167.0	5	223.2	55	232.3	86	166.7	2	88.9	46	250.1	2	93.9
CEREBROVASCULAR DISEASE	572	66.8	5	55.7	-	-	23	97.1	35	67.8	-	-	12	65.3	3	140.8
CHRON. OBSTR. PULMONARY DISEASES	485	56.6	2	22.3	3	133.9	14	59.1	23	44.6	-	-	9	48.9	2	93.9
ACCIDENTS	391	45.7	6	66.8	2	89.3	21	88.7	21	40.7	1	44.4	12	65.3	2	93.9
PNEUMONIA AND INFLUENZA	291	34.0	2	22.3	-	-	4	16.9	10	19.4	-	-	3	16.3	-	-
DIABETES	215	25.1	3	33.4	-	-	12	50.7	15	29.1	2	88.9	8	43.5	1	46.9
SUICIDE	159	18.6	-	-	-	-	3	12.7	14	27.1	-	-	2	10.9	1	46.9
ALZHEIMER'S DISEASE	93	10.9	4	44.5	-	-	6	25.3	3	5.8	1	44.4	1	5.4	-	-
NEPHRITIS AND NEPHROTIC SYNDROME	76	8.9	-	-	-	-	3	12.7	2	3.9	-	-	-	-	-	-
OCCURRENCE																
LIVE BIRTHS, TOTAL	10,968	12.8	-	-	1	0.4	189	8.0	778	15.1	21	9.3	135	7.3	-	-
DEATHS (EXCLUDING FETAL), TOTAL	7,354	8.6	43	4.8	5	2.2	178	7.5	421	8.2	15	6.7	135	7.3	19	8.9
INFANT (UNDER 1 YEAR)	75	6.8	-	-	-	-	1	5.3	2	2.6	-	-	1	7.4	-	-
ACCIDENTAL	426	0.5	7	0.8	-	-	23	1.0	17	0.3	1	0.4	5	0.3	2	0.9
MOTOR VEHICLE	212	0.2	6	0.7	-	-	17	0.7	3	0.1	1	0.4	3	0.2	-	-
OTHER ACCIDENTAL	214	0.2	1	0.1	-	-	6	0.3	14	0.3	-	-	2	0.1	2	0.9
MARRIAGES	7,088	8.3	47	5.2	19	8.5	202	8.5	470	9.1	9	4.0	150	8.2	17	8.0
MARITAL TERMINATIONS	4,196	4.9	23	2.6	8	3.6	142	6.0	312	6.0	1	0.4	115	6.3	2	0.9

\+ MONTANA RESIDENCE TOTALS INCLUDE TWO DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.
** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION.
--- NOT CALCULATED.

TABLE 29 (CONTINUED)

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1994

ITEM	MONTANA +		MADISON		MEAGHER		MINERAL		MISSOULA		MUSSELSHELL		PARK		PETROLEUM	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	856,240		6,390		1,840		3,630		85,690		4,410		15,640		530	
RESIDENCE																
NATURAL INCREASE	3,731	4.4	6	1.0	7	3.8	2	0.6	519	6.1	(9)	-2.2	19	1.3	3	5.9
LIVE BIRTHS, TOTAL	11,062	12.9	63	9.9	32	17.4	44	12.1	1,105	12.9	47	10.7	171	10.9	6	11.3
SEX-MALE	5,664	13.3	37	---	16	---	26	---	544	---	22	---	96	---	3	---
FEMALE	5,398	12.5	26	---	16	---	18	---	561	---	25	---	75	---	3	---
OUT-OF-WEDLOCK	2,815	254.5	5	79.4	1	31.3	13	295.5	230	208.1	9	191.5	31	181.3	1	166.7
DEATHS (EXCLUDING FETALS), TOTAL	7,331	8.6	57	8.9	25	13.6	42	11.6	586	6.8	56	12.7	152	9.7	3	5.7
SEX-MALE	3,950	9.3	31	---	16	---	22	---	316	---	36	---	84	---	1	---
FEMALE	3,381	7.9	26	---	9	---	20	---	270	---	20	---	68	---	2	---
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	82	7.4	-	-	-	-	-	-	11	10.0	-	-	1	5.8	-	-
NEONATAL (UNDER 28 DAYS)	44	4.0	-	-	-	-	-	-	6	5.4	-	-	1	5.8	-	-
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	-	-	-	-	-	-	5	4.5	-	-	-	-	-	-
FETAL DEATHS	52	4.7	1	15.9	-	-	-	-	4	3.6	-	-	-	-	-	-
PERINATAL DEATHS	96	8.7	1	15.9	-	-	-	-	10	9.0	-	-	1	5.8	-	-
LEADING CAUSES OF DEATH **																
HEART DISEASE	1,907	222.7	15	234.7	7	380.4	9	247.9	131	152.9	16	362.8	34	217.4	2	377.4
CANCER	1,740	203.2	20	313.0	8	434.8	9	247.9	136	158.7	12	272.1	33	211.0	1	188.7
CEREBROVASCULAR DISEASE	572	66.8	1	15.6	2	108.7	4	110.2	42	49.0	4	90.7	8	51.2	-	-
CHRON. OBSTR. PULMONARY DISEASES	485	56.6	7	109.5	3	163.0	3	82.6	40	46.7	3	68.0	14	89.5	-	-
ACCIDENTS	391	45.7	2	31.3	1	54.3	2	55.1	23	26.8	2	45.4	9	57.5	-	-
PNEUMONIA AND INFLUENZA	291	34.0	3	46.9	-	-	2	55.1	29	33.8	1	22.7	9	57.5	-	-
DIABETES	215	25.1	-	-	1	54.3	4	110.2	14	16.3	3	68.0	6	38.4	-	-
SUICIDE	159	18.6	2	31.3	-	-	1	27.5	20	23.3	2	45.4	4	25.6	-	-
ALZHEIMER'S DISEASE	93	10.9	-	-	-	-	1	27.5	12	14.0	2	45.4	4	25.6	-	-
NEPHRITIS AND NEPHROTIC SYNDROME	76	8.9	-	-	-	-	-	-	3	3.5	-	-	3	19.2	-	-
OCCURRENCE																
LIVE BIRTHS, TOTAL	10,968	12.8	12	1.9	10	5.4	7	1.9	1,472	17.2	1	0.2	212	13.6	-	-
DEATHS (EXCLUDING FETAL), TOTAL	7,354	8.6	61	9.5	27	14.7	28	7.7	771	9.0	43	9.8	149	9.5	3	5.7
INFANT (UNDER 1 YEAR)	75	6.8	-	-	-	-	-	-	11	7.5	-	-	-	-	-	-
ACCIDENTAL	426	0.5	5	0.8	2	1.1	3	0.8	41	0.5	1	0.2	8	0.5	-	-
MOTOR VEHICLE	212	0.2	2	0.3	1	0.5	2	0.6	21	0.2	-	-	3	0.2	-	-
OTHER ACCIDENTAL	214	0.2	3	0.5	1	0.5	1	0.3	20	0.2	1	0.2	5	0.3	-	-
MARRIAGES	7,088	8.3	83	13.0	18	9.8	27	7.4	702	8.2	43	9.8	133	8.5	5	9.4
MARITAL TERMINATIONS	4,196	4.9	23	3.6	5	2.7	14	3.9	509	5.9	28	6.3	94	6.0	4	7.5

\+ MONTANA RESIDENCE TOTALS INCLUDE TWO DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.
** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION.
--- NOT CALCULATED.

TABLE 29 (CONTINUED)

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1994

ITEM	MONTANA +		PHILLIPS		PONDERA		POWDER RIVER		POWELL		PRAIRIE		RAVALLI		RICHLAND	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	856,240		5,030		6,200		2,020		6,830		1,340		30,710		10,340	
RESIDENCE																
NATURAL INCREASE	3,731	4.4	15	2.9	1	0.2	(5)	-2.4	9	1.3	-	-	76	2.7	26	2.4
LIVE BIRTHS, TOTAL	11,062	12.9	65	12.9	78	12.6	25	12.4	77	11.3	12	9.0	357	11.6	126	12.2
SEX-MALE	5,664	13.3	34	---	45	---	12	---	36	---	6	---	200	---	70	---
FEMALE	5,398	12.5	31	---	33	---	13	---	41	---	6	---	157	---	56	---
OUT-OF-WEDLOCK	2,815	254.5	13	200.0	20	256.4	5	200.0	18	233.8	4	333.3	71	198.9	32	254.0
DEATHS (EXCLUDING FETALS), TOTAL	7,331	8.6	50	9.9	77	12.4	30	14.9	68	10.0	12	9.0	281	9.2	100	9.7
SEX-MALE	3,950	9.3	31	---	36	---	18	---	39	---	10	---	147	---	51	---
FEMALE	3,381	7.9	19	---	41	---	12	---	29	---	2	---	134	---	49	---
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	82	7.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEONATAL (UNDER 28 DAYS)	44	4.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FETAL DEATHS	52	4.7	-	-	1	12.8	-	-	-	-	-	-	2	5.6	-	-
PERINATAL DEATHS	96	8.7	-	-	1	12.8	-	-	-	-	-	-	2	5.6	-	-
LEADING CAUSES OF DEATH **																
HEART DISEASE	1,907	222.7	13	258.4	18	290.3	6	297.0	21	307.5	3	223.9	79	257.2	42	406.2
CANCER	1,740	203.2	16	318.1	23	371.0	6	297.0	16	234.3	5	373.1	70	227.9	26	251.5
CEREBROVASCULAR DISEASE	572	66.8	1	19.9	16	258.1	6	297.0	2	29.3	1	74.6	15	48.8	6	58.0
CHRON OBSTR. PULMONARY DISEASES	485	56.6	3	59.6	3	48.4	2	99.0	7	102.5	2	149.3	15	48.8	4	38.7
ACCIDENTS	391	45.7	-	-	1	16.1	1	49.5	6	87.8	-	-	22	71.6	8	77.4
PNEUMONIA AND INFLUENZA	291	34.0	1	19.9	3	48.4	1	49.5	3	43.9	-	-	14	45.6	1	9.7
DIABETES	215	25.1	2	39.8	-	-	2	99.0	2	29.3	-	-	6	19.5	1	9.7
SUICIDE	159	18.6	1	19.9	1	16.1	-	-	2	29.3	-	-	8	26.1	1	9.7
ALZHEIMER'S DISEASE	93	10.9	-	-	1	16.1	1	49.5	1	14.6	-	-	6	19.5	2	19.3
NEPHRITIS AND NEPHROTIC SYNDROME	76	8.9	1	19.9	1	16.1	1	49.5	-	-	-	-	5	16.3	-	-
OCCURRENCE																
LIVE BIRTHS, TOTAL	10,968	12.8	3	0.6	19	3.1	-	-	19	2.8	-	-	212	6.9	162	15.7
DEATHS (EXCLUDING FETAL), TOTAL	7,354	8.6	34	6.8	59	9.5	21	10.4	59	8.6	7	5.2	224	7.3	91	8.8
INFANT (UNDER 1 YEAR)	75	6.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENTAL	426	0.5	-	-	3	0.5	1	0.5	10	1.5	2	1.5	15	0.5	5	0.5
MOTOR VEHICLE	212	0.2	-	-	2	0.3	1	0.5	6	0.9	-	-	8	0.3	1	0.1
OTHER ACCIDENTAL	214	0.2	-	-	1	0.2	-	-	4	0.6	2	1.5	7	0.2	4	0.4
MARRIAGES	7,088	8.3	39	7.8	36	5.8	16	7.9	53	7.8	6	4.5	175	5.7	94	9.1
MARITAL TERMINATIONS	4,196	4.9	16	3.2	15	2.4	2	1.0	33	4.8	-	-	152	4.9	41	4.0

\+ MONTANA RESIDENCE TOTALS INCLUDE TWO DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.
** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION.
--- NOT CALCULATED.

TABLE 29 (CONTINUED)

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1994

ITEM	MONTANA +		ROOSEVELT		ROSEBUD		SANDERS		SHERIDAN		SILVER BOW		STILLWATER		SWEET GRASS	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	856,240		11,160		10,790		9,700		4,420		34,780		7,240		3,280	
RESIDENCE																
NATURAL INCREASE	3,731	4.4	99	9.0	67	6.2	(5)	-0.6	(18)	-4.0	64	1.9	3	0.4	4	1.3
LIVE BIRTHS, TOTAL	11,062	12.9	197	17.7	146	13.5	87	9.0	40	9.0	449	12.9	77	10.6	34	10.4
SEX-MALE	5,664	13.3	97	---	83	---	42	---	21	---	230	---	30	---	17	---
FEMALE	5,398	12.5	100	---	63	---	45	---	19	---	219	---	47	---	17	---
OUT-OF-WEDLOCK	2,815	254.5	113	573.6	55	376.7	16	183.9	7	175.0	137	305.1	9	116.9	7	205.9
DEATHS (EXCLUDING FETALS), TOTAL	7,331	8.6	98	8.8	79	7.3	92	9.5	58	13.1	385	11.1	74	10.2	30	9.1
SEX-MALE	3,950	9.3	57	---	40	---	48	---	31	---	211	---	39	---	15	---
FEMALE	3,381	7.9	41	---	39	---	44	---	27	---	174	---	35	---	15	---
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	82	7.4	2	10.2	1	6.8	-	-	-	-	6	13.4	1	13.0	-	-
NEONATAL (UNDER 28 DAYS)	44	4.0	-	-	1	6.8	-	-	-	-	1	2.2	1	13.0	-	-
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	2	10.2	-	-	-	-	-	-	5	11.1	-	-	-	-
FETAL DEATHS	52	4.7	-	-	-	-	-	-	-	-	5	11.1	1	13.0	1	29.4
PERINATAL DEATHS	96	8.7	-	-	1	6.8	-	-	-	-	6	13.4	2	26.0	1	29.4
LEADING CAUSES OF DEATH **																
HEART DISEASE	1,907	222.7	35	313.6	15	139.0	35	360.8	17	384.6	103	296.1	12	165.7	8	243.9
CANCER	1,740	203.2	17	152.3	19	176.1	21	216.5	13	294.1	79	227.1	22	303.9	5	152.4
CEREBROVASCULAR DISEASE	572	66.8	5	44.8	8	74.1	2	20.6	4	90.5	19	54.6	7	96.7	7	213.4
CHRON. OBSTR. PULMONARY DISEASES	485	56.6	5	44.8	4	37.1	8	82.5	4	90.5	34	97.8	6	82.9	2	61.0
ACCIDENTS	391	45.7	8	71.7	8	74.1	6	61.9	-	-	21	60.4	4	55.2	1	30.5
PNEUMONIA AND INFLUENZA	291	34.0	4	35.8	3	27.8	6	61.9	5	113.1	22	63.3	5	69.1	4	122.0
DIABETES	215	25.1	4	35.8	4	37.1	2	20.6	-	-	15	43.1	2	27.6	-	-
SUICIDE	159	18.6	1	9.0	1	9.3	2	20.6	1	22.6	10	28.8	-	-	-	-
ALZHEIMER'S DISEASE	93	10.9	-	-	-	-	-	-	1	22.6	9	25.9	1	13.8	-	-
NEPHRITIS AND NEPHROTIC SYNDROME	76	8.9	2	17.9	-	-	1	10.3	2	45.2	1	2.9	-	-	-	-
OCCURRENCE																
LIVE BIRTHS, TOTAL	10,968	12.8	156	14.0	2	0.2	4	0.4	41	9.3	543	15.6	39	5.4	-	-
DEATHS (EXCLUDING FETAL), TOTAL	7,354	8.6	75	6.7	40	3.7	65	6.7	63	14.3	400	11.5	66	9.1	17	5.2
INFANT (UNDER 1 YEAR)	75	6.8	1	6.4	-	-	-	-	-	-	5	9.2	-	-	-	-
ACCIDENTAL	426	0.5	9	0.8	6	0.6	8	0.8	-	-	23	0.7	5	0.7	1	0.3
MOTOR VEHICLE	212	0.2	4	0.4	3	0.3	2	0.2	-	-	10	0.3	4	0.6	1	0.3
OTHER ACCIDENTAL	214	0.2	5	0.4	3	0.3	6	0.6	-	-	13	0.4	1	0.1	-	-
MARRIAGES	7,088	8.3	75	6.7	57	5.3	67	6.9	35	7.9	252	7.2	54	7.5	30	9.1
MARITAL TERMINATIONS	4,196	4.9	26	2.3	22	2.0	45	4.6	9	2.0	55	1.6	13	1.8	10	3.0

\+ MONTANA RESIDENCE TOTALS INCLUDE TWO DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.
** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION.
--- NOT CALCULATED.

TABLE 29 (CONCLUDED)

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1994

ITEM	MONTANA +		TETON		TOOLE		TREASURE		VALLEY		WHEATLAND		WIBAUX		YELLOWSTONE	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	856,240		6,410		5,100		870		8,350		2,350		1,140		122,770	
RESIDENCE																
NATURAL INCREASE	3,731	4.4	(2)	-0.3	4	0.8	2	2.3	2	0.2	8	3.5	(4)	-3.5	629	5.2
LIVE BIRTHS, TOTAL	11,062	12.9	70	10.9	56	11.0	8	9 2	89	10.7	32	13.6	10	8.8	1,596	13.0
SEX-MALE	5,664	13.3	32	---	31	---	4	---	46	---	19	---	2	---	802	---
FEMALE	5,398	12.5	38	---	25	---	4	---	43	---	13	---	8	---	794	---
OUT-OF-WEDLOCK	2,815	254.5	11	157.1	10	178.6	1	125.0	39	438.2	7	218.8	1	100.0	384	240.6
DEATHS (EXCLUDING FETALS), TOTAL	7,331	8.6	72	11.2	52	10.2	6	6.9	87	10.4	24	10.2	14	12.3	967	7.9
SEX-MALE	3,950	9.3	35	---	30	---	4	---	38	---	16	---	6	---	487	---
FEMALE	3,381	7.9	37	---	22	---	2	---	49	---	8	---	8	---	480	---
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	82	7.4	-	-	-	-	-	-	1	11.2	-	-	1	100.0	9	5 6
NEONATAL (UNDER 28 DAYS)	44	4.0	-	-	-	-	-	-	-	-	-	-	-	-	5	3.1
POSTNEONATAL (28 DAYS-1 YEAR)	38	3 4	-	-	-	-	-	-	1	11.2	-	-	1	100.0	4	2.5
FETAL DEATHS	52	4.7	2	28.6	-	-	-	-	2	22.5	-	-	-	-	4	2.5
PERINATAL DEATHS	96	8.7	2	28.6	-	-	-	-	2	22.5	-	-	-	-	9	5.6
LEADING CAUSES OF DEATH **																
HEART DISEASE	1,907	222.7	21	327.6	18	352 9	2	229.9	33	395.2	5	212.8	1	87.7	207	168 6
CANCER	1,740	203.2	17	265.2	15	294 1	2	229.9	17	203.6	6	255.3	7	614.0	261	212.6
CEREBROVASCULAR DISEASE	572	66 8	4	62.4	2	39 2	1	114.9	2	24.0	1	42.6	1	87.7	103	83.9
CHRON OBSTR PULMONARY DISEASES	485	56.6	2	31.2	-	-	-	-	5	59.9	1	42.6	1	87.7	53	43.2
ACCIDENTS	391	45.7	7	109.2	2	39 2	-	-	3	35.9	2	85.1	1	87.7	35	28.5
PNEUMONIA AND INFLUENZA	291	34.0	10	156.0	1	19 6	-	-	7	83.8	-	-	1	87.7	33	26.9
DIABETES	215	25.1	2	31.2	1	19.6	-	-	3	35.9	-	-	-	-	21	17.1
SUICIDE	159	18.6	1	15 6	2	39.2	-	-	1	12.0	1	42.6	-	-	25	20.4
ALZHEIMER'S DISEASE	93	10.9	-	-	-	-	-	-	-	-	-	-	-	-	8	6.5
NEPHRITIS AND NEPHROTIC SYNDROME	76	8 9	1	15.6	2	39.2	1	114.9	-	-	2	85.1	-	-	5	4 1
OCCURRENCE																
LIVE BIRTHS, TOTAL	10,968	12.8	3	0.5	91	17 8	-	-	96	11.5	-	-	-	-	1,943	15 8
DEATHS (EXCLUDING FETAL), TOTAL	7,354	8 6	50	7.8	44	8 6	2	2.3	80	9.6	19	8.1	8	7.0	1,226	10.0
INFANT (UNDER 1 YEAR)	75	6 8	-	-	1	11.0	-	-	-	-	-	-	-	-	17	8.7
ACCIDENTAL	426	0.5	5	0.8	1	0.2	-	-	3	0.4	1	0.4	-	-	54	0.4
MOTOR VEHICLE	212	0.2	2	0.3	-	-	-	-	2	0.2	-	-	-	-	26	0.2
OTHER ACCIDENTAL	214	0.2	3	0.5	1	0.2	-	-	1	0.1	1	0.4	-	-	28	0.2
MARRIAGES	7,088	8.3	37	5.8	34	6.7	4	4 6	48	5.7	18	7.7	7	6.1	922	7 5
MARITAL TERMINATIONS	4,196	4.9	20	3.1	8	1 6	1	1.1	35	4.2	3	1.3	2	1.8	764	6.2

+ MONTANA RESIDENCE TOTALS INCLUDE TWO DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.
** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION
--- NOT CALCULATED.

TABLE 30

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS, AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N.S.+
TOTAL											
LIVE BIRTHS											
NUMBER	11,062	18	438	881	2,994	3,036	2,429	1,078	178	10	-
PERCENT	100.0	0.2	4.0	8.0	27.1	27.4	22.0	9.7	1.6	0.1	-
FETAL DEATHS											
NUMBER	52	-	4	2	11	13	13	6	2	-	1
PERCENT	100.0	-	7.7	3.8	21.2	25.0	25.0	11.5	3.8	-	1.9
INDUCED ABORTIONS											
NUMBER	2,289	21	234	334	702	383	339	210	60	6	-
PERCENT	100.0	0.9	10.2	14.6	30.7	16.7	14.8	9.2	2.6	0.3	-
BEAVERHEAD											
LIVE BIRTHS											
NUMBER	105	-	2	11	37	18	26	11	-	-	-
PERCENT	100.0	-	1.9	10.5	35.2	17.1	24.8	10.5	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	24	-	1	3	6	5	4	4	1	-	-
PERCENT	100.0	-	4.2	12.5	25.0	20.8	16.7	16.7	4.2	-	-
BIG HORN											
LIVE BIRTHS											
NUMBER	253	1	16	29	90	56	34	19	8	-	-
PERCENT	100.0	0.4	6.3	11.5	35.6	22.1	13.4	7.5	3.2	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	1	-	-	-	-	-	-
PERCENT	100.0	-	-	-	100.0	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	26	-	3	-	8	3	8	4	-	-	-
PERCENT	100.0	-	11.5	-	30.8	11.5	30.8	15.4	-	-	-
BLAINE											
LIVE BIRTHS											
NUMBER	118	-	9	19	28	34	17	11	-	-	-
PERCENT	100.0	-	7.6	16.1	23.7	28.8	14.4	9.3	-	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	-	-	1	-	-	-	-
PERCENT	100.0	-	-	-	-	-	100.0	-	-	-	-
INDUCED ABORTIONS											
NUMBER	7	1	1	-	1	-	2	-	2	-	-
PERCENT	100.0	14.3	14.3	-	14.3	-	28.6	-	28.6	-	-
BROADWATER											
LIVE BIRTHS											
NUMBER	46	-	-	3	10	14	14	4	1	-	-
PERCENT	100.0	-	-	6.5	21.7	30.4	30.4	8.7	2.2	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	8	-	3	1	-	3	1	-	-	-	-
PERCENT	100.0	-	37.5	12.5	-	37.5	12.5	-	-	-	-
CARBON											
LIVE BIRTHS											
NUMBER	104	-	4	9	20	27	30	9	5	-	-
PERCENT	100.0	-	3.8	8.7	19.2	26.0	28.8	8.7	4.8	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	-	1	-	-	-	-	-
PERCENT	100.0	-	-	-	-	100.0	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	20	-	4	1	3	5	3	3	1	-	-
PERCENT	100.0	-	20.0	5.0	15.0	25.0	15.0	15.0	5.0	-	-
CARTER											
LIVE BIRTHS											
NUMBER	23	-	-	1	4	8	8	1	1	-	-
PERCENT	100.0	-	-	4.3	17.4	34.8	34.8	4.3	4.3	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	1	-	-	1	-	-	-	-	-	-	-
PERCENT	100.0	-	-	100.0	-	-	-	-	-	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA. THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS).

\+ NOT STATED.

TABLE 30 (CONTINUED)

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS, AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N.S.+
CASCADE											
LIVE BIRTHS											
NUMBER	1,219	3	38	98	380	350	236	100	14	-	-
PERCENT	100.0	0.2	3.1	8.0	31.2	28.7	19.4	8.2	1.1	-	-
FETAL DEATHS											
NUMBER	5	-	-	-	-	2	3	-	-	-	-
PERCENT	100.0	-	-	-	-	40.0	60.0	-	-	-	-
INDUCED ABORTIONS											
NUMBER	208	2	35	36	66	26	29	12	1	1	-
PERCENT	100.0	1.0	16.8	17.3	31.7	12.5	13.9	5.8	0.5	0.5	-
CHOUTEAU											
LIVE BIRTHS											
NUMBER	41	-	-	2	9	15	10	4	1	-	-
PERCENT	100.0	-	-	4.9	22.0	36.6	24.4	9.8	2.4	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	3	-	-	1	2	-	-	-	-	-	-
PERCENT	100.0	-	-	33.3	66.7	-	-	-	-	-	-
CUSTER											
LIVE BIRTHS											
NUMBER	158	-	8	16	50	33	36	11	4	-	-
PERCENT	100.0	-	5.1	10.1	31.6	20.9	22.8	7.0	2.5	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	1	-	-	-	-	-	-
PERCENT	100.0	-	-	-	100.0	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	33	-	4	4	11	7	3	2	2	-	-
PERCENT	100.0	-	12.1	12.1	33.3	21.2	9.1	6.1	6.1	-	-
DANIELS											
LIVE BIRTHS											
NUMBER	16	-	-	2	5	2	5	2	-	-	-
PERCENT	100.0	-	-	12.5	31.3	12.5	31.3	12.5	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	1	-	-	-	-	1	-	-	-	-	-
PERCENT	100.0	-	-	-	-	100.0	-	-	-	-	-
DAWSON											
LIVE BIRTHS											
NUMBER	90	-	3	7	29	19	21	10	1	-	-
PERCENT	100.0	-	3.3	7.8	32.2	21.1	23.3	11.1	1.1	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	1	-	-	-	-	-	-
PERCENT	100.0	-	-	-	100.0	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	9	-	-	3	3	2	1	-	-	-	-
PERCENT	100.0	-	-	33.3	33.3	22.2	11.1	-	-	-	-
DEER LODGE											
LIVE BIRTHS											
NUMBER	84	-	5	13	23	22	10	10	1	-	-
PERCENT	100.0	-	6.0	15.5	27.4	26.2	11.9	11.9	1.2	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	19	1	3	2	4	4	2	2	1	-	-
PERCENT	100.0	5.3	15.8	10.5	21.1	21.1	10.5	10.5	5.3	-	-
FALLON											
LIVE BIRTHS											
NUMBER	27	-	-	2	5	10	9	1	-	-	-
PERCENT	100.0	-	-	7.4	18.5	37.0	33.3	3.7	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	3	-	-	1	1	-	1	-	-	-	-
PERCENT	100.0	-	-	33.3	33.3	-	33.3	-	-	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA. THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS).

\+ NOT STATED.

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS, AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N.S.+
FERGUS											
LIVE BIRTHS											
NUMBER	146	-	10	12	37	41	35	10	1	-	-
PERCENT	100.0	-	6.8	8.2	25.3	28.1	24.0	6.8	0.7	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	-	1	-	-	-	-	-
PERCENT	100.0	-	-	-	-	100.0	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	14	-	2	1	2	3	2	1	3	-	-
PERCENT	100.0	-	14.3	7.1	14.3	21.4	14.3	7.1	21.4	-	-
FLATHEAD											
LIVE BIRTHS											
NUMBER	887	2	39	74	238	231	210	82	11	-	-
PERCENT	100.0	0.2	4.4	8.3	26.8	26.0	23.7	9.2	1.2	-	-
FETAL DEATHS											
NUMBER	6	-	-	-	1	3	-	1	1	-	-
PERCENT	100.0	-	-	-	16.7	50.0	-	16.7	16.7	-	-
INDUCED ABORTIONS											
NUMBER	225	2	19	46	64	34	40	19	1	-	-
PERCENT	100.0	0.9	8.4	20.4	28.4	15.1	17.8	8.4	0.4	-	-
GALLATIN											
LIVE BIRTHS											
NUMBER	723	-	14	34	163	204	204	88	15	1	-
PERCENT	100.0	-	1.9	4.7	22.5	28.2	28.2	12.2	2.1	0.1	-
FETAL DEATHS											
NUMBER	3	-	-	-	1	1	1	-	-	-	-
PERCENT	100.0	-	-	-	33.3	33.3	33.3	-	-	-	-
INDUCED ABORTIONS											
NUMBER	268	-	14	41	89	51	37	26	8	2	-
PERCENT	100.0	-	5.2	15.3	33.2	19.0	13.8	9.7	3.0	0.7	-
GARFIELD											
LIVE BIRTHS											
NUMBER	15	-	-	2	6	5	1	1	-	-	-
PERCENT	100.0	-	-	13.3	40.0	33.3	6.7	6.7	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	1	-	-	1	-	-	-	-	-	-	-
PERCENT	100.0	-	-	100.0	-	-	-	-	-	-	-
GLACIER											
LIVE BIRTHS											
NUMBER	253	1	20	30	70	69	38	19	6	-	-
PERCENT	100.0	0.4	7.9	11.9	27.7	27.3	15.0	7.5	2.4	-	-
FETAL DEATHS											
NUMBER	2	-	-	-	1	1	-	-	-	-	-
PERCENT	100.0	-	-	-	50.0	50.0	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	27	2	2	8	9	2	1	1	2	-	-
PERCENT	100.0	7.4	7.4	29.6	33.3	7.4	3.7	3.7	7.4	-	-
GOLDEN VALLEY											
LIVE BIRTHS											
NUMBER	16	-	-	1	2	9	2	2	-	-	-
PERCENT	100.0	-	-	6.3	12.5	56.3	12.5	12.5	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	2	-	-	1	1	-	-	-	-	-	-
PERCENT	100.0	-	-	50.0	50.0	-	-	-	-	-	-
GRANITE											
LIVE BIRTHS											
NUMBER	22	-	2	-	9	4	4	3	-	-	-
PERCENT	100.0	-	9.1	-	40.9	18.2	18.2	13.6	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	4	-	-	-	-	-	2	2	-	-	-
PERCENT	100.0	-	-	-	-	-	50.0	50.0	-	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA. THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS).

\+ NOT STATED.

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS, AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N.S.+
HILL											
LIVE BIRTHS											
NUMBER	283	-	13	24	93	84	46	22	1	-	-
PERCENT	100.0	-	4.6	8.5	32.9	29.7	16.3	7.8	0.4	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	37	-	2	9	11	4	6	4	1	-	-
PERCENT	100.0	-	5.4	24.3	29.7	10.8	16.2	10.8	2.7	-	-
JEFFERSON											
LIVE BIRTHS											
NUMBER	108	-	4	8	16	34	25	16	5	-	-
PERCENT	100.0	-	3.7	7.4	14.8	31.5	23.1	14.8	4.6	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	13	-	2	2	5	1	2	1	-	-	-
PERCENT	100.0	-	15.4	15.4	38.5	7.7	15.4	7.7	-	-	-
JUDITH BASIN											
LIVE BIRTHS											
NUMBER	23	-	-	1	3	7	9	3	-	-	-
PERCENT	100.0	-	-	4.3	13.0	30.4	39.1	13.0	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	4	-	1	1	-	-	2	-	-	-	-
PERCENT	100.0	-	25.0	25.0	-	-	50.0	-	-	-	-
LAKE											
LIVE BIRTHS											
NUMBER	282	-	16	25	78	70	62	24	7	-	-
PERCENT	100.0	-	5.7	8.9	27.7	24.8	22.0	8.5	2.5	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	-	-	1	-	-	-	-
PERCENT	100.0	-	-	-	-	-	100.0	-	-	-	-
INDUCED ABORTIONS											
NUMBER	50	1	3	6	11	6	11	10	2	-	-
PERCENT	100.0	2.0	6.0	12.0	22.0	12.0	22.0	20.0	4.0	-	-
LEWIS & CLARK											
LIVE BIRTHS											
NUMBER	677	-	26	35	171	188	161	82	14	-	-
PERCENT	100.0	-	3.8	5.2	25.3	27.8	23.8	12.1	2.1	-	-
FETAL DEATHS											
NUMBER	5	-	1	-	-	1	1	2	-	-	-
PERCENT	100.0	-	20.0	-	-	20.0	20.0	40.0	-	-	-
INDUCED ABORTIONS											
NUMBER	137	1	18	25	39	22	17	11	4	-	-
PERCENT	100.0	0.7	13.1	18.2	28.5	16.1	12.4	8.0	2.9	-	-
LIBERTY											
LIVE BIRTHS											
NUMBER	26	-	1	-	6	7	10	1	1	-	-
PERCENT	100.0	-	3.8	-	23.1	26.9	38.5	3.8	3.8	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	4	-	1	1	1	-	-	1	-	-	-
PERCENT	100.0	-	25.0	25.0	25.0	-	-	25.0	-	-	-
LINCOLN											
LIVE BIRTHS											
NUMBER	196	1	8	24	51	57	32	19	2	2	-
PERCENT	100.0	0.5	4.1	12.2	26.0	29.1	16.3	9.7	1.0	1.0	-
FETAL DEATHS											
NUMBER	1	-	1	-	-	-	-	-	-	-	-
PERCENT	100.0	-	100.0	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	29	-	5	2	6	7	4	4	1	-	-
PERCENT	100.0	-	17.2	6.9	20.7	24.1	13.8	13.8	3.4	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA. THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS).

\+ NOT STATED.

TABLE 30 (CONTINUED)

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS, AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N.S.+
MCCONE											
LIVE BIRTHS											
NUMBER	22	-	-	-	8	5	5	4	-	-	-
PERCENT	100.0	-	-	-	36.4	22.7	22.7	18.2	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	3	-	1	-	1	-	-	-	1	-	-
PERCENT	100.0	-	33.3	-	33.3	-	-	-	33.3	-	-
MADISON											
LIVE BIRTHS											
NUMBER	63	-	-	4	19	18	13	7	2	-	-
PERCENT	100.0	-	-	6.3	30.2	28.6	20.6	11.1	3.2	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	-	1	-	-	-	-	-
PERCENT	100.0	-	-	-	-	100.0	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	10	-	2	-	1	3	2	1	1	-	-
PERCENT	100.0	-	20.0	-	10.0	30.0	20.0	10.0	10.0	-	-
MEAGHER											
LIVE BIRTHS											
NUMBER	32	-	-	1	8	8	10	4	1	-	-
PERCENT	100.0	-	-	3.1	25.0	25.0	31.3	12.5	3.1	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	4	-	-	-	-	2	2	-	-	-	-
PERCENT	100.0	-	-	-	-	50.0	50.0	-	-	-	-
MINERAL											
LIVE BIRTHS											
NUMBER	44	1	-	6	16	11	9	1	-	-	-
PERCENT	100.0	2.3	-	13.6	36.4	25.0	20.5	2.3	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	9	-	2	-	4	1	2	-	-	-	-
PERCENT	100.0	-	22.2	-	44.4	11.1	22.2	-	-	-	-
MISSOULA											
LIVE BIRTHS											
NUMBER	1,105	2	28	70	273	325	259	129	16	3	-
PERCENT	100.0	0.2	2.5	6.3	24.7	29.4	23.4	11.7	1.4	0.3	-
FETAL DEATHS											
NUMBER	4	-	-	-	1	-	1	2	-	-	-
PERCENT	100.0	-	-	-	25.0	-	25.0	50.0	-	-	-
INDUCED ABORTIONS											
NUMBER	368	3	26	52	139	60	50	32	5	1	-
PERCENT	100.0	0.8	7.1	14.1	37.8	16.3	13.6	8.7	1.4	0.3	-
MUSSELSHELL											
LIVE BIRTHS											
NUMBER	47	1	2	4	17	15	4	2	1	1	-
PERCENT	100.0	2.1	4.3	8.5	36.2	31.9	8.5	4.3	2.1	2.1	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	6	-	-	3	1	-	2	-	-	-	-
PERCENT	100.0	-	-	50.0	16.7	-	33.3	-	-	-	-
PARK											
LIVE BIRTHS											
NUMBER	171	-	5	13	39	31	40	28	13	2	-
PERCENT	100.0	-	2.9	7.6	22.8	18.1	23.4	16.4	7.6	1.2	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	55	-	4	9	16	6	10	4	6	-	-
PERCENT	100.0	-	7.3	16.4	29.1	10.9	18.2	7.3	10.9	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA. THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS).

\+ NOT STATED.

TABLE 30 (CONTINUED)

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS, AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N.S.+
PETROLEUM											
LIVE BIRTHS											
NUMBER	6	-	-	-	-	2	2	2	-	-	-
PERCENT	100.0	-	-	-	-	33.3	33.3	33.3	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	3	-	1	-	1	1	-	-	-	-	-
PERCENT	100.0	-	33.3	-	33.3	33.3	-	-	-	-	-
PHILLIPS											
LIVE BIRTHS											
NUMBER	65	-	2	5	17	24	13	3	1	-	-
PERCENT	100.0	-	3.1	7.7	26.2	36.9	20.0	4.6	1.5	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	8	-	-	1	2	3	1	1	-	-	-
PERCENT	100.0	-	-	12.5	25.0	37.5	12.5	12.5	-	-	-
PONDERA											
LIVE BIRTHS											
NUMBER	78	-	5	3	21	21	17	9	2	-	-
PERCENT	100.0	-	6.4	3.8	26.9	26.9	21.8	11.5	2.6	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	-	-	1	-	-	-	-
PERCENT	100.0	-	-	-	-	-	100.0	-	-	-	-
INDUCED ABORTIONS											
NUMBER	9	-	1	1	2	3	1	1	-	-	-
PERCENT	100.0	-	11.1	11.1	22.2	33.3	11.1	11.1	-	-	-
POWDER RIVER											
LIVE BIRTHS											
NUMBER	25	-	-	1	10	6	6	2	-	-	-
PERCENT	100.0	-	-	4.0	40.0	24.0	24.0	8.0	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
POWELL											
LIVE BIRTHS											
NUMBER	77	-	7	5	14	21	22	7	1	-	-
PERCENT	100.0	-	9.1	6.5	18.2	27.3	28.6	9.1	1.3	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	10	-	3	-	3	1	1	2	-	-	-
PERCENT	100.0	-	30.0	-	30.0	10.0	10.0	20.0	-	-	-
PRAIRIE											
LIVE BIRTHS											
NUMBER	12	-	-	2	4	4	-	2	-	-	-
PERCENT	100.0	-	-	16.7	33.3	33.3	-	16.7	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
RAVALLI											
LIVE BIRTHS											
NUMBER	357	1	13	32	83	94	88	41	5	-	-
PERCENT	100.0	0.3	3.6	9.0	23.2	26.3	24.6	11.5	1.4	-	-
FETAL DEATHS											
NUMBER	2	-	-	2	-	-	-	-	-	-	-
PERCENT	100.0	-	-	100.0	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	49	-	7	5	12	8	11	5	1	-	-
PERCENT	100.0	-	14.3	10.2	24.5	16.3	22.4	10.2	2.0	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA. THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS).

+ NOT STATED.

TABLE 30 (CONTINUED)

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS, AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N.S.+
RICHLAND											
LIVE BIRTHS											
NUMBER	126	-	10	13	30	42	22	9	-	-	-
PERCENT	100.0	-	7.9	10.3	23.8	33.3	17.5	7.1	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	16	1	3	1	3	2	3	3	-	-	-
PERCENT	100.0	6.3	18.8	6.3	18.8	12.5	18.8	18.8	-	-	-
ROOSEVELT											
LIVE BIRTHS											
NUMBER	197	3	22	27	60	44	28	10	3	-	-
PERCENT	100.0	1.5	11.2	13.7	30.5	22.3	14.2	5.1	1.5	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	26	-	1	3	13	2	6	1	-	-	-
PERCENT	100.0	-	3.8	11.5	50.0	7.7	23.1	3.8	-	-	-
ROSEBUD											
LIVE BIRTHS	146	-	7	23	38	47	17	12	2	-	-
NUMBER	100.0	-	4.8	15.8	26.0	32.2	11.6	8.2	1.4	-	-
PERCENT											
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	20	1	4	2	5	3	1	4	-	-	-
PERCENT	100.0	5.0	20.0	10.0	25.0	15.0	5.0	20.0	-	-	-
SANDERS											
LIVE BIRTHS											
NUMBER	87	1	3	9	23	17	20	12	2	-	-
PERCENT	100.0	1.1	3.4	10.3	26.4	19.5	23.0	13.8	2.3	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	12	-	3	-	3	3	1	2	-	-	-
PERCENT	100.0	-	25.0	-	25.0	25.0	8.3	16.7	-	-	-
SHERIDAN											
LIVE BIRTHS											
NUMBER	40	-	3	3	10	10	10	4	-	-	-
PERCENT	100.0	-	7.5	7.5	25.0	25.0	25.0	10.0	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	3	-	1	-	-	-	2	-	-	-	-
PERCENT	100.0	-	33.3	-	-	-	66.7	-	-	-	-
SILVER BOW											
LIVE BIRTHS											
NUMBER	449	-	25	37	132	120	98	30	7	-	-
PERCENT	100.0	-	5.6	8.2	29.4	26.7	21.8	6.7	1.6	-	-
FETAL DEATHS											
NUMBER	5	-	2	-	-	2	1	-	-	-	-
PERCENT	100.0	-	40.0	-	-	40.0	20.0	-	-	-	-
INDUCED ABORTIONS											
NUMBER	80	-	3	10	31	15	8	9	4	-	-
PERCENT	100.0	-	3.8	12.5	38.8	18.8	10.0	11.3	5.0	-	-
STILLWATER											
LIVE BIRTHS											
NUMBER	77	-	1	8	24	15	15	14	-	-	-
PERCENT	100.0	-	1.3	10.4	31.2	19.5	19.5	18.2	-	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	-	-	-	-	-	-	1
PERCENT	100.0	-	-	-	-	-	-	-	-	-	100.0
INDUCED ABORTIONS											
NUMBER	16	-	4	2	4	2	3	-	1	-	-
PERCENT	100.0	-	25.0	12.5	25.0	12.5	18.8	-	6.3	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA. THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS).
\+ NOT STATED.

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS, AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N S +
SWEET GRASS											
LIVE BIRTHS											
NUMBER	34	-	-	2	10	7	12	2	1	-	-
PERCENT	100.0	-	-	5.9	29.4	20.6	35.3	5.9	2.9	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	-	-	-	1	-	-	-
PERCENT	100.0	-	-	-	-	-	-	100.0	-	-	-
INDUCED ABORTIONS											
NUMBER	3	-	-	-	2	-	1	-	-	-	-
PERCENT	100.0	-	-	-	66.7	-	33.3	-	-	-	-
TETON											
LIVE BIRTHS											
NUMBER	70	1	2	2	16	23	17	6	3	-	-
PERCENT	100.0	1.4	2.9	2.9	22.9	32.9	24.3	8.6	4.3	-	-
FETAL DEATHS											
NUMBER	2	-	-	-	1	-	1	-	-	-	-
PERCENT	100.0	-	-	-	50.0	-	50.0	-	-	-	-
INDUCED ABORTIONS											
NUMBER	5	-	1	-	1	3	-	-	-	-	-
PERCENT	100.0	-	20.0	-	20.0	60.0	-	-	-	-	-
TOOLE											
LIVE BIRTHS											
NUMBER	56	-	1	6	13	10	15	10	1	-	-
PERCENT	100.0	-	1.8	10.7	23.2	17.9	26.8	17.9	1.8	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	6	-	1	2	-	1	1	1	-	-	-
PERCENT	100.0	-	16.7	33.3	-	16.7	16.7	16.7	-	-	-
TREASURE											
LIVE BIRTHS											
NUMBER	8	-	-	2	1	-	2	3	-	-	-
PERCENT	100.0	-	-	25.0	12.5	-	25.0	37.5	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	1	-	-	-	-	-	1	-	-	-	-
PERCENT	100.0	-	-	-	-	-	100.0	-	-	-	-
VALLEY											
LIVE BIRTHS											
NUMBER	89	-	4	9	23	28	15	10	-	-	-
PERCENT	100.0	-	4.5	10.1	25.8	31.5	16.9	11.2	-	-	-
FETAL DEATHS											
NUMBER	2	-	-	-	1	-	1	-	-	-	-
PERCENT	100.0	-	-	-	50.0	-	50.0	-	-	-	-
INDUCED ABORTIONS											
NUMBER	14	-	4	1	2	4	1	1	1	-	-
PERCENT	100.0	-	28.6	7.1	14.3	28.6	7.1	7.1	7.1	-	-
WHEATLAND											
LIVE BIRTHS											
NUMBER	32	-	1	3	6	11	8	3	-	-	-
PERCENT	100.0	-	3.1	9.4	18.8	34.4	25.0	9.4	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	4	-	1	-	-	1	1	1	-	-	-
PERCENT	100.0	-	25.0	-	-	25.0	25.0	25.0	-	-	-
WIBAUX											
LIVE BIRTHS											
NUMBER	10	-	-	-	2	5	2	1	-	-	-
PERCENT	100.0	-	-	-	20.0	50.0	20.0	10.0	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA. THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS).

\+ NOT STATED.

TABLE 30 (CONCLUDED)

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS, AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N.S.+
YELLOWSTONE											
LIVE BIRTHS											
NUMBER	1,596	-	59	109	444	454	365	146	18	1	-
PERCENT	100.0	-	3.7	6.8	27.8	28.4	22.9	9.1	1.1	0.1	-
FETAL DEATHS											
NUMBER	4	-	-	-	2	-	1	-	1	-	-
PERCENT	100.0	-	-	-	50.0	-	25.0	-	25.0	-	-
INDUCED ABORTIONS											
NUMBER	358	6	37	42	108	72	48	34	9	2	-
PERCENT	100.0	1.7	10.3	11.7	30.2	20.1	13.4	9.5	2.5	0.6	-
YELLOWSTONE PARK											
LIVE BIRTHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
COUNTY NOT STATED											
LIVE BIRTHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	14	-	1	3	5	1	2	1	1	-	-
PERCENT	100.0	-	7.1	21.4	35.7	7.1	14.3	7.1	7.1	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA. THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS).

\+ NOT STATED.

REPORTABLE DISEASE SUMMARY BY COUNTY*
COMMON REPORTS AND REPORTS OF INTEREST, 1994

Reporting County*	CAMPYLOBAC	DIPHTHERIA	PATHOGENIC E.	GIARDIA	HAEMFLU B	HEPATITIS A	HEPATITIS B	HEP NANB	LEGIONELLA	MEASLES	MENING	PERTUSSIS	RMSF	SALMONELLA	SHIGELLA	TB
Beaverhead	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Big Horn	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Blaine	1	-	-	2	-	7	-	-	-	-	-	-	-	3	-	-
Broadwater	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carbon	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Carter	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Cascade	6	-	4	10	1	2	4	2	1	-	1	-	-	20	-	8
Choteau	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Daniels	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dawson	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-
Deer Lodge	1	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-
Fallon	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Fergus	-	-	1	-	-	-	-	-	1	-	-	-	-	2	-	-
Flathead	9	-	8	17	-	-	-	-	1	-	-	-	1	11	-	1
Gallatin	7	-	4	17	-	-	-	-	-	-	3	-	-	3	-	-
Garfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glacier	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1
Golden Valley	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Granite	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hill	2	-	-	2	-	-	-	-	1	-	2	-	-	5	-	-
Jefferson	1	-	-	1	-	-	1	-	-	-	-	-	-	3	-	-
Judith Basin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lake	3	-	-	1	-	-	-	2	-	-	-	-	-	2	-	-
Lewis & Clark	3	-	19	3	-	2	6	2	-	-	-	-	-	18	1	-
Liberty	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
McCone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Madison	-	-	-	1	-	-	-	-	-	-	-	-	-	4	-	-
Meagher	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Mineral	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-
Missoula	14	-	6	19	-	-	1	4	-	-	-	6	1	15	1	4
Musselshell	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Park	2	-	-	2	-	1	1	1	1	-	-	-	-	3	-	-
Petroleum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phillips	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Pondera	-	-	-	1	-	-	-	-	-	-	-	-	-	3	-	-
Powder River	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Powell	1	-	-	1	-	-	-	-	-	-	-	-	-	4	1	-
Prarie	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ravalli	1	-	1	1	-	1	-	-	-	-	-	-	-	4	-	-
Richland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Roosevelt	-	-	1	2	-	-	1	-	-	-	-	-	-	2	-	2
Rosebud	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Sanders	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-	-
Sheridan	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Silver Bow	1	-	-	7	-	2	1	-	2	-	1	-	-	3	1	1
Stillwater	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
Sweet Grass	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Teton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Toole	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-
Treasure	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Valley	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Wheatland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wibaux	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yellowstone	15	-	6	29	-	3	5	1	9	-	-	3	-	21	-	5
1994	74	-	52	137	1	24	21	13	16	-	6	12	4	144	4	25
1993	75	-	37	128	5	77	28	3	7	-	13	11	2	106	56	22
1992	77	-	29	152	4	86	40	28	9	-	15	9	3	109	214	16

* "Reporting county" reflects county of residence whenever possible

TABLE 31B

REPORTABLE DISEASE SUMMARY BY COUNTY*
OTHER REPORTS OF INTERST, 1994

Reporting County*	ASEPTIC MEN	BAC MEN OTR	CHICKENPOX	COCCIDIO	COL TICK FR	CRYPTOSPOR	CYTOMEGALO	HANTAVIRUS	INF BOTUL	KAWASAKI	Q FEVER	TULAREMIA	YERSIIOSIS
Beaverhead	-	-	-	1	2	-	-	-	-	-	-	-	-
Big Horn	-	-	-	-	1	-	-	-	-	-	-	2	-
Fallon	-	-	-	-	-	3	-	-	-	-	-	-	-
Fergus	-	-	-	-	-	-	-	-	-	-	1	-	-
Flathead	-	-	-	-	-	-	-	-	-	-	-	-	1
Gallatin	4	2	5	-	-	-	-	-	1	-	-	-	-
Lewis & Clark	1	-	-	1	-	2	-	-	-	-	-	-	-
Madison	-	-	-	-	-	-	-	-	-	-	-	-	1
Missoula	-	-	-	-	1	1	-	-	-	1	-	-	-
Park	-	2	22	-	1	-	-	-	-	-	-	-	-
Powell	-	-	1	-	-	-	-	-	-	-	-	-	-
Roosevelt	1	-	-	-	-	-	-	-	-	-	-	-	-
Rosebud	-	-	7	-	-	-	-	-	-	-	-	1	-
Silver Bow	-	-	-	-	1	-	1	-	-	-	-	-	-
Stillwater	-	-	-	-	-	-	-	1	-	-	-	-	-
Yellowstone	2	-	18	1	-	9	1	-	-	-	-	-	1
1994	8	4	53	3	6	15	2	1	1	1	1	3	3
1993	1	4	NA	1	8	4	8	2	-	1	1	5	3
1992	12	8	NA	-	8	-	8	-	-	4	1	12	3

* "Reporting county" reflects county of residence whenever possible. Only the counties reporting the above conditions are listed.

TABLE 31C

DISEASE SUMMARY BY COUNTY
SEXUALLY TRANSMITTED DISEASES, MONTANA 1994

Reporting County*	AIDS+	CHLAMYDIA	GONORRHEA	SYPHILIS
Beaverhead	**	4	1	-
Big Horn	**	61	8	1
Blaine	**	32	-	-
Broadwater	**	5	1	-
Carbon	**	12	-	-
Carter	**	-	-	-
Cascade	**	183	21	-
Choteau	**	3	-	-
Custer	**	21	-	-
Daniels	**	1	-	-
Dawson	**	13	1	-
Deer Lodge	**	5	1	1
Fallon	**	1	-	-
Fergus	**	13	-	-
Flathead	**	82	12	-
Gallatin	**	101	1	-
Garfield	**	1	-	-
Glacier	**	64	1	-
Golden Valley	**	1	-	-
Granite	**	-	-	-
Hill	**	59	1	-
Jefferson	**	5	-	-
Judith Basin	**	1	-	-
Lake	**	70	3	-
Lewis & Clark	**	71	1	-
Liberty	**	1	-	-
Lincoln	**	16	1	-
McCone	**	7	-	-
Madison	**	-	-	-
Meagher	**	-	-	-
Mineral	**	8	-	-
Missoula	**	135	2	-
Musselshell	**	2	-	-
Park	**	6	1	-
Petroleum	**	1	-	-
Phillips	**	5	-	-
Pondera	**	4	-	-
Powder River	**	1	-	-
Powell	**	3	-	-
Prarie	**	-	-	-
Ravalli	**	19	3	1
Richland	**	13	-	-
Roosevelt	**	39	7	-
Rosebud	**	42	6	-
Sanders	**	7	1	-
Sheridan	**	1	-	-
Silver Bow	**	46	2	-
Stillwater	**	7	-	1
Sweet Grass	**	2	-	-
Teton	**	4	-	-
Toole	**	1	-	-
Treasure	**	-	-	-
Valley	**	6	1	-
Wheatland	**	2	-	-
Wibaux	**	-	-	-
Yellowstone	**	246	11	5
Other/Out of State	**	-	-	-
1994	44	1,433	87	9
1993	59	1,609	84	3
1992	26	1,954	109	14

* "Reporting county" reflects county of residence whenever possible
+ Only a statewide total is shown for AIDS.

TABLE 32
REPORTED NEOPLASMS* BY ANATOMICAL SITE AND SEX
MONTANA RESIDENTS, 1994 DIAGNOSES

SITE	MALE	FEMALE	TOTAL
TOTAL, ALL SITES	1,755	1,746	3,501
Buccal Cavity and Pharynx	42	25	67
Lip	5	2	7
Tongue	8	4	12
Major Salivary gland	10	4	14
Floor of Mouth	4	2	6
Gum & Other Mouth	1	6	7
Nasopharynx	6	2	8
Tonsil	3	2	5
Oropharynx	-	-	0
Hypopharynx	4	1	5
Pharynx	1	2	3
Digestive System	334	299	633
Esophagus	22	11	33
Stomach	28	21	49
Small Intestine	9	4	13
Colon	136	161	297
Rectum & Rectosigmoid	74	39	113
Anus & Anocanal	4	7	11
Liver	14	6	20
Gallbladder	3	8	11
Other Biliary	9	5	14
Pancreas	32	30	62
Retroperitoneum	1	4	5
Peritoneum	1	3	4
Other Digestive Organs	1	-	1
Respiratory System	338	223	561
Nasal Cavity & Sinuses	3	2	5
Larynx	34	6	40
Lung & Bronchus	295	214	509
Trachea & Pleura	6	1	7
Bones & Joints	4	4	8
Soft Tissue	11	9	20
Skin	53	53	106
Melanoma	20	21	41
Other Skin Cancers	33	32	65
Breast	7	578	585
Eye	3	5	8

SITE	MALE	FEMALE	TOTAL
Female Genital System	0	254	254
Cervix Uteri	---	25	25
Cervix In-situ	---	53	53
Uterus	---	95	95
Ovary	---	61	61
Vagina	---	4	4
Vulva	---	13	13
Other Female Genital Organs	---	3	3
Male Genital System	557	0	557
Prostate	526	---	526
Testis	28	---	28
Penis	3	---	3
Urinary System	184	80	264
Bladder	137	45	182
Kidney & Renal Pelvis	40	30	70
Ureter	6	4	10
Other Urinary Organs	1	1	2
Brain & Other Nervous System	38	44	82
Brain	21	16	37
Benign Brain	9	18	27
Other Nervous System	3	3	6
Benign Other N.S.	5	7	12
Endocrine System	17	30	47
Thyroid Gland	11	24	35
Other Endocrine	2	1	3
Benign Endocrine	4	5	9
Lymphomas**	68	60	128
Hodgkin's Disease	9	13	22
Non-Hodgkin's Lymphomas	59	47	106
Multiple Myeloma	6	10	16
Leukemias	37	27	64
Acute Lymphocytic	6	3	9
Chronic Granulocytic	8	4	12
Acute Myeloid	7	7	14
Chronic Myeloid	5	4	9
Other Leukemia	11	9	20
Unknown and Ill-defined Sites	56	45	101

*Includes benign cases reported as of 4/1/96.

**Non-Hodgkins Lymphoma (NHL) and Hodgkins Disease are not included in the anatomical site (e g., lymphoma of the stomach is counted as a lymphoma, not stomach cancer).

TABLE 33
MOST FREQUENTLY REPORTED NEOPLASMS* BY SITE, SEX AND AGE
MONTANA RESIDENTS, 1994 DIAGNOSES

AGE AT DIAGNOSIS	PRIMARY CANCER SITES																							
	PROSTATE		BREAST		LUNG		COLON		BLADDER		RECTUM & RECTOSIG		UTERUS		NHL & HODGKINS*		OVARY		PANCREAS		OTHERS		ALL SITES	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
0-4	-	---	-	-	-	-	-	-	-	-	-	-	---	-	-	-	---	-	-	-	5	8	5	8
5-9	-	---	-	-	-	-	-	-	-	-	-	-	---	-	1	-	---	-	-	-	1	2	2	2
10-14	-	---	-	-	-	-	-	-	-	-	-	-	---	-	1	1	---	-	-	-	3	1	4	2
15-19	-	---	-	-	-	-	-	-	-	-	-	-	---	-	1	1	---	-	-	-	8	1	9	2
20-24	-	---	-	-	-	-	-	-	-	-	-	-	---	-	2	3	---	-	-	-	9	13	11	16
25-29	-	---	-	1	-	-	-	-	-	-	-	-	---	1	1	3	---	1	-	-	11	11	12	17
30-34	-	---	-	5	-	-	1	1	1	-	-	1	---	1	3	3	---	1	-	-	16	28	21	40
35-39	-	---	-	17	1	-	1	2	1	-	-	1	---	3	4	1	---	1	-	-	19	26	26	51
40-44	1	---	-	44	3	1	1	4	-	1	2	2	---	2	7	4	---	2	-	-	19	25	33	85
45-49	3	---	1	57	9	2	3	2	3	2	3	-	---	12	5	1	---	7	-	-	19	20	46	103
50-54	19	---	1	47	9	14	7	8	1	2	2	1	---	6	5	4	---	3	3	-	37	33	84	118
55-59	44	---	1	58	25	24	6	14	12	2	8	1	---	6	6	6	---	6	3	3	33	20	138	140
60-64	64	---	-	52	29	27	24	12	19	6	8	-	---	14	6	5	---	5	2	3	35	23	187	147
65-69	118	---	1	78	65	38	23	15	17	10	11	7	---	17	2	7	---	13	5	6	70	51	312	242
70-74	121	---	-	70	58	49	16	21	30	4	14	6	---	8	9	5	---	9	5	1	59	52	312	225
75-79	99	---	2	79	57	34	27	21	27	6	12	9	---	13	11	4	---	5	8	8	73	59	316	238
80-84	36	---	-	37	28	18	16	38	16	6	5	6	---	8	3	8	---	5	5	2	40	54	149	182
85+	21	---	1	33	12	8	11	23	10	6	9	5	---	4	1	4	---	3	1	7	22	35	88	128
TOTAL	526	0	7	578	296	215	136	161	137	45	74	39	0	95	68	60	0	61	32	30	479	462	1,755	1,746

* Non-Hodgkins Lymphoma (NHL) and Hodgkins Disease are not included in the anatomical site (e.g., lymphoma of the stomach is counted as a lymphoma, not stomach cancer).

TABLE 34
MOST FREQUENTLY REPORTED NEOPLASMS BY SITE, SEX AND COUNTY OF RESIDENCE
MONTANA RESIDENTS, 1994 DIAGNOSES

COUNTY OF RESIDENCE	PRIMARY CANCER SITES																							
	PROSTATE		BREAST		LUNG		COLON		BLADDER		RECTUM & RECTOSIG		UTERUS		NHL & HODGKINS*		OVARY		PANCREAS		OTHERS		ALL SITES	
	M	F	M	F	M	F	M	F	F	M	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Beaverhead	8	---	-	4	4	1	1	6	1	-	-	2	---	-	1	-	---	1	-	1	6	8	21	23
Big Horn	4	---	-	5	4	1	-	5	3	1	-	2	---	-	2	-	---	2	-	-	3	5	16	21
Blaine	5	---	-	6	1	1	-	1	1	-	-	1	---	2	1	2	---	1	-	-	4	3	12	17
Broadwater	1	---	-	4	3	3	-	1	1	2	1	-	---	-	1	-	---	-	-	-	1	3	8	13
Carbon	5	---	-	6	1	3	2	1	3	-	2	-	---	1	-	1	---	-	1	-	8	7	22	19
Carter	-	---	-	-	2	-	-	-	-	-	-	-	---	-	-	-	---	-	-	-	2	0	4	-
Cascade	64	---	-	68	32	32	13	20	10	9	6	5	---	6	8	13	---	4	6	3	70	56	209	216
Chouteau	4	---	-	5	1	1	2	-	-	-	-	-	---	1	-	2	---	-	-	-	3	2	10	11
Custer	8	---	-	10	6	5	7	3	2	-	1	1	---	2	-	1	---	2	-	1	8	7	32	32
Daniels	2	---	-	2	3	-	-	-	-	-	1	-	---	-	1	1	---	-	-	-	1	3	8	6
Dawson	5	---	-	4	2	-	-	1	1	-	-	-	---	-	1	1	---	-	2	1	3	6	14	13
Deer Lodge	4	---	-	8	9	1	4	-	5	1	-	1	---	1	-	1	---	-	-	-	6	6	28	19
Fallon	-	---	-	3	-	-	1	-	-	-	2	-	---	-	-	-	---	-	-	-	1	1	4	4
Fergus	13	---	-	16	10	4	3	4	4	1	1	1	---	3	1	1	---	4	1	-	14	14	47	48
Flathead	36	---	2	44	21	11	15	16	4	2	3	-	---	19	5	4	---	8	2	2	25	12	113	118
Gallatin	24	---	-	22	11	7	5	7	4	1	5	-	---	-	3	6	---	2	1	1	23	16	76	62
Garfield	5	---	-	1	-	-	1	1	-	-	-	-	---	-	-	-	---	-	-	-	0	0	6	2
Glacier	9	---	-	8	7	-	-	-	5	1	1	-	---	-	-	-	---	-	-	1	4	2	26	12
Golden Valley	2	---	-	-	1	-	-	2	-	-	-	-	---	-	1	1	---	-	-	-	1	0	5	3
Granite	-	---	-	1	3	-	-	-	1	-	-	-	---	-	-	-	---	1	-	-	3	4	7	6
Hill	9	---	-	8	5	7	3	3	-	1	-	1	---	-	1	-	---	-	1	-	15	8	34	28
Jefferson	5	---	-	8	1	3	-	2	1	-	2	-	---	-	3	-	---	1	1	-	3	5	16	19
Judith Basin	1	---	-	2	2	-	-	1	2	-	-	-	---	1	-	-	---	-	-	-	3	2	8	6
Lake	16	---	-	11	8	2	3	4	3	2	4	-	---	5	4	-	---	2	1	1	12	17	51	44
Lewis & Clark	38	---	-	37	17	16	9	9	10	6	3	2	---	8	2	5	---	1	2	-	21	27	102	111
Liberty	3	---	-	3	-	-	-	-	-	-	-	-	---	-	-	1	---	1	-	-	1	2	4	7
Lincoln	8	---	1	18	10	4	4	2	5	-	2	1	---	3	1	1	---	1	-	1	5	7	36	38
Madison	11	---	-	1	-	2	1	1	2	-	-	-	---	-	-	1	---	2	1	-	2	3	17	10
McCone	6	---	-	1	1	1	2	1	-	-	-	-	---	-	1	-	---	-	-	-	3	0	13	3
Meagher	1	---	-	2	3	-	1	-	1	-	1	-	---	1	-	-	---	-	-	-	2	0	9	3
Mineral	5	---	-	-	3	2	-	1	1	-	-	1	---	1	-	-	---	-	-	-	3	2	12	7
Missoula	34	---	2	58	13	13	7	12	15	2	6	2	---	11	8	7	---	4	3	3	26	37	114	149
Musselshell	4	---	-	2	2	2	1	1	2	-	2	-	---	-	2	-	---	-	-	-	6	4	19	9
Park	7	---	-	7	9	6	2	5	2	-	1	1	---	-	2	2	---	1	-	-	10	11	33	33
Petroleum	-	---	-	-	1	-	-	-	-	-	1	-	---	-	-	-	---	-	-	-	0	1	2	1
Phillips	4	---	-	6	5	2	1	1	2	-	2	1	---	1	-	-	---	-	2	-	6	5	22	16
Pondera	3	---	-	8	1	-	2	4	-	-	2	1	---	2	1	-	---	-	-	-	7	6	16	21
Powder River	1	---	-	1	-	1	-	-	1	-	-	-	---	1	-	-	---	-	1	-	4	0	7	3
Powell	2	---	-	4	5	1	6	1	3	1	-	-	---	-	-	-	---	-	-	-	3	4	19	11
Prairie	-	---	-	-	-	-	-	-	-	1	-	-	---	-	-	-	---	1	-	-	2	1	2	3
Ravalli	16	---	-	19	10	6	6	5	7	-	2	4	---	1	1	1	---	3	-	1	17	15	59	55
Richland	8	---	-	1	3	3	-	-	1	-	1	1	---	1	1	-	---	-	-	1	2	4	16	11
Roosevelt	4	---	-	7	3	2	4	-	-	-	1	1	---	1	-	-	---	1	-	1	8	6	20	19
Rosebud	4	---	-	5	1	9	-	-	1	-	-	-	---	-	1	-	---	-	1	-	9	7	17	21
Sanders	5	---	-	2	2	4	-	1	1	1	-	-	---	1	-	-	---	-	-	-	3	6	11	15
Sheridan	3	---	-	3	2	2	1	-	-	-	1	-	---	-	-	-	---	-	-	1	3	1	10	7
Silver Bow	14	---	-	9	10	3	5	3	4	2	2	1	---	3	2	-	---	2	1	2	16	12	54	37
Stillwater	6	---	-	4	4	1	1	-	4	2	-	-	---	5	1	1	---	-	-	2	7	8	23	23
Sweet Grass	2	---	-	3	1	-	-	-	-	-	-	-	---	-	-	-	---	-	-	-	3	3	6	6
Teton	5	---	-	2	2	5	1	3	-	-	-	1	---	2	1	-	---	1	2	-	3	7	14	21
Toole	7	---	-	3	2	2	1	2	3	1	-	-	---	1	1	1	---	1	-	1	4	4	18	16
Treasure	2	---	-	1	-	-	-	1	-	-	-	-	---	-	-	-	---	-	-	-	1	0	3	2
Valley	10	---	-	10	3	4	1	1	2	1	2	-	---	1	-	-	---	1	-	-	7	6	25	24
Wheatland	-	---	-	4	-	1	-	2	-	-	1	-	---	1	-	-	---	1	-	-	0	2	1	11
Wibaux	-	---	-	-	-	-	-	-	2	-	-	1	---	1	-	-	---	-	-	-	2	0	4	2
Yellowstone	83	---	2	111	45	40	20	27	17	7	15	7	---	8	10	6	---	12	3	6	75	85	270	309
TOTAL	526	0	7	578	295	214	136	161	137	45	74	39	0	95	68	60	0	61	32	30	480	463	1,755	1,746

* Non-Hodgkins Lymphoma (NHL) and Hodgkins Disease are not included in the anatomical site (e.g., lymphoma of the stomach is counted as a lymphoma, not stomach cancer).

VITAL STATISTICS BUREAU

The Vital Statistics Bureau has published Montana vital statistics reports since 1954. Single copies of this publication are available without charge as long as the supply lasts. Copies of previous years' publications are available depending on supply. Some year's supplies have been exhausted; reference copies of those reports are available in the Bureau and at the Montana State Library. Photocopies of specific tables or text from any report will be supplied on request as time permits. Inquiries should be directed to the Chief or the Research Specialist of the Vital Statistics Bureau, Montana Department of Public Health and Human Services, at the address or telephone number shown below.

As time permits, additional tabulations can be produced to satisfy individual requests. Uncomplicated tabulations can usually be produced without cost to the requester. In some cases, the requester may be asked to reimburse the bureau for production costs. Tabulations requiring extensive computer processing may require reimbursement for staff time and computer programming charges. The production of special tabulations is subject to the availability of personnel.

The bureau will not honor requests for information that violate the confidentiality requirements of state law or regulations of the Montana Department of Public Health and Human Services. All records and information the department receives concerning individuals are confidential. However, confidentiality is not usually a concern in statistical reports or tables where individuals are not identified.

Vital Statistics Bureau
Montana Department of Public Health and Human Services
DPHHS Building, Room 205
P. O. Box 4210
Helena, Montana 59604-4210

Telephone: (406) 444-4228
FAX: (406) 444-1803

700 copies of this public document were published at an estimated cost of $5.00 per copy, for a total cost of $3,500.00, which includes $3,500.00 for printing and $.00 for distribution.